

FINAL VERSION

VERSION FINALE

**Household refrigerating appliances – Characteristics and test methods –
Part 1: General requirements**

**Appareils de réfrigération à usage ménager – Caractéristiques et méthodes
d'essai –
Partie 1: Exigences générales**

CONTENTS

FOREWORD	5
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms, definitions and symbols	9
3.1 General terms and definitions	9
3.2 Terms and definitions related to refrigerating system	11
3.3 Compartments and sections	11
3.4 Physical aspects and dimensions	13
3.5 Terms and definitions relating to performance characteristics	14
3.6 Operating states as shown in Figure 1	17
3.7 Symbols	18
4 Classifications	19
5 Marking	19
5.1 Rating information	19
5.2 Identification of frozen compartments	20
5.3 Load limit lines	21
6 Technical and commercial product information	21
6.1 General	21
6.2 Determination of linear dimensions	21
7 Instructions	22
Annex A (normative) Test room and instrumentation	24
A.1 Scope	24
A.2 Instruments, accuracy and precision of measurements	24
A.2.1 General	24
A.2.2 Electrical energy consumption	24
A.2.3 Humidity	24
A.2.4 Length	24
A.2.5 Mass	24
A.2.6 Temperature	25
A.2.7 Time	25
A.2.8 Voltage and frequency	25
A.3 General test conditions	25
A.3.1 General	25
A.3.2 Ambient temperatures	26
A.3.3 Electricity supply	27
A.3.4 Power supply other than electricity	28
A.3.5 Multiple power supply	28
A.3.6 Humidity	28
A.4 Test room configuration	28
A.4.1 General	28
A.4.2 Platform	28
A.4.3 Rear wall or partition	28
A.4.4 Side partitions	28
A.4.5 Sensor location	29

A.4.6	Test room general configuration	29
Annex B (normative)	Preparation of an appliance for testing and general measurement procedures	31
B.1	Scope	31
B.2	Preparation and set-up of appliance	31
B.2.1	General	31
B.2.2	Running in of new appliances	31
B.2.3	Installation of the appliance in the test room	31
B.2.4	Combined appliances	33
B.2.5	Setting up	33
B.2.6	Automatic ice makers	35
B.2.7	Pre-test condition	35
Annex C (normative)	Test packages	36
C.1	Dimensions and tolerances	36
C.2	Composition	36
C.3	M-packages	37
Annex D (normative)	Determination of compartment average air temperatures	38
D.1	Scope	38
D.2	Location of sensors	38
D.2.1	General	38
D.2.2	Unfrozen compartments	39
D.2.3	Frozen compartments	39
D.2.4	Equivalent positions and other requirements for all compartment types	39
D.2.5	Consideration of convenience features	42
D.3	Compartment average air temperatures determination	43
D.3.1	General	43
D.3.2	Determination of the average temperature of a sensor over a period	43
D.3.3	Determination of the temperature of a compartment	43
D.3.4	Calculation of temperature average	43
Annex E (normative)	Details of identification symbols	56
Annex F (informative)	Items that may be included in a test report	58
Annex G (normative)	Wine storage appliances	74
G.1	Scope	74
G.2	Terms, definitions and symbols	74
G.3	Requirements	74
G.3.1	Required temperature range	74
G.3.2	Maximum temperature fluctuation	74
G.3.3	Vibration	74
G.4	General test conditions	74
G.4.1	General	74
G.4.2	Low ambient temperature	75
G.4.3	Interior parts	75
G.5	Determination of volumes	75
G.5.1	Depth	75
G.5.2	Evaluation of bottle capacity for wine storage compartments	75
G.6	Measurement of storage temperature	76
G.7	Determining temperature fluctuation	79
G.8	Final test report	79

G.9	Marking and instructions	79
G.9.1	Technical and commercial product information	79
G.9.2	Instructions	79
	Bibliography	80
Figure 1	– Illustration of selected typical refrigerator operations	18
Figure 2	– Identification symbol for a four-star compartment	20
Figure 3	– Star identification symbols for frozen compartments (except four-star)	20
Figure 4	– Marking of load limit	21
Figure 5	– Linear dimensions (example: top view for upright type)	22
Figure A.1	– Verification of parameters to be kept constant	26
Figure A.2	– Partitions to restrict air circulation and ambient temperatures sensor positions	30
Figure B.1	– Examples of appliances with no spacers where rear clearance is specified	32
Figure D.1	– Air-temperature measuring points – unfrozen compartment with plate or concealed evaporators and effective height and width examples (all front views)	44
Figure D.2	– Air-temperature measuring points – unfrozen compartments	46
Figure D.3	– Air-temperature measuring points – small (sub-) compartments and low-height (sub-)compartments	47
Figure D.4	– Location of temperature sensors within upright frozen compartments without refrigerated shelves and with height equal to or less than 1 000 mm	48
Figure D.5	– Location of temperature sensors within upright frozen compartments without refrigerated shelves and with height greater than 1 000 mm	49
Figure D.6	– Location of temperature sensors within upright frozen compartments with refrigerated shelves and with height greater than 1 000 mm	50
Figure D.7	– Location of temperature sensors within chest freezers	53
Figure D.8	– Location of temperature sensors within drawers and bins	55
Figure D.9	– Location of temperature sensors when mirror image is applicable	55
Figure E.1	– Details of identification symbols for four-star compartments	56
Figure E.2	– Details of identification symbols for frozen compartments (except four-star)	57
Figure G.1	– Standard bottle for evaluation of bottle capacity	76
Figure G.2	– Temperature Measurement Points (packages)	78
Table 1	– Climate classes	19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD REFRIGERATING APPLIANCES –
CHARACTERISTICS AND TEST METHODS –**

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62552-1 edition 1.1 contains the first edition (2015-02) [documents 59M/61/FDIS and 59M/64/RVD] and its amendment 1 (2020-11) [documents 59M/126/FDIS and 59M/132/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 62552-1 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

IEC 62552-1, -2 and -3 constitute a technical revision and includes the following significant technical changes with respect to IEC 62552:2007:

- a) All parts of the standard have been largely rewritten and updated to cope with new testing requirements, new product configurations, the advent of electronic product controls and computer based test-room data collection and processing equipment.
- b) In Part 1 (this part) there are some changes to test room equipment specifications and the setup for testing to provide additional flexibility especially when testing multiple appliances in a single test room.
- c) For more efficient analysis and to better characterise the key product characteristics under different operating conditions, the test data from many of the energy tests in Part 3 is now split into components (such as steady state operation and defrost and recovery). The approach to determination of energy consumption has been completely revised, with many internal checks now included to ensure that data complying with the requirements of the standard is as accurate as possible and of high quality.
- d) Part 3 now provides a method to quantify each of the relevant energy components and approaches on how these can be combined to estimate energy, under different conditions on the expectation that different regions will select components and weightings that are most applicable when setting both their local performance and energy efficiency criteria while using a single set of global test measurements.
- e) For energy consumption measurements in Part 3, no thermal mass (test packages) is included in any compartment and compartment temperatures are based on the average of air temperature sensors (compared to the temperature in the warmest test package). There are also significant differences in the position of temperature sensors in unfrozen compartments.
- f) The energy consumption test in Part 3 now has two specified ambient temperatures (16°C and 32°C).
- g) While, in Part 2 test packages are still used for the storage test to confirm performance in different operating conditions, in Part 1 they have been standardised to one size (100 mm × 100 mm × 50 mm) to simplify loading and reduce test variability. A clearance of at least 15 mm is now specified between test packages and the compartment liner.
- h) A load processing energy efficiency test has been added in Part 3.
- i) A tank-type ice making energy efficiency test has been added in Part 3.
- j) A cooling capacity test has been added in Part 2.
- k) A pull-down test has been added in Part 2.
- l) Shelf area and storage volume measurement methods are no longer included. In Part 3 the volume measurement has been revised to be the total internal volume with only components necessary for the satisfactory operation of the refrigeration system considered as being in place.
- m) Tests both performance (Part 2) and energy (Part 3) have been added for wine storage appliances.

The following print types are used in this international standard:

- requirements: in roman type;
- test variables: in *italic type*;
- notes: in small roman type.
- words in **bold** are defined in Clause 3.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62252 series, published under the general title *Household refrigerating appliances – characteristics and test methods*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62552 is split into 3 parts as follows:

- Part 1: Scope, definitions, instrumentation, test room and set up of refrigerating products (this part);
- Part 2: General performance requirements for **refrigerating appliances** and methods for testing them;
- Part 3: **Energy consumption** and **volume** determination.

NOTE For the safety requirements applicable to household **refrigerating appliances**, see IEC 60335-2-24; for noise requirements applicable to household **refrigerators** and **freezers**, see IEC 60704-2-14.

Currently in preview, click buy full version

HOUSEHOLD REFRIGERATING APPLIANCES – CHARACTERISTICS AND TEST METHODS –

Part 1: General requirements

1 Scope

This part of IEC 62552 specifies the essential characteristics of household and similar **refrigerating appliances** cooled by internal natural convection or forced air circulation, and establishes test methods for checking these characteristics.

NOTE Annex F lists the items that can be included in a test report.

For the purposes of declaration, the tests defined in this part of IEC 62552 are considered to be type tests to assess the fundamental design and operation of a **refrigerating appliance**. This part of IEC 62552 does not define requirements for production sampling or conformity assessment or certification.

This part of IEC 62552 does not define a regime for verification testing as this varies by region and country. When verification of the performance of a **refrigerating appliance** of a given type in relation to this standard is necessary, it is preferable, wherever practicable, that all the tests specified be applied to a single unit. The tests can also be made individually for the study of a particular characteristic.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62552-2:2015, *Household refrigerating appliances – Characteristics and test methods – Part 2: Performance requirements*
IEC 62552-2:2015/AMD1:2020

IEC 62552-3:2015, *Household refrigerating appliances – Characteristics and test methods – Part 3: Energy consumption and volume*
IEC 62552-3:2015/AMD1:2020

3 Terms, definitions and symbols

For the purposes of this document, the following terms, definitions and symbols apply.

3.1 General terms and definitions

3.1.1

refrigerating appliance

insulated cabinet with one or more **compartments** that are controlled at specific temperatures and are of suitable size and equipped for household use, cooled by natural convection or a forced convection system whereby the cooling is obtained by one or more energy-consuming means

Note 1 to entry: From the point of view of installation, there are various types of household **refrigerating appliances** (free-standing, portable, wall-mounted, built-in, etc.).