

INTERNATIONAL STANDARD

**Plugs, socket-outlets and ship couplers for high-voltage shore connection
(HVSC) systems –
Part 1: General requirements**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - webstore.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

INTERNATIONAL STANDARD

**Plugs, socket-outlets and ship couplers for high voltage shore connection
(HVSC) systems –
Part 1: General requirements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.120.30

ISBN 978-2-8322-7005-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General	15
4.1 General requirements	15
4.2 General notes on tests	15
5 Standard ratings	16
6 Classification	16
7 Marking	16
8 Dimensions	19
9 Protection against electric shock	19
10 Provisions for protective earthing	21
11 Terminals and terminations	22
11.1 Common requirements for terminals and terminations	22
11.2 Type of terminals	23
11.2.1 Conductor terminals	23
11.2.2 Conductors	23
11.2.3 Screw type terminals	26
11.2.4 Contact pressure	26
11.2.5 Clamping screws	26
11.3 Mechanical tests on terminals	26
12 Locking devices and interlocks	29
13 Resistance to ageing of rubber and thermoplastic material	30
14 General construction	30
15 Construction of socket-outlets and ship inlets	32
16 Construction of ship connectors	32
17 Construction of plugs	32
18 Degrees of protection	33
19 Insulation resistance, dielectric withstand and partial discharge tests	34
19.1 Insulation resistance and dielectric strength	34
19.2 Pilot contacts	34
19.3 Measurements	34
19.4 Dielectric withstand test for low voltage (LV) pilot contacts	35
19.5 Partial discharge test for high voltage (HV) power contacts	35
19.6 AC withstand test for HV power contacts	35
19.7 Subsequent tests	36
19.8 Verifications	36
20 Normal operation	37
21 Temperature rise	37
21.1 Permissible temperature rise	37
21.2 Surface temperature	38

22	Flexible cables and their connection.....	39
22.1	Means for cable clamping.....	39
22.2	Requirements for plugs and ship connectors.....	39
23	Mechanical strength.....	42
23.1	Impact resistance.....	42
23.2	Drop test.....	42
24	Screws, current-carrying parts and connections.....	43
25	Resistance to heat, to fire and to tracking.....	46
26	Corrosion and resistance to rusting.....	47
27	Conditional short-circuit current withstand test.....	48
27.1	General.....	48
27.2	Ratings and test conditions.....	48
27.3	Test circuit.....	48
27.4	Calibration.....	49
27.5	Test procedure.....	49
27.6	Behaviour of the accessory under test.....	49
27.7	Acceptance conditions.....	49
28	Electromagnetic compatibility.....	51
28.1	Immunity.....	51
28.2	Emission.....	51
	Bibliography.....	52
	Figure 1 – Diagram showing the use of the accessories.....	10
	Figure 2 – Pillar terminals.....	12
	Figure 3 – Screw terminals.....	12
	Figure 4 – Stud terminals.....	12
	Figure 5 – Saddle terminals.....	13
	Figure 6 – Lug terminals.....	13
	Figure 7 – Mantle terminals.....	14
	Figure 8 – Standard test trier.....	21
	Figure 9 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section.....	25
	Figure 10 – Test apparatus for checking damage to conductors.....	27
	Figure 11 – Apparatus for testing the cable anchorage.....	40
	Figure 12 – Arrangement for mechanical strength test for plugs and ship connectors.....	43
	Figure 13 – Diagram of the test circuit for the verification of short-circuit current withstand of a three-phase accessory.....	50
	Figure 14 – Diagram of the test circuit for the verification of short-circuit current withstand of a three-phase and separate neutral accessory.....	51
	Table 1 – Size for connectable conductors.....	24
	Table 2 – Test values for flexing tests for copper conductors.....	28
	Table 3 – Test values for pull-out tests for copper conductors.....	29
	Table 4 – Test voltage for dielectric strength test of pilot contacts.....	35
	Table 5 – Dielectric withstand test voltage.....	36

Table 6 – Test current and conductor cross-section for temperature rise 38

Table 7 – Maximum surface temperatures 38

Table 8 – Flexible cable types and dimensions, including conductor sizes and wire type41

Table 9 – Cable secureness test values 41

Table 10 – Screw sizes and torque test values 44

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PLUGS, SOCKET-OUTLETS AND SHIP COUPLERS FOR
HIGH-VOLTAGE SHORE CONNECTION (HVSC) SYSTEMS –****Part 1: General requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC cooperates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62613-1 has been prepared by subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) extension of the scope to an unlimited number of pilot contacts (previously limited to 3);
- b) update of the Figures and deletion of their embedded texts;
- c) insertion of tables of keys whenever required by the Figures.

The text of this International Standard is based on the following documents:

CDV	Report on voting
23H/411/CDV	23H/442A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- notes: in smaller roman type.

A list of all the parts in the IEC 62613 series, under the general title *Plugs, socket-outlets and ship couplers for high-voltage shore connection (HVSC) systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This part of IEC 62613 has been primarily written to address the needs of IEC/IEEE 80005-1 in terms of plugs, socket-outlets, ship connectors and ship inlets (hereafter referred to as "accessories"), to deliver electrical power to ships in ports. The purpose of IEC/IEEE 80005-1 is to define requirements that allow compliant ships to connect to compliant high-voltage shore power supplies through a compatible shore-to-ship connection.

These ships are described in IEC/IEEE 80005-1.

Ships that do not require connecting with standardized high-voltage shore power supplies as above may use accessories that are not covered by the standard sheets of IEC 62613-2, but they may find it impossible to connect to these shore supplies.

Low-voltage plugs, socket-outlets, ship connectors and ship inlets used for the connection of certain ship types to low-voltage shore power supplies can be found in IEC 60309 (all parts).

PLUGS, SOCKET-OUTLETS AND SHIP COUPLERS FOR HIGH-VOLTAGE SHORE CONNECTION (HVSC) SYSTEMS –

Part 1: General requirements

1 Scope

This part of IEC 62613 applies to accessories with

- three phases and earth with pilot contacts,
- one pole for neutral.

These accessories have rated currents not exceeding 500 A and rated operating voltages not exceeding 12 kV 50/60 Hz.

NOTE 1 In some countries, the term "ground" is used instead of "earth".

These accessories are primarily intended for use outdoors, in a sea state environment, for the shore supply of ships (ship-to-shore connection), in an ambient temperature within the range of -25 °C to $+45\text{ °C}$.

NOTE 2 In some countries, other ambient temperatures prevail and are considered.

These accessories are not intended for use in hazardous areas. In such locations where special conditions prevail, additional requirements can be necessary.

These accessories are intended to be connected to cables of copper or copper alloy only.

Socket-outlets or ship inlets incorporated or fixed to electrical equipment are within the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60072 (all parts), *Electrical installations in ships*

IEC 60092-354, *Electrical installations in ships – Part 354: Single- and three-core power cables with extruded solid insulation for rated voltages 6 kV ($U_m = 7,2\text{ kV}$) up to 30 kV ($U_m = 36\text{ kV}$)*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60228, *Conductors of insulated cables*

IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*