

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Computation of waveform parameter uncertainty

Calcul des incertitudes des paramètres des formes d'onde



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Computation of waveform parameter uncertainties

Calcul des incertitudes des paramètres des formes d'onde

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220.20

ISBN 978-2-8322-4345-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Waveform measurement.....	16
4.1 General.....	16
4.2 Waveform parameters.....	17
4.3 Waveform measurement process	17
4.3.1 General	17
4.3.2 General description of the measurement system.....	18
5 Waveform and waveform parameter corrections	19
5.1 General.....	19
5.2 Waveform parameter corrections	19
5.3 Waveform corrections and waveform reconstruction.....	20
5.3.1 General	20
5.3.2 Sample-by-sample correction	20
5.3.3 Entire waveform correction	20
6 Uncertainties	22
6.1 General.....	22
6.2 Propagation of uncertainties	22
6.2.1 General	22
6.2.2 Uncorrelated input quantities	23
6.2.3 Correlated input quantities.....	23
6.3 Pooled data and its standard deviation.....	23
6.4 Expanded uncertainty and coverage factor.....	25
6.4.1 General	25
6.4.2 Effective degrees of freedom.....	27
6.5 Entire waveform uncertainties	28
7 Waveform parameter uncertainties	29
7.1 General.....	29
7.2 Amplitude parameters	30
7.2.1 State levels.....	30
7.2.2 State boundaries	35
7.2.3 Waveform amplitude (state levels)	36
7.2.4 Impulse amplitude (state levels)	37
7.2.5 Percent reference levels (state levels, waveform amplitude)	37
7.2.6 Transition settling error (state levels, waveform amplitude).....	38
7.2.7 Overshoot aberration (state levels, waveform amplitude).....	38
7.2.8 Undershoot aberration (state levels, waveform amplitude)	39
7.3 Temporal parameters.....	39
7.3.1 Initial instant.....	39
7.3.2 Waveform epoch.....	40
7.3.3 Reference level instants (percent reference levels, waveform epoch, initial instant).....	41
7.3.4 Impulse centre instant (impulse amplitude, reference level instants)	42
7.3.5 Transition duration (reference level instants)	42

7.3.6	Transition settling duration (reference level instants)	43
7.3.7	Pulse duration (reference level instants)	43
7.3.8	Pulse separation (reference level instants)	43
7.3.9	Waveform delay (advance) (reference level instants)	44
8	Monte Carlo method for waveform parameter uncertainty estimates	44
8.1	General guidance and considerations	44
8.2	Example: state level.....	44
Annex A (informative) Demonstration example for the calculation of the uncertainty of state levels using the histogram mode according to 7.2.1.2.....		46
A.1	Waveform measurement	46
A.2	Splitting the bimodal histogram and determining the state levels.....	6
A.3	Uncertainty of state levels.....	17
Annex B (informative) Computation of Σ_L and Σ_Y for estimating the uncertainty of state levels using the shorth method according to 7.2.1.3		49
Bibliography.....		52
Figure 1 – Reference levels, reference level instants, waveform amplitude, and transition duration for a single positive-going transition.....		7
Figure 2 – Overshoot, undershoot, state levels, and state boundaries for a single positive-going transition		11
Figure 3 – Creation of measured, corrected, and reconstructed waveforms and the final estimate of the input signal.....		17
Figure 4 – Example of waveform bounds focusing on the trajectories that impact pulse parameter measurements		28
Figure 5 – Relationship between selected waveform parameters		30
Figure A.1 – Waveform obtained from the measurement of a step-like signal from which the state levels and uncertainties are calculated		46
Figure A.2 – Histograms of state s1 (a) and state s2 (b) of the step-like waveform plotted in Figure A.1		47
Figure B.1 – Diagram showing location of waveform elements, $y_{(\beta)}^{(\alpha)}$, in Y_1 and Y_2 , and the construction of Y from Y_1 and Y_2		49
Table 1 – Value of the coverage factor k_p that encompasses the fraction p of the t -distribution for different degrees of freedom (from ISO/IEC Guide 98-3).....		26
Table 2 – Different methods for determining state levels, as given in IEC 60469, and their uncertainty type and method of computation		31
Table 3 – Different methods for determining state boundaries and their uncertainty type and method of computation.....		36
Table 4 – Variables contributing to the uncertainty in overshoot.....		39
Table 5 – Variables contributing to the uncertainty in the reference level instant.....		42
Table A.1 – Uncertainty contributions and total uncertainty for $level(s_i)$ determined from histogram modes		48

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMPUTATION OF WAVEFORM PARAMETER UNCERTAINTIES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62754 has been prepared by IEC technical committee 85: Measuring equipment for electrical and electromagnetic quantities.

The text of the International Standard is based on the following documents:

FDIS	Report on voting
85/585/FDIS	85/X588/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The terms used throughout this document which have been defined in Clause 3 are in italic type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

COMPUTATION OF WAVEFORM PARAMETER UNCERTAINTIES

1 Scope

This document specifies methods for the computation of the temporal and amplitude parameters and their associated uncertainty for step-like and impulse-like waveforms. This document is applicable to any and all industries that generate, transmit, detect, receive, measure, and/or analyse these types of pulses.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60469:2013, *Transitions, pulses and related waveforms – Terms, definitions and algorithms*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 aberration region

3.1.1 post-transition aberration region

interval between a user-specified *instant* and a fixed *instant*, where the fixed *instant* is the first sampling *instant* succeeding the 50 % *reference level instant* for which the corresponding *waveform* value is within the *state boundaries* of the *state* succeeding the 50 % *reference level instant*

[SOURCE: IEC 60469:2013, 3.2.1.1, modified – the note 1 to entry has been deleted.]

3.1.2 pre-transition aberration region

interval between a user-specified *instant* and a fixed *instant*, where the fixed *instant* is the first sampling *instant* preceding the 50 % *reference level instant* for which the corresponding *waveform* value is within the *state boundaries* of the *state* preceding the 50 % *reference level instant*

[SOURCE: IEC 60469:2013, 3.2.1.2, modified – the note 1 to entry has been deleted.]