

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Method for measuring photovoltaic (PV) glass –
Part 1: Measurement of total haze and spectral distribution of haze**

**Méthode de mesure du verre photovoltaïque (PV) –
Partie 1: Mesurage de la brume totale et de la répartition spectrale de la brume**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Method for measuring photovoltaic (PV) glass –
Part 1: Measurement of total haze and spectral distribution of haze**

**Méthode de mesure du verre photovoltaïque (PV) –
Partie 1: Mesurage de la brume totale et de la répartition spectrale de la brume**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.160

ISBN 978-2-8322-4720-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Apparatus.....	7
4.1 General.....	7
4.2 Performance of test instrument	8
5 Test specimens	9
6 Conditioning	9
7 Procedure.....	9
7.1 General.....	9
7.2 Measurements of spectral distribution of haze	9
8 Calculation of results	12
8.1 Spectral distribution of haze.....	12
8.2 Total haze.....	12
9 Test report.....	12
Bibliography.....	14
Figure 1 – Schematic of the integrating sphere	8
Figure 2 – Schematic of sample position for haze measurement	11
Table 1 – Reading procedure	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METHOD FOR MEASURING PHOTOVOLTAIC (PV) GLASS –

Part 1: Measurement of total haze and spectral distribution of haze

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62805-1 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

The text of this standard is based on the following documents:

FDIS	Report on voting
82/1297/FDIS	82/1321/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62805, published under the general title *Method for measuring photovoltaic (PV) glass*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Currently in preview, click buy full version

INTRODUCTION

This document differentiates from the other standards related to haze measurement as follows:

- the scope of this document is restricted to total haze and spectral distribution of haze measurement for PV glass,
- the wavelength range of measurement is different from the visible wavelength range of the other haze test method. In this standard, the wavelength range is typically from 280 nm to 1 250 nm which is related to the spectral response of common solar cells,
- the spectral haze at each wavelength λ is specified in this standard, while the haze integrated over the visible wavelength range 380 nm to 830 nm is always obtained in the other haze test standards.

This part of IEC 62805 establishes IEC requirements for measuring haze and for calculating the total haze of the glass used in photovoltaic modules, especially for the transparent conductive oxide coated (TCO) glass used as substrates for thin-film solar cells.

Thin-film photovoltaic (PV) technology has experienced rapid growth and achieved significant technological advances in recent years due to its advantage over other technologies, including low consumption of raw materials, better performance under high temperatures, reduced sensitivity to overheating, and easier building integration. For the different kinds of thin-film technology used today, such as amorphous silicon (a-Si), amorphous silicon/microcrystalline silicon (a-Si/ μ -Si) tandem, cadmium telluride (CdTe), and perovskite thin-film solar cells, TCO glass is used as the substrate. For silicon-based thin-film solar cells, textured TCO substrates are used to introduce surface texture and light scattering within the solar cell structures in order to enhance the light absorption. Such TCO glass with specific surface morphology and light scattering level can enhance the light absorption in specific wavelength ranges. Therefore, the haze values including total haze and spectral distribution of haze are important properties of TCO glass and thus to the solar cell efficiency.

At present, there are no published international standard for measuring the spectral distribution of haze. The haze detection method found in other active international standards only characterizes the visible range of light-scattering ability of transparent material, which is not adequate for measuring the haze of PV glass. In this standard, the wavelength range, equipment requirement and calculation method have been adjusted based on the characteristics of PV glass.

The aim of this standard is:

- to provide specific test methods for measuring haze for PV glass, especially for TCO glass;
- to develop the measurement procedure for spectral distribution of haze in the solar response wavelength range, typically from 280 nm to 1 250 nm;
- to provide the calculation method for total haze in the solar response wavelength range, typically from 280 nm to 1 250 nm.

METHOD FOR MEASURING PHOTOVOLTAIC (PV) GLASS –

Part 1: Measurement of total haze and spectral distribution of haze

1 Scope

This part of IEC 62805 specifies a method for measurement and calculation of the total haze and the spectral distribution of haze of glass used in photovoltaic (PV) modules.

This document is applicable to glass used in PV modules, including transparent conductive oxide coated (TCO) glass and other kinds of glass used in PV modules.

2 Normative references

The following documents are referred to in the text in such a way that content for all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60904-3:2016, *Photovoltaic devices – Part 3: Measurement principles for terrestrial photovoltaic (PV) solar devices with reference spectral irradiance data*

IEC TS 61836, *Solar photovoltaic energy systems – Terminology, definitions and symbols*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC TS 61836 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

PV glass

glass used in PV modules, including cover or front glass, back glass and substrate glass

3.2

transparent conductive oxide coated (TCO) glass

flat glass coated with a transparent conductive oxide film that is used as a conductive layer

Note 1 to entry: This note applies to the French language only.

3.3

total haze

ratio of the scattered photon flux to the total photon flux transmitted through the PV glass in the wavelength range 280 nm to 1 250 nm, when the direction of the scattered light deviates more than 2,5° from the direction of the incident beam

Note 1 to entry: In this document, the wavelength range of 280 nm to 1250 nm is chosen as the representative response spectrum of the common solar cells. If the PV glass is used in a PV module in which the response spectrum of the solar cell is beyond the range 280 nm to 1250 nm, a different wavelength range can be used for the measurement.