

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Cylindrical cavity method to measure the complex permittivity of low-loss dielectric rods**

**Mesure de la permittivité complexe des barreaux diélectriques à faibles pertes par la méthode de la cavité cylindrique**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Cylindrical cavity method to measure the complex permittivity of low-loss dielectric rods**

**Mesure de la permittivité complexe des barreaux diélectriques à faibles pertes par la méthode de la cavité cylindrique**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.120.30

ISBN 978-2-8322-5194-2

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references .....	5
3 Measurement parameters .....	5
4 Theory and calculation equations .....	5
5 Measurement system.....	12
6 Measurement procedure .....	14
6.1 Preparation of measurement apparatus.....	14
6.2 Measurement of reference level .....	14
6.3 Measurement of cavity parameters: $\sigma_r$ .....	14
6.4 Measurement of complex permittivity of test sample: $\epsilon'$ , $\tan \delta$ .....	15
Annex A (informative) Example of measurement results and accuracy .....	16
A.1 Measurement of $\epsilon'$ and $\tan \delta$ values .....	16
A.2 Measurement uncertainty of $\epsilon'$ and $\tan \delta$ .....	17
Bibliography.....	19
Figure 1 – Structure of a cylindrical cavity resonator.....	6
Figure 2 – Correction factor $C_1$ for $\epsilon'$ .....	7
Figure 3 – Correction factor $C_2$ for $\tan \delta$ with the different values of $d_1$ .....	9
Figure 4 – Schematic diagram of measurement systems.....	13
Figure 5 – Resonance frequency $f_0$ , insertion attenuation $IA_0$ and half-power band width $f_{BW}$ .....	14
Figure 6 – Frequency responses of the $TM_{010}$ mode of cylindrical cavity .....	15
Table 1 – Numerical values of correction factor $C_1$ .....	8
Table 2 – Numerical values of correction factor $C_2$ .....	10
Table 3 – Numerical values of correction factor $C_2$ .....	11
Table A.1 – The parameters of the cavity and the rod sample .....	16
Table A.2 – The resonant frequencies and unloaded $Q$ -factors .....	16
Table A.3 – The approximate values and the relative conductivity value .....	16
Table A.4 – Correction factors and the measurement results .....	16
Table A.5 – The measurement uncertainty of $\epsilon'$ .....	17
Table A.6 – The measurement uncertainty of $\tan \delta$ .....	18

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## CYLINDRICAL CAVITY METHOD TO MEASURE THE COMPLEX PERMITTIVITY OF LOW-LOSS DIELECTRIC RODS

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62810 has been prepared by subcommittee 46F: R.F. and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This bilingual version (2017-12) corresponds to the monolingual English version, published in 2015-02.

The text of this standard is based on the following documents:

CDV	Report on voting
46F/242/CDV	46F/260/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## CYLINDRICAL CAVITY METHOD TO MEASURE THE COMPLEX PERMITTIVITY OF LOW-LOSS DIELECTRIC RODS

### 1 Scope

This International Standard relates to a measurement method for complex permittivity of a dielectric rod at microwave frequency. This method has been developed to evaluate the dielectric properties of low-loss materials in coaxial cables and electronic devices used in microwave systems. It uses the  $TM_{010}$  mode in a circular cylindrical cavity and presents accurate measurement results of a dielectric rod sample, where the effect of sample insertion holes is taken into account accurately on the basis of the rigorous electromagnetic analysis.

In comparison with the conventional method described in IEC 60556 [2]<sup>1</sup>, this method has the following characteristics:

- the values of the relative permittivity  $\epsilon'$  and loss tangent  $\tan\delta$  of a dielectric rod sample can be measured accurately and non-destructively;
- the measurement accuracy is within 1,0 % for  $\epsilon'$  and within 20 % for  $\tan\delta$ ;
- the effect of sample insertion holes is corrected using correction charts presented;
- this method is applicable for the measurements on the following condition:
  - frequency:  $1 \text{ GHz} \leq f \leq 10 \text{ GHz}$ ;
  - relative permittivity:  $1 \leq \epsilon' \leq 100$ ;
  - loss tangent:  $10^{-4} \leq \tan\delta \leq 10^{-1}$ .

### 2 Normative references

Void.

### 3 Measurement parameters

The measurement parameters are defined as follows:

$$\epsilon_r = \epsilon' - j\epsilon'' \quad (1)$$

$$\tan\delta = \epsilon''/\epsilon' \quad (2)$$

where  $\epsilon'$  and  $\epsilon''$  are the real and imaginary parts of the complex relative permittivity  $\epsilon_r$ .

### 4 Theory and calculation equations

A resonator structure used in these measurements is shown in Figure 1. A cavity, made with copper, with diameter  $D$  and height  $H$  has sample insertion holes with diameter  $d_2$  and depth  $g$  oriented coaxially. A dielectric rod sample of diameter  $d_1$  having  $\epsilon'$  and  $\tan\delta$  is inserted into the holes.

<sup>1</sup> Figures in square brackets refer to the Bibliography.