

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Semiconductor devices – Semiconductor devices for energy harvesting and generation –
Part 7: Linear sliding mode triboelectric energy harvesting**

**Dispositifs à semiconducteurs – Dispositifs à semiconducteurs pour
récupération et génération d'énergie –
Partie 7: Récupération d'énergie triboélectrique en mode de coulissement
linéaire**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Semiconductor devices – Semiconductor devices for energy harvesting and generation –
Part 7: Linear sliding mode triboelectric energy harvesting**

**Dispositifs à semiconducteurs – Dispositifs à semiconducteurs pour
récupération et génération d'énergie –
Partie 7: Récupération d'énergie triboélectrique en mode de coulissement
linéaire**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.080.99

ISBN 978-2-8322-9469-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
3.1 General terms.....	6
3.2 Triboelectric transducer	6
3.3 Characteristic parameters	7
4 Essential ratings and blank specification	10
4.1 Identification and type.....	10
4.2 Limiting values and operating conditions.....	10
4.3 Additional information	10
5 Test method	11
5.1 General.....	11
5.2 Electrical characteristics	12
5.2.1 Test procedure	12
5.2.2 Open-circuit voltage.....	13
5.2.3 Short-circuit current.....	14
5.2.4 Output voltage.....	14
5.2.5 Output current	14
5.2.6 Output power.....	15
5.2.7 Optimal load impedance	15
5.3 Mechanical characteristics	16
5.3.1 Test procedure	16
5.3.2 Contact area.....	17
5.3.3 Contact force.....	17
5.3.4 Displacement.....	18
5.3.5 Sliding speed.....	18
5.3.6 Relative humidity range	19
5.3.7 Temperature range	19
6 Test report.....	20
Annex A (informative) Linear sliding modes	22
A.1 Dielectric-to-dielectric sliding	22
A.2 Conductor-to-dielectric sliding.....	22
Annex B (informative) Example of experimental setup.....	23
Annex C (informative) Example of measurement for linear sliding mode triboelectric energy harvester.....	24
C.1 General.....	24
C.2 Linear sliding mode triboelectric energy harvester	24
C.2.1 Weight and dimension of tested sliding mode triboelectric energy harvesting device.....	24
C.2.2 Type, frequency, acceleration and displacement conditions of energy harvester	24
C.2.3 Measurement conditions and measurement results for open-circuit voltage	24
C.2.4 Measurement condition and measurement results for short-circuit current.....	25

C.2.5	Measurement conditions and measurement results for different acceleration.....	25
C.2.6	Measurement conditions and measurement results for different frequency	27
C.2.7	Measurement conditions and measurement results for different displacement	27
C.2.8	Measurement conditions and measurement results for output voltage and current at different loads	28
C.2.9	Measurement conditions and measurement results for output power.....	29
	Bibliography.....	30
	Figure 1 – Schematic of linear sliding mode triboelectric energy harvester.....	7
	Figure 2 – Equivalent circuit diagram of linear sliding mode triboelectric energy harvester	8
	Figure 3 – Measurement procedure for sliding mode triboelectric energy harvester.....	11
	Figure 4 – Test setup for the electrical characteristics of linear sliding mode triboelectric energy harvester.....	12
	Figure 5 – Instantaneous open-circuit output voltage characteristic	13
	Figure 6 – Instantaneous short-circuit output current characteristic.....	14
	Figure 7 – Output voltage and current at different loads.....	15
	Figure 8 – Output power characteristic at various external loads	15
	Figure 9 – Block diagram of a test setup for evaluating the reliability	16
	Figure 10 – Output voltage for different surface contact areas	17
	Figure 11 – Output voltage dependence on contact force.....	18
	Figure 12 – Output voltage for varying displacement between interfacing layers	18
	Figure 13 – Output voltage for different sliding speeds.....	19
	Figure 14 – Output voltage under different relative humidity.....	19
	Figure 15 – Output voltage at different temperature	20
	Figure A.1 – Operation modes of linear sliding mode triboelectric energy harvester	22
	Figure B.1 – Experimental setup for testing linear sliding mode triboelectric energy harvester	23
	Figure C.1 – Photographs of the triboelectric energy harvester	24
	Figure C.2 – Instantaneous open-circuit output voltage waveform.....	25
	Figure C.3 – Instantaneous short-circuit output current waveform	25
	Figure C.4 – Voltage waveform at 5 Hz frequency for different accelerations	26
	Figure C.5 – Output voltage characteristic at various accelerations.....	27
	Figure C.6 – Output voltage characteristic at different frequencies.....	27
	Figure C.7 – Output voltage for varying displacements between interfacing layers at 5 Hz frequency	28
	Figure C.8 – Output voltage and current at different loads	28
	Figure C.9 – Output power characteristic at various external loads	29
	Table 1 – Specification parameters for linear sliding mode triboelectric energy harvesters.....	10
	Table C.1 – Measurement conditions	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SEMICONDUCTOR DEVICES – SEMICONDUCTOR DEVICES
FOR ENERGY HARVESTING AND GENERATION –****Part 7: Linear sliding mode triboelectric energy harvesting**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62830-7 has been prepared by IEC technical committee 47: Semiconductor devices.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
47/2676/FDIS	47/2686/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62830 series, published under the general title *Semiconductor devices – Semiconductor devices for energy harvesting and generation*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SEMICONDUCTOR DEVICES – SEMICONDUCTOR DEVICES FOR ENERGY HARVESTING AND GENERATION –

Part 7: Linear sliding mode triboelectric energy harvesting

1 Scope

This part of IEC 62830 defines terms, definitions, symbols, configurations, and test methods that can be used to evaluate and determine the performance characteristics of linear sliding mode triboelectric energy harvesting devices for practical use. This document is applicable to energy harvesting devices for consumer, general industries, military and aerospace applications without any limitations on device technology and size.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 General terms

3.1.1

linear sliding

physical sliding of one material on another material in horizontal direction

3.1.2

sliding-based energy harvester

energy transducer that transforms physical sliding energy into electrical energy

Note 1 to entry: A linear sliding mode triboelectric energy harvester to convert linear sliding to electricity comprises dielectric materials, a surface electrode, an external load, and a relative displacement between dielectric materials as shown in Figure 1. The sliding makes the two dielectric material surfaces come into physical touch, and relative displacement makes the gap between those two materials. The top and bottom electrodes on the two dielectric materials harvest charges generated from the coupling of triboelectrification and electrostatic induction. The triboelectric charges are generated by the charge transfer between two thin organic/inorganic films that exhibit distinct surface electron affinity, and the potential difference results from the separation of the triboelectric charges; under short-circuit conditions, electrons are driven to flow between two electrodes attached on the back side of the films through the load in order to balance the potential difference resulting from mechanical action.

3.2 Triboelectric transducer

3.2.1

triboelectric effect

type of contact electrification in which certain materials become electrically charged after they come into frictional contact with a different material