

INTERNATIONAL STANDARD



**Measurement techniques of piezoelectric, dielectric and electrostatic
oscillators –
Part 1: Basic methods for the measurement**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - www.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

INTERNATIONAL STANDARD



**Measurement techniques of piezoelectric, dielectric and electrostatic oscillators –
Part 1: Basic methods for the measurement**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.140

ISBN 978-2-8322-4395-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
3.1 General.....	9
3.2 Terms and definitions.....	10
4 Test and measurement procedures.....	10
4.1 General.....	10
4.2 Test and measurement conditions.....	10
4.2.1 Standard conditions for testing	10
4.2.2 Equilibrium conditions.....	10
4.2.3 Air flow conditions for temperature tests	10
4.2.4 Power supplies	11
4.2.5 Precision of measurement	11
4.2.6 Precautions	11
4.2.7 Alternative test methods	11
4.3 Visual inspection.....	11
4.3.1 General	11
4.3.2 Visual test A	11
4.3.3 Visual test B	11
4.3.4 Visual test C	12
4.4 Dimensions and gauging procedures	12
4.4.1 Dimensions – Test A.....	12
4.4.2 Dimensions – Test B.....	12
4.5 Electrical test procedures.....	12
4.5.1 Insulation resistance.....	12
4.5.2 Voltage proof.....	12
4.5.3 Input power	13
4.5.4 Output frequency.....	14
4.5.5 Frequency/temperature characteristics	15
4.5.6 Frequency/load coefficient.....	16
4.5.7 Frequency/voltage coefficient	17
4.5.8 Frequency stability with thermal transient	17
4.5.9 Oscillation start-up.....	18
4.5.10 Stabilization time	22
4.5.11 Frequency adjustment range.....	22
4.5.12 Retrace characteristics	22
4.5.13 Oscillator output voltage (sinusoidal)	23
4.5.14 Oscillator output voltage (pulse waveform)	24
4.5.15 Oscillator output waveform (sinusoidal)	25
4.5.16 Oscillator output waveform (pulse).....	27
4.5.17 Oscillator output power (sinusoidal)	27
4.5.18 Oscillator output impedance (sinusoidal)	27
4.5.19 Re-entrant isolation	28
4.5.20 Output suppression of gated oscillators	28
4.5.21 3-state output characteristics.....	29
4.5.22 Amplitude modulation characteristics.....	30

4.5.23	Frequency modulation characteristics	36
4.5.24	Spurious response	40
4.5.25	Phase noise	40
4.5.26	Phase noise – vibration	41
4.5.27	Phase noise – acoustic	41
4.5.28	Noise pedestal	42
4.5.29	Spectral purity	43
4.5.30	Incidental frequency modulation	43
4.5.31	RMS fractional frequency fluctuations	44
4.5.32	Electromagnetic interference (radiated)	48
4.6	Mechanical and environmental test procedures	52
4.6.1	Robustness of terminations (destructive)	52
4.6.2	Sealing test (non-destructive)	54
4.6.3	Soldering (solderability and resistance to soldering heat) (destructive)	54
4.6.4	Rapid change of temperature: severe shock by liquid immersion (non-destructive)	57
4.6.5	Rapid change of temperature: thermal shock in air (non-destructive)	57
4.6.6	Bump (destructive)	57
4.6.7	Vibration (destructive)	58
4.6.8	Shock (destructive)	58
4.6.9	Free fall (destructive)	59
4.6.10	Acceleration, steady-state (non-destructive)	59
4.6.11	Acceleration – 2g tip over	59
4.6.12	Acceleration noise	59
4.6.13	Low air pressure (non-destructive)	59
4.6.14	Dry heat (non-destructive)	59
4.6.15	Damp heat, cyclic (destructive)	59
4.6.16	Cold (non-destructive)	60
4.6.17	Climatic sequence (destructive)	60
4.6.18	Damp heat, steady-state (destructive)	60
4.6.19	Salt mist, cyclic (destructive)	60
4.6.20	Mould growth (non-destructive)	60
4.6.21	Immersion in cleaning solvent (non-destructive)	60
4.6.22	Radiation hardness	60
	Bibliography	61
	Figure 1 – Test circuits for insulation resistance measurements	12
	Figure 2 – Test circuit for voltage proof test	13
	Figure 3 – Test circuit for oscillator input power measurement	13
	Figure 4 – Test circuit for oven and oscillator input power measurement	14
	Figure 5 – Test circuit for measurement of output frequency, method 1	15
	Figure 6 – Test circuit for measurement of output frequency, method 2	15
	Figure 7 – Test circuit for measurement of frequency/temperature characteristics	16
	Figure 8 – Thermal transient behaviour of typical oscillator	18
	Figure 9 – Generalized oscillator circuit	19
	Figure 10 – Test circuit for start-up behaviour and start-up time measurement	20
	Figure 11 – Typical start-up behaviour with slow supply voltage ramp	20

Figure 12 – Definition of start-up time	21
Figure 13 – Supply voltage waveform for periodical t_{SU} measurement	22
Figure 14 – Typical oscillator stabilization characteristic	22
Figure 15 – Example of retrace characteristic	23
Figure 16 – Test circuit for the measurement of output voltage	24
Figure 17 – Test circuit for the measurement of pulse outputs	24
Figure 18 – Characteristics of an output waveform.....	24
Figure 19 – Test circuit for harmonic distortion measurement	25
Figure 20 – Quasi-sinusoidal output waveforms	25
Figure 21 – Frequency spectrum for harmonic distortion	26
Figure 22 – Test circuit for the determination of isolation between output ports.....	28
Figure 23 – Test circuit for measuring suppression of gated oscillators.....	29
Figure 24 – Test circuit for 3-state disable mode output current	29
Figure 25 – Test circuit for output gating time – 3-state.....	30
Figure 26 – Test circuit for modulation index measurement.....	31
Figure 27 – Modulation waveform for index calculation	31
Figure 28 – Logarithmic signal amplitude scale.....	31
Figure 29 – Test circuit to determine amplitude modulation sensitivity	33
Figure 30 – Frequency spectrum of amplitude modulation distortion	33
Figure 31 – Test circuit to determine pulse amplitude modulation	34
Figure 32 – Pulse modulation characteristic.....	35
Figure 33 – Test circuit for the determination of modulation input impedance.....	36
Figure 34 – Test circuit for the measurement of f.m. deviation	36
Figure 35 – Test circuit for the measurement of f.m. sensitivity	38
Figure 36 – Test circuit for the measurement of frequency modulation distortion.....	39
Figure 37 – Test circuit for the measurement of single-sideband phase noise	40
Figure 38 – Typical noise pedestal spectrum	42
Figure 39 – Test circuit for the measurement of incidental frequency modulation	44
Figure 40 – Test circuit for method 1.....	45
Figure 41 – Test circuit for method 2.....	46
Figure 42 – Circuit modifications for methods 1 and 2.....	47
Figure 43 – Time-domain short-term frequency stability of a typical 5 MHz precision oscillator.....	48
Figure 44 – Radiated interference tests	49
Figure 45 – Characteristics of line impedance of stabilizing network	50
Figure 46 – Circuit diagram of line impedance of stabilizing network.....	51
Figure 47 – Reflow temperature profile for solderability	55
Figure 48 – Reflow temperature profile for resistance to soldering heat	56
Table 1 – Measuring sets bandwidth	52
Table 2 – Tensile force	52
Table 3 – Thrust force.....	53
Table 4 – Bending force.....	53

Table 5 – Torque force.....54
Table 6 – Solderability – Test condition, reflow method.....55
Table 7 – Resistance to soldering heat – Test condition and severity, reflow method.....57

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MEASUREMENT TECHNIQUES OF PIEZOELECTRIC,
DIELECTRIC AND ELECTROSTATIC OSCILLATORS –**

Part 1: Basic methods for the measurement

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62884-1 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

The text of this International Standard is based on the following documents:

CDV	Report on voting
49/1187A/CDV	49/1200/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62884 series, published under the general title *Measurement techniques of piezoelectric, dielectric and electrostatic oscillators*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Currently in preview, click buy full version

MEASUREMENT TECHNIQUES OF PIEZOELECTRIC, DIELECTRIC AND ELECTROSTATIC OSCILLATORS –

Part 1: Basic methods for the measurement

1 Scope

This part of IEC 62884 specifies the measurement techniques for piezoelectric, dielectric and electrostatic oscillators, including Dielectric Resonator Oscillators (DROs) and oscillators using FBAR (hereinafter referred to as "Oscillator").

NOTE Dielectric Resonator Oscillators (DROs) and oscillators using FBAR are under consideration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical terminology*

IEC 60050-561, *International electrotechnical vocabulary – Part 561: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection*. Available at <http://www.electropedia.org>

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-7, *Basic environmental testing procedures – Part 2-7: Tests – Test Ga and guidance: Acceleration, steady state*

IEC 60068-2-10:2005, *Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth*

IEC 60068-2-13, *Basic environmental testing procedures – Part 2-13: Tests – Test M: Low air pressure*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-17:1994, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-20, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*