

INTERNATIONAL STANDARD



**Printed Electronics –
Part 301-3: Equipment – Contact printing – Rigid master – Method to measure
the shape errors of printing plate rollers**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



INTERNATIONAL STANDARD



**Printed Electronics –
Part 301-3: Equipment – Contact printing – Rigid master – Method to measure
the shape errors of printing plate rollers**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 19.080; 37.100.01

ISBN 978-2-8322-9717-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	7
4 Measurement methods.....	10
4.1 General.....	10
4.2 Measuring instrument.....	10
4.3 Measuring process.....	11
4.4 Report.....	12
Annex A (informative) Printing force variation of the printing plate roller.....	13
Annex B (normative) Numerical procedures to extract the shape errors of the printing plate rollers.....	14
B.1 Extraction of the least square reference circle for each measured circumference of the printing cylinder.....	14
B.2 Remove the axial deviations and the radial deviations.....	15
B.3 Calculate the cross-section deviations.....	16
B.4 Calculate the residual shape errors.....	16
Annex C (informative) Examples of report.....	17
C.1 Example of report.....	17
C.2 Example of report 2.....	20
Bibliography.....	24
Figure 1 – General shape of printing plate roller.....	8
Figure 2 – Datum axis of the printing plate roller for measuring shape errors of the printing cylinder.....	8
Figure 3 – Median line deviation of a cylinder.....	9
Figure 4 – Radius deviation of a cylinder.....	9
Figure 5 – Cross-sectional deviation of a cylinder.....	10
Figure A.1 – Printing force variations in two different cases.....	13
Figure A.2 – Axial deviation with a slope relative to the datum axis.....	13
Figure A.3 – Axial deviation with an offset relative to the datum axis.....	13
Figure B.1 – Measurement of the printing cylinder.....	14
Figure B.2 – Least square reference circle of the i-th circumferential measurement.....	15
Figure C.1 – Measurement setup.....	17
Figure C.2 – Measurement of the datum axis.....	18
Figure C.3 – Measurement of the circumferences of the printing cylinder with the label meaning the z-axis position of each measured circumference.....	18
Figure C.4 – Graphical report of Table C.1.....	19
Figure C.5 – Extracted cross-section variation.....	19
Figure C.6 – Residual shape errors.....	20
Figure C.7 – Measurement setup.....	21
Figure C.8 – Measurement of the datum axis.....	21

Figure C.9 – Measurement of the circumferences of the printing cylinder with the label meaning the z-axis position of each measured circumference	22
Figure C.10 – Graphical report of Table C.2.....	22
Figure C.11 – Extracted cross-section variation	23
Figure C.12 – Residual shape errors.....	23
Table 1 – Guideline for the sample points on each circumferential measurement	11
Table B.1 – Report form for the axial deviations and radial deviations of the printing cylinder.....	15
Table C.1 – Report for the axial deviations and radial deviations of the printing cylinder fitted from measured circumferences given in Figure C.3	17
Table C.2 – Report for the axial deviations and radial deviations of the printing cylinder fitted from measured circumferences given in Figure C.9	22

Currently in preview, click buy full version.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRINTED ELECTRONICS –

**Part 301-3: Equipment – Contact printing – Rigid master –
Method to measure the shape errors of printing plate rollers**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publications"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as far as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62899-302-3 has been prepared by IEC technical committee 119: Printed Electronics. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
119/505/FDIS	119/511/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62899 series, published under the general title *Printed electronics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The term "printed electronics" can be easily understood in that this industry involves electronic devices and products that are manufactured by using state-of-the-art printing techniques, otherwise known as additive processes. Printing methods have been widely used in textile and paper type substrates for centuries. In the past, the advent of mass producible printouts had a significant impact on how knowledge is stored, transferred and reproduced. At this current stage of technological development, printing on either rigid or flexible substrates is considered to supplement or replace traditional electronic device manufacturing processes. The difference between media printing and printed electronics stems from the fact that media print is used to convey information for humans to process using their eyes while printed electronics requires machines to process electronic information; the level of resolution and functionality required makes the difference. Some of the widely used functional materials for printed electronics are, but not limited to, nano- or micro-size metal particles, semiconductive polymers, and dielectric materials. Due to the available and required readout resolution, small feature sizes below $10\ \mu\text{m}$ will necessarily be printed. Layer thickness and registration accuracy of printed products are closely related to the quality control of electronic devices with ink materials requiring a high level of quality. Overall, printing tolerance is much smaller in printed electronics.

There are two main categories in the printing process for printed electronics. One is a non-contact printing process, such as inkjet printing or an electrostatic discharge (ESD) printing process. The other is a contact printing process, such as gravure printing, gravure offset printing, reverse offset printing and screen printing. This document provides a proposal for measuring and assessing the printing master. Therefore, the scope is limited to the printing process using the printing master.

The quality of the printing master is important because the ink is transferred from the printing master to the substrate directly in these processes, which means that the quality of the results of the printed circuit depends on the quality of the printing master. For the mass production of printed electronic devices, many companies, such as device manufacturers, printing master manufacturers and printing master manufacturing equipment vendors, are related to manufacturing and thus they will use a printing master and standardized measurement and assessment methods.

Printed electronics requires more precise dimensional control than conventional media printing as mentioned above. It means that the evaluation of printing plate rollers is critical to achieving the reliable production of high-resolution patterns and the reduction of printing registration errors. One of the most important performance parameters of the printing plate roller is the dynamic error in actual printing equipment during actual printing. The dynamic error of the printing plate roller causes the changes in the printing process condition, such as the printing pressure and the synchronization error between the roller and the substrate. Such a dynamic error results in printed linewidth variations and printing registration errors. The dynamic error is the combined results of the shape errors of the printing plate roller, the motion guiding error of the bearing assembly, and the unexpected deformation of the roller by the external load including self-gravity load. To reduce the occurrence of dynamic errors of the printing plate roller, each contributor to the dynamic error of the printing plate roller will be evaluated. For the first step to evaluate the dynamic error of the printing plate roller, this document focuses on measuring the shape errors of the printing plate roller.

PRINTED ELECTRONICS –

Part 301-3: Equipment – Contact printing – Rigid master – Method to measure the shape errors of printing plate rollers

1 Scope

This part of IEC 62899 defines measurement terms and methods related to the shape errors of printing plate rollers. Measurement terms include radius, total run-out, and three kinds of shape errors of printing plate rollers that are axial deviation, radial deviation, and cross-sectional deviation. The remaining shape error excluding the three errors mentioned above is defined as a residual shape error.

This document applies to printing plate rollers with or without patterns while excluding the pattern area for the measurement.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1101, *Geometrical product specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out*

ISO 12180-1:2011, *Geometrical product specifications (GPS) – Cylindricity – Part 1: Vocabulary and parameters of cylindrical form*

ISO 12180-2, *Geometrical product specifications (GPS) – Cylindricity – Part 2: Specification operators*

ISO 12181-2, *Geometrical product specifications (GPS) – Roundness – Part 2: Specification operators*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

• IEC Electropedia: available at <https://www.electropedia.org/>

• ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

printing plate roller

roller that carries the image to be printed and is composed of several sections including the printing cylinder, journal shaft, and driving shaft

SEE: Figure 1.