

INTERNATIONAL STANDARD



**Touch and interactive displays –
Part 12-20: Measurement methods of touch displays – Multi-touch performance**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - webstore.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

INTERNATIONAL STANDARD



**Touch and interactive displays –
Part 12-20: Measurement methods of touch displays – Multi-touch performance**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-7433-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Standard measuring conditions.....	6
4.1 Standard environmental conditions	6
4.2 Measuring equipment.....	7
4.3 Test bar	7
4.4 Test bar position	7
5 Touch performance measuring methods	8
5.1 Multi-touch support	8
5.1.1 Purpose.....	8
5.1.2 Test procedure	8
5.1.3 Report	8
5.2 Adjacent touch distance.....	8
5.2.1 Purpose.....	8
5.2.2 Test procedure	9
5.2.3 Report	9
5.3 Adjacent touch accuracy.....	9
5.3.1 Purpose.....	9
5.3.2 Test procedure	10
5.3.3 Report	10
5.4 Rotation.....	10
5.4.1 Purpose.....	10
5.4.2 Test procedure	10
5.4.3 Report	13
5.5 Pinch motion drifting.....	14
5.5.1 Purpose.....	14
5.5.2 Test procedure	14
5.5.3 Report	16
5.6 Multi-touch dragging.....	16
5.6.1 Purpose.....	16
5.6.2 Test procedure	16
5.6.3 Report	17
5.7 Multi-touch crosstalk.....	17
5.7.1 Purpose.....	17
5.7.2 Test procedure	17
5.7.3 Report	18
5.8 Fast tap.....	18
5.8.1 Purpose.....	18
5.8.2 Test procedure	18
5.8.3 Report	19
Figure 1 – Composition of measuring equipment.....	7
Figure 2 – Examples of test bars.....	7
Figure 3 – Location of edge area and centre area	8

Figure 4 – Example of adjacent touch distance	9
Figure 5 – Example of adjacent test bars on the X axis	10
Figure 6 – Example of full circular rotation	11
Figure 7 – Position of the centre of rotation	11
Figure 8 – Definition of R_{\min} , R_{ref} and R_{\max}	14
Figure 9 – Start points of test bars	15
Figure 10 – Example of pinch motion drifting in the horizontal direction	16
Figure 11 – Example of the multi-touch slide of three test bars in the vertical direction	17
Figure 12 – Example of multi-touch crosstalk in the horizontal direction	18
Figure 13 – Example of fast tap	20

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TOUCH AND INTERACTIVE DISPLAYS –

**Part 12-20: Measurement methods of touch displays –
Multi-touch performance**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62908-12-20 has been prepared by IEC technical committee 110: Electronic displays.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
110/1129/FDIS	110/1148/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62908 series, published under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TOUCH AND INTERACTIVE DISPLAYS –

Part 12-20: Measurement methods of touch displays – Multi-touch performance

1 Scope

This part of IEC 62908 specifies the standard measuring conditions and measurement methods for the multi-touch performance of a touch sensor module. This document is applicable to touch sensor modules, where the structural relationship between the touch sensor, touch controller, touch sensor module, display panel, touch display panel, and touch display module is defined in IEC 62908-1-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 62908-1-2, *Touch and interactive displays – Part 1-2: Generic – Terminology and letter symbols*

IEC 62908-12-10, *Touch and interactive displays – Part 12-10: Measurement methods of touch displays – Touch and electrical performance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60068-1 and IEC 62908-1-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Standard measuring conditions

4.1 Standard environmental conditions

Measurements shall be carried out under the standard environmental conditions:

- temperature: 25 °C ± 3 °C,
- relative humidity: 25 % RH to 85 % RH,
- atmospheric pressure: 86 kPa to 106 kPa.

When different environmental conditions are used, they shall be noted in the measurement report.