

# INTERNATIONAL STANDARD

---

**Flow battery energy systems for stationary applications –  
Part 2-2: Safety requirements**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### IEC Glossary - [webstore.iec.ch/glossary](http://webstore.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC 62932-2-2

Edition 1.0 2020-02

# INTERNATIONAL STANDARD

---

**Flow battery energy systems for stationary applications –  
Part 2-2: Safety requirements**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.220.99

ISBN 978-2-8322-7854-3

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions and abbreviated terms .....	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	9
4 Procedure of the risk analysis.....	9
5 Safety requirements and protective measures .....	11
5.1 General.....	10
5.2 Risk information.....	10
5.3 Electrical hazards .....	10
5.3.1 Electrical shock .....	10
5.3.2 Short-circuits .....	10
5.3.3 Leakage currents.....	11
5.4 Hazards of gaseous emissions.....	11
5.4.1 General .....	11
5.4.2 Harmful gas.....	12
5.4.3 Ventilation .....	13
5.4.4 Warning sign .....	13
5.4.5 Close vicinity to emissions.....	14
5.5 Hazard posed by liquids.....	14
5.5.1 General .....	14
5.5.2 Detection of electrolyte leakage.....	14
5.5.3 Protective measures against leakage.....	14
5.5.4 Specific information .....	14
5.5.5 Flow path identification .....	15
5.6 Hazards of mechanical cause .....	15
5.7 Operational hazards and measures.....	15
5.7.1 General.....	15
5.7.2 Start.....	15
5.7.3 Remote monitoring and control systems .....	16
5.7.4 Protection.....	16
5.7.5 Auxiliary power failure .....	16
6 Instructions.....	16
7 Identification labels or marking .....	16
7.1 Name plate information .....	16
7.2 Warning label information and location .....	17
8 Transport, storage, disposal and environmental aspects.....	17
8.1 Packing and transport.....	17
8.2 Dismantling, disposal, and recycling .....	17
9 Inspection.....	17
10 Maintenance.....	18
11 Verification tests for protective measures .....	18

11.1	General.....	18
11.1.1	Tests .....	18
11.1.2	Test object.....	19
11.1.3	Test category.....	19
11.2	Dielectric strength of the parts in contact with the fluid.....	19
11.2.1	Requirements .....	19
11.2.2	Category.....	19
11.2.3	Number of samples.....	19
11.2.4	Test and acceptance criteria.....	19
11.3	Operational sequence .....	19
11.3.1	Requirements .....	19
11.3.2	Category.....	19
11.3.3	Number of samples.....	19
11.3.4	Test.....	20
11.3.5	Acceptance criteria .....	20
11.4	Emergency stop .....	20
11.4.1	Requirement.....	20
11.4.2	Category.....	20
11.4.3	Number of samples.....	20
11.4.4	Test.....	20
11.4.5	Acceptance criteria .....	20
11.5	Protection .....	20
11.5.1	Requirements .....	20
11.5.2	Category.....	21
11.5.3	Number of samples.....	21
11.5.4	Test.....	21
11.5.5	Acceptance criteria .....	21
11.6	Safety requirement for stack .....	21
Annex A	(informative) Recommended structure of user manual .....	22
A.1	General.....	22
A.2	Table of contents .....	22
A.3	Safety warning .....	22
A.4	Introduction .....	22
A.5	Product description.....	22
A.5.1	Overview .....	22
A.5.2	Technical specifications.....	23
A.5.3	System structure.....	23
A.5.4	Applications.....	23
A.5.5	Operational sequence.....	23
A.6	Site requirements.....	23
A.6.1	Location and load .....	23
A.6.2	Access and clearance.....	23
A.6.3	Precautionary measures for fluid containment.....	23
A.6.4	Ventilation .....	24
A.6.5	Temperature .....	24
A.7	Operation.....	24
A.7.1	General .....	24
A.7.2	Checks before operation.....	24
A.7.3	Energizing and de-energizing the system.....	24

A.7.4	Valve status.....	24
A.7.5	Specific operations .....	24
A.7.6	Notices for operation .....	24
A.8	Alarms and fault finding .....	25
A.9	Maintenance .....	25
A.10	Contact information.....	25
Annex B (normative)	Safety requirements for stacks .....	26
B.1	General.....	26
B.2	External short-circuit of the stack.....	26
B.2.1	Requirements .....	26
B.2.2	Category.....	26
B.2.3	Number of samples.....	26
B.2.4	Test.....	26
B.2.5	Acceptance criteria .....	26
B.3	Heat shock strength.....	27
B.3.1	Requirements .....	27
B.3.2	Category.....	27
B.3.3	Number of samples.....	27
B.3.4	Test.....	27
B.3.5	Acceptance criteria .....	27
B.4	Leakage of the stack.....	27
B.4.1	Requirements .....	27
B.4.2	Category.....	28
B.4.3	Number of samples.....	28
B.4.4	Test.....	28
B.4.5	Acceptance criteria .....	28
Bibliography.....		29
Figure 1 – Flow battery energy system.....		7
Table 1 – List of verification tests for protective measurements .....		18
Table B.1 – List of verification tests for stacks for protective measurements .....		26

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FLOW BATTERY ENERGY SYSTEMS FOR STATIONARY APPLICATIONS –****Part 2-2: Safety requirements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The objective of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this edition.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62932-2-2 has been prepared by IEC technical committee 21: Secondary cells and batteries, in collaboration with IEC technical committee 105: Fuel cell technologies.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
21/1029/FDIS	21/1035/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62932 series, published under the general title *Flow battery energy systems for stationary applications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed
- withdrawn
- replaced by a revised edition, or
- amended.

Currently in preview, click buy full version

## INTRODUCTION

A flow battery system (FBS) can be utilized in a flow battery energy system (FBES). Such an FBES can consist of:

- a flow battery system,
- a power conversion system,
- other equipment and surroundings.

The FBES is connected to the external power input/output via a point of connection (POC).

This document covers the domain of the FBES, as shown in Figure 1. Energy to the auxiliary systems such as the battery management system (BMS), the battery support system (BSS), and the power conversion system (PCS) may be supplied by one of the following:

- a) direct connection to the external power source;
- b) the internal power source of the FBES or FBS itself.




Figure 1 – Flow battery energy system

# FLOW BATTERY ENERGY SYSTEMS FOR STATIONARY APPLICATIONS –

## Part 2-2: Safety requirements

### 1 Scope

This part of IEC 62932 applies to flow battery systems for stationary applications and their installations with a maximum voltage not exceeding 1 500 V DC in compliance with IEC 62932-1.

This document defines the requirements and test methods for risk reduction and protection measures against significant hazards relevant to flow battery systems, to persons, property and the environment, or to a combination of them.

This document is applicable to stationary flow battery systems intended for indoor and outdoor commercial and industrial use in non-hazardous (unclassified) areas.

This document covers significant hazards, hazardous situations and events, with the exception of those associated with natural disaster, relevant to flow battery systems, when they are used as intended and under the conditions foreseen by the manufacturer including reasonably foreseeable misuse thereof.

The requirements described in this document are not intended to constrain innovations. When considering fluids, materials, designs or constructions not specifically dealt with in this document, these alternatives are evaluated as to their ability to yield levels of safety equivalent to those specified in this document.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60364-4-41, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60364-4-43, *Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent*

IEC 60364-6, *Low voltage electrical installations – Part 6: Verification*

IEC 61936-1, *Power installations exceeding 1 kV a.c. – Part 1: Common rules*

IEC 62485-2:2010, *Safety requirements for secondary batteries and battery installations – Part 2: Stationary batteries*

IEC 62932-1, *Flow battery energy systems for stationary applications – Part 1: Terminology and general aspects*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*