

# INTERNATIONAL STANDARD



**Railway applications – Rolling stock – Batteries for auxiliary power supply systems –  
Part 3: Lead acid batteries**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2024 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

# INTERNATIONAL STANDARD



**Railway applications – Rolling stock – Batteries for auxiliary power supply systems –  
Part 3: Lead acid batteries**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 29.220.20; 45.040

ISBN 978-2-8322-8567-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions and abbreviated terms .....	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	9
4 General requirements .....	9
4.1 Definitions of components of a battery system .....	9
4.2 Description of lead acid battery types .....	9
4.2.1 General .....	10
4.2.2 Lead acid batteries with valve-regulated cell design and immobilized electrolyte.....	11
4.3 Environmental conditions .....	11
4.4 System requirements .....	12
4.4.1 System voltage.....	12
4.4.2 Charging requirements .....	13
4.4.3 Discharging performances .....	16
4.4.4 Charge retention(self-discharge).....	17
4.4.5 Requirements for battery sizing .....	17
4.5 Safety and protection requirements.....	18
4.5.1 General .....	18
4.5.2 Deep discharge of batteries .....	18
4.5.3 Temperature compensation during charging .....	19
4.6 Fire protection .....	19
4.7 Maintenance .....	19
4.8 Charging characteristics .....	19
5 Optional components of a battery system .....	20
5.1 General.....	20
5.2 Battery information system.....	20
5.3 Battery heater .....	20
5.4 Thermostat or cut-off switch.....	20
6 Mechanical design of battery system .....	21
6.1 General.....	21
6.2 Interface mechanism.....	21
6.3 Shock and vibration .....	21
6.4 Ventilation of battery box .....	21
7 Electrical interface.....	22
7.1 General.....	22
7.2 External electrical connections interface .....	22
8 Markings.....	22
8.1 Safety signs .....	22
8.1.1 Outside the box .....	22
8.1.2 Tray, crate or other places inside the box .....	22
8.1.3 Cells and monoblocs .....	23
8.2 Nameplate .....	23
8.2.1 Battery box .....	23

8.2.2	Nameplates on tray, crate or other nameplates inside the box .....	23
9	Storage and transportation conditions .....	23
9.1	Transportation .....	23
9.2	Storage .....	23
10	Testing .....	24
10.1	General .....	24
10.2	Type test .....	24
10.2.1	General .....	24
10.2.2	Tests for cells and monoblocs .....	24
10.2.3	Dielectric test .....	25
10.2.4	Load profile test .....	25
10.2.5	Shock and vibration test .....	25
10.3	Routine test .....	26
10.3.1	General .....	26
10.3.2	Visual checks .....	26
10.3.3	Dielectric test .....	26
10.3.4	Cell and monobloc voltages .....	26
Annex A (informative)	Declaration of test unit equivalence .....	27
Annex B (normative)	Dielectric test .....	28
Annex C (normative)	Compliance of battery with energy demand of load profile(s) .....	29
C.1	General .....	29
C.2	Battery sizing .....	29
C.3	Compliance with energy demand of load profile .....	29
C.3.1	General .....	29
C.3.2	Test facility .....	29
C.3.3	Test batteries .....	29
C.3.4	Test procedures .....	30
C.3.5	Energy demand compliance .....	30
C.3.6	Test report .....	30
Bibliography	.....	31
Figure 1	– Definition of single cells, monobloc, crate, tray and battery box .....	10
Figure 2	– Example of the evolution of the voltage of a VRLA cell when discharged with multiples of the rated current versus percentage of the 5 h rated capacity .....	12
Figure 3	– Examples of current and voltage evolution during charge .....	13
Figure 4	– Temperature versus voltage response graph for float charge operation .....	15
Figure 5	– Temperature versus voltage response graph for boost charge operation .....	16
Figure 6	– Examples of horizontal installation of VRLA cells and monoblocs .....	21
Figure 7	– Typical schematic view of an electrical interface of a battery system .....	22
Table 1	– Requirements for battery system charge operations .....	13
Table 2	– Typical lead acid battery charge parameters .....	14
Table 3	– Voltage and temperature reference levels for float charge operation .....	15
Table 4	– Voltage and temperature reference levels for boost charge operation .....	16
Table 5	– Input parameters required for the sizing of the battery to be provided by the system integrator or end user .....	17

Table 6 – Output parameters provided at the conclusion of the sizing of the battery to be provided by the battery system manufacturer .....	18
Table 7 – Type tests for cells and monoblocs.....	25
Table B.1 – Sequence for dielectric test.....	28
Table B.2 – Voltages for dielectric test.....	28

Currently in preview, click buy full vers.

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## RAILWAY APPLICATIONS – ROLLING STOCK – BATTERIES FOR AUXILIARY POWER SUPPLY SYSTEMS –

### Part 3: Lead acid batteries

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. For this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publications”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as far as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62973-3 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
9/3041/FDIS	9/3066/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 62973 series, published under the general title *Railway applications – Rolling stock – Batteries for auxiliary power supply systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

# RAILWAY APPLICATIONS – ROLLING STOCK – BATTERIES FOR AUXILIARY POWER SUPPLY SYSTEMS –

## Part 3: Lead acid batteries

### 1 Scope

This part of IEC 62973 establishes the framework for the electrical interfaces to the train, and the sizing (e.g., capacity, cell number, to meet the requested load profile) and operation of lead acid batteries of the VRLA type for auxiliary power supply systems on rolling stock of railways and complements IEC 62973-1, unless otherwise specified.

This document provides guidance and links to standards for the required battery qualification tests procedures and safety measures to be implemented.

The cited normative references for lead acid batteries provide multiple requirements and tests applicable for their qualification.

In this document, the most appropriate clauses of these cited standards have been selected and adapted as needed to reflect the intended use of these batteries as auxiliary power sources on rolling stock of railways.

The battery-specific requirements for subcomponents of battery systems such as containers, charging controls, temperature probes, nameplates and similar are covered in this document as needed.

Charging systems are excluded from the scope of this document.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60896-21:2004, *Stationary lead-acid batteries – Part 21: Valve regulated types – Methods of test*

IEC 60896-22:2004, *Stationary lead-acid batteries – Part 22: Valve regulated types – Requirements*

IEC 61371:2010, *Railway applications – Rolling stock equipment – Shock and vibration tests*

IEC TS 61430, *Secondary cells and batteries – Test methods for checking the performance of devices designed for reducing explosion hazards – Lead-acid starter batteries*

IEC TR 61431:2020, *Guidelines for the use of monitor systems for lead-acid traction batteries*

IEC 62485-2:2010, *Safety requirements for secondary batteries and battery installations – Part 2: Stationary batteries*