

INTERNATIONAL STANDARD

Plugs, socket-outlets and couplers with arcuate contacts





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - www.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

INTERNATIONAL STANDARD

Plugs, socket-outlets and couplers with arcuate contacts

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.120.20

ISBN 978-2-8322-4870-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 General	16
4.1 General requirements	16
4.2 General notes on tests.....	16
5 Standard ratings	17
6 Classification.....	18
6.1 According to purpose.....	18
6.2 According to the method of connecting the cable	18
7 Marking	18
8 Dimensions.....	20
9 Protection against electric shock	21
10 Provisions for earthing.....	21
11 Terminals and terminations.....	22
11.1 Common requirements for terminals and terminations.....	22
11.2 Screw type terminals.....	24
11.3 Mechanical tests on terminals	26
12 Resistance to ageing of rubber and thermoplastic material	28
13 General construction	29
14 Construction of socket-outlets	29
15 Construction of plugs and connectors.....	30
16 Construction of appliance inlets.....	31
17 Degrees of protection	31
18 Insulation resistance and dielectric strength	32
19 Breaking capacity	33
20 Normal operation	36
21 Temperature rise	37
22 Flexible cables and their connection.....	38
22.1 Cable anchorages.....	38
22.2 Requirements for plugs and connectors	38
22.2.1 Non-rewirable plugs and connectors	38
22.2.2 Rewirable plugs and connectors	38
22.3 Pull test	39
23 Mechanical strength	41
23.1 General.....	41
23.2 Impact test apparatus	42
23.3 Normal use	42
23.4 Test description	43
23.5 Socket-outlets and appliance inlets.....	44
23.6 Rewirable plugs and connectors	44
23.7 Non-rewirable plugs and connectors	45

23.8	Accessories with screwed glands	46
23.9	Plugs	46
23.9.1	General	46
23.9.2	Perpendicular stress test	47
23.9.3	Axial stress test	47
23.9.4	Tensile strength test	48
23.9.5	Blade retention (compression) test	48
24	Screws, current-carrying parts and connections	48
25	Creepage distances, clearances and distances through sealing compound	50
26	Resistance to heat	51
27	Resistance to fire and to tracking	52
28	Corrosion and resistance to rusting	54
29	Conditional short-circuit current withstand test	55
29.1	Short-circuit current	55
29.2	Ratings and test conditions	55
29.3	Test circuit	55
29.4	Calibration	58
29.5	Test procedure	58
29.6	Behaviour of the equipment under test	58
29.7	Acceptance conditions	59
30	Electromagnetic compatibility	59
30.1	Immunity	59
30.2	Emission	59
	STANDARD SHEETS	60
	STANDARD SHEET L5-20 125 V, 20 A, two-pole three-wire	62
	STANDARD SHEET L5-30 125 V, 30 A, two-pole three-wire	63
	STANDARD SHEET L25-30 240 V, 30 A, two-pole three-wire	64
	STANDARD SHEET L6-20 250 V, 20 A, two-pole three-wire	65
	STANDARD SHEET L6-30 250 V, 30 A, two-pole three-wire	66
	STANDARD SHEET L7-20 277 V, 20 A, two-pole three-wire	67
	STANDARD SHEET L7-30 277 V, 30 A, two-pole three-wire	68
	STANDARD SHEET L24-20 347 V, 20 A, two-pole three-wire	69
	STANDARD SHEET L6-20 480 V, 20 A, two-pole three-wire	70
	STANDARD SHEET L8-30 480 V, 30 A, two-pole three-wire	71
	STANDARD SHEET L9-20 600 V, 20 A, two-pole three-wire	72
	STANDARD SHEET L9-30 600 V, 30 A, two-pole three-wire	73
	STANDARD SHEET L14-20 125/250 V, 20 A, three-pole four-wire	74
	STANDARD SHEET L14-30 125/250 V, 30 A, three-pole four-wire	75
	STANDARD SHEET L15-20 250 V, 20 A, three-pole four-wire	76
	STANDARD SHEET L15-30 250 V, 30 A, three-pole four-wire	77
	STANDARD SHEET L16-20 480 V, 20 A, three-pole four-wire	78
	STANDARD SHEET L16-30 480 V, 30 A, three-pole four-wire	79
	STANDARD SHEET L17-30 600 V, 30 A, three-pole four-wire	80
	STANDARD SHEET L21-20 120/208 V, 20 A, four-pole five-wire	81
	STANDARD SHEET L21-30 120/208 V, 30 A, four-pole five-wire	82

STANDARD SHEET L26-30 240/415 V, 30 A, four-pole five-wire	83
STANDARD SHEET L22-20 277/480 V, 20 A, four-pole five-wire	84
STANDARD SHEET L22-30 277/480 V, 30 A, four-pole five-wire	85
STANDARD SHEET L23-20 347/600 V, 20 A, four-pole five-wire	86
STANDARD SHEET L23-30 347/600 V, 30 A, four-pole five-wire	87
Bibliography.....	88
Figure 1 – Diagram showing the uses of the accessories	11
Figure 2 – Pillar terminals	14
Figure 3 – Screw terminals	14
Figure 4 – Stud terminals.....	14
Figure 5 – Saddle terminals	15
Figure 6 – Mantle terminals.....	15
Figure 7 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section.....	25
Figure 8 – Flexing test arrangement.....	27
Figure 9 – Circuit diagrams for breaking capacity and normal operation tests	35
Figure 10 – Apparatus for testing the cable anchorage	40
Figure 11 – Impact test apparatus – Pendulum assembly.....	43
Figure 12 – Arrangement for mechanical strength test for plugs and connectors	45
Figure 13 – Apparatus for flexing test	46
Figure 14 – Arrangement for contact blade strength tests for plugs.....	47
Figure 15 – Ball-pressure apparatus	52
Figure 16 – Arrangement and dimensions of the electrodes for the tracking test	54
Figure 17 – Diagram of the test circuit for the verification of short-circuit current withstand of a two-pole equipment on a single-phase AC.....	56
Figure 18 – Diagram of the test circuit for the verification of short-circuit current withstand of a three-pole equipment	57
Figure 19 – Diagram of the test circuit for the verification of short-circuit current withstand of a four-pole equipment	58
Table 1 – Standard ratings.....	17
Table 2 – Voltage colour code.....	20
Table 3 – Size for connectable conductors.....	22
Table 4 – Flexing under mechanical load testing for copper conductors	27
Table 5 – Pulling force	28
Table 6 – Voltage for dielectric strength test	33
Table 7 – Breaking capacity.....	35
Table 8 – Normal operation.....	37
Table 9 – Test current and nominal cross-sectional area.....	37
Table 10 – Cable type	38
Table 11 – Metric cables	40
Table 12 – AWG cables	41
Table 13 – Pulling force and torque test values.....	41

Table 14 – Impact force 45

Table 15 – Test force for glands 46

Table 16 – Torque values for terminal screws 49

Table 17 – Distances through sealing compound 51

Table 18 – Standard sheets 60

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PLUGS, SOCKET-OUTLETS AND COUPLERS WITH
ARCUATE CONTACTS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62986 has been prepared by subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
23H/386/FDIS	23H/387/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: in roman type;
- *conformity statements: in italic type;*
- notes: in small roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The object of this document is to provide for a safe, compact and practical IEC system of standardized plugs and socket-outlets with arcuate contacts. It contains performance and dimensional requirements taking into account essential differences in the infrastructures and installation rules throughout the world.

Currently in preview, click buy full version

PLUGS, SOCKET-OUTLETS AND COUPLERS WITH ARCUATE CONTACTS

1 Scope

This document sets the general and dimensional interchangeability requirements for plugs, socket-outlets, connectors and appliance inlets with arcuate contacts of standardized configurations (hereinafter referred to as accessories), with a rated operating voltage not exceeding 600 V AC at a frequency of 50 Hz and 60 Hz and with rated currents of 20 A and 30 A, primarily intended for commercial use indoors, in conditions where the presence of water is negligible.

This document applies to accessories for use when the ambient temperature is normally within the range of –25 °C to +40 °C. These accessories are intended to be connected to cables of copper or copper alloy only.

Interchangeability requirements are defined for IP20 accessories.

NOTE The conditions of use indoors are based on the limitations given by IEC 60364-5-51:2005, Table 51A, AD1.

Socket-outlets or appliance inlets incorporated in or fixed to electrical equipment are within the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60228:2004, *Conductors of insulated cables*

IEC 60245-4, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 4: Cords and flexible cables*

IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*

IEC 60269-2, *Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to K*

IEC 60309-1:1999, *Plugs, socket-outlets and couplers for industrial purposes – Part 1: General requirements*

IEC 60309-1:1999/AMD1:2005

IEC 60309-1:1999/AMD2:2012

IEC 60417, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*