

INTERNATIONAL STANDARD



**Superconducting ac power cables and their accessories for rated voltages
from 6 kV to 500 kV – Test methods and requirements**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - webstore.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

INTERNATIONAL STANDARD



**Superconducting ac power cables and their accessories for rated voltages
from 6 kV to 500 kV – Test methods and requirements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.060.20

ISBN 978-2-8322-6522-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
3.1 Definitions of dimensional values (thicknesses, cross-sections, etc.)	10
3.2 Definitions concerning tests	10
3.3 Other definitions (general design and cryogenic system).....	11
4 Voltage and current designations.....	12
4.1 Rated voltages.....	13
4.2 Rated operating current	13
5 Cable materials	14
5.1 Cable conductor materials	14
5.2 Cable insulating materials (dielectric insulation).....	14
5.3 Cable screen materials	14
5.4 Cable cryostat materials (thermal insulation).....	14
5.5 Cable oversheathing materials (outside cryostat).....	14
6 Cable characteristics	14
7 Accessory characteristics	15
8 Test conditions	16
8.1 Ambient temperature.....	16
8.2 Frequency and waveform of power frequency test voltages.....	16
8.3 Wave form of impulse test voltage	16
8.3.1 Lightning impulse voltage	16
8.3.2 Switching impulse voltage	16
8.4 Relationship of test voltage to rated voltages	16
8.5 Cryogen temperature and pressure	17
9 Routine tests on cables and on prefabricated accessories	17
9.1 General.....	17
9.1.1 Tests on cable core samples	17
9.1.2 Test on cable cryostat.....	17
9.1.3 Tests on prefabricated accessories.....	17
9.2 AC voltage test for cable followed by partial discharge test.....	18
9.2.1 General	18
9.2.2 Procedure.....	18
9.2.3 Requirement.....	18
9.3 Critical current measurement	18
9.3.1 General	18
9.3.2 Procedure.....	18
9.3.3 Requirement.....	19
9.4 Pressure test	19
9.4.1 General	19
9.4.2 Procedure.....	19
9.4.3 Requirement.....	19
9.5 Vacuum leak test	19
9.5.1 General	19

9.5.2	Procedure.....	19
9.5.3	Requirement.....	19
9.6	Electrical test on oversheath of the cable.....	19
9.7	Tests on prefabricated accessories.....	19
9.7.1	Voltage test followed by partial discharge test.....	19
9.7.2	Pressure test and vacuum leak test.....	20
10	Sample tests on cables.....	20
10.1	General.....	20
10.2	Frequency of tests.....	20
10.3	Repetition of tests.....	20
10.4	Conductor examination.....	20
10.5	Measurement of thickness of cable insulation.....	21
10.5.1	General.....	21
10.5.2	Procedure.....	21
10.5.3	Requirement.....	21
10.6	Measurement of thickness of oversheath.....	21
10.6.1	General.....	21
10.6.2	Requirement.....	21
10.7	Measurement of diameters.....	21
10.8	Measurement of capacitance.....	21
10.9	Lightning impulse voltage test.....	22
11	Sample tests on accessories.....	22
11.1	Tests on components.....	22
11.2	Tests on complete accessory.....	22
12	Type tests on cable systems.....	23
12.1	General.....	23
12.2	Range of type approval.....	23
12.3	Summary of type tests.....	24
12.4	Electrical type tests on complete cable systems.....	24
12.4.1	Test voltage value.....	24
12.4.2	Tests and sequence of tests.....	24
12.4.3	Bending test.....	25
12.4.4	Critical current measurement.....	25
12.4.5	Pressure test.....	25
12.4.6	Thermal cycle test.....	26
12.4.7	Partial discharge test.....	26
12.4.8	Tan δ measurement.....	26
12.4.9	Load cycle voltage test.....	26
12.4.10	Impulse voltage tests.....	26
12.4.11	Examination of cable and accessories.....	27
12.5	Non-electrical type tests on cable components and on complete cable.....	27
12.5.1	Overview on non-electrical type tests.....	27
12.5.2	Check of cable construction.....	28
12.5.3	Tests for determining the mechanical properties of oversheaths before and after ageing.....	28
12.5.4	Loss of mass test on PVC oversheaths of type ST ₂	28
12.5.5	Test on PVC oversheaths (ST ₁ and ST ₂) at low temperature.....	28
12.5.6	Heat shock test for PVC oversheaths (ST ₁ and ST ₂).....	29

12.5.7	Measurement of carbon black content of black PE oversheaths (ST ₃ and ST ₇)	29
12.5.8	Test under fire conditions	29
12.5.9	Pressure test of cable cryostat.....	29
12.5.10	Pressure test of components of accessories	30
13	Prequalification test of the cable system	30
14	Type test on cables	30
15	Type test on accessories	30
16	Tests after installation	30
16.1	General.....	30
16.2	Tests at ambient temperature	31
16.2.1	Vacuum test	31
16.2.2	Pressure test.....	31
16.3	Tests at operating temperature	32
16.3.1	General	32
16.3.2	DC current test	32
16.3.3	AC voltage test of the insulation	32
16.3.4	DC voltage test of the oversheath.....	33
Annex A	(informative) Cooling system considerations	37
A.1	Introductory remarks	37
A.2	Cryogenic refrigeration.....	37
A.2.1	General process	37
A.2.2	General hardware components	38
A.3	Recommendations for tests after installation	39
A.3.1	General	39
A.3.2	Pressure test followed by vacuum leak test.....	39
A.3.3	Cooling capacity test and efficiency measurement	40
A.3.4	Circulation pump mass flow and pressure test	40
A.3.5	Temperature and pressure control test	40
A.3.6	Noise measurements	40
A.3.7	Other measurements	40
Annex B	(normative) Critical current measurement	41
B.1	Critical current measurement test	41
B.1.1	General	41
B.1.2	Procedure.....	41
B.1.3	Test method	41
Annex C	(informative) Tests for engineering information	43
C.1	Overview.....	43
C.2	AC loss	43
C.2.1	General	43
C.2.2	Electrical method.....	43
C.2.3	Calorimetric – vaporization method.....	43
C.2.4	Calorimetric – cryogen mass flow method.....	43
C.3	Heat invasion of cryostat.....	44
C.3.1	General	44
C.3.2	Calorimetric – vaporization of liquid cryogen.....	44
C.3.3	Calorimetric – liquid cryogen mass flow method.....	44
C.4	Electrical parameters	44

C.5	Short-circuit tests (fault current)	44
Annex D (informative)	List of type tests on cable systems	45
Annex E (normative)	Tests on outer protection for joints	46
E.1	General	46
E.2	Range of approval	46
E.3	Voltage tests	46
E.3.1	General	46
E.3.2	Assemblies embodying accessories without sheath sectionalizing insulation	46
E.3.3	Assemblies embodying sheath sectionalizing insulation	46
E.4	Examination of test assembly	47
Annex F (informative)	Prequalification test of the cable system	48
Bibliography		49
Figure A.1	General refrigeration process with indication of temperature and energy flows	37
Figure A.2	General system components and process flow	39
Figure B.1	Test setup for electrical four-probe method	41
Figure B.2	Voltage-current characteristic for superconductor	42
Table 1	Test voltages	34
Table 2	Non-electrical type tests for oversheathing compounds for cables	35
Table 3	Test requirements for mechanical characteristics of oversheathing compounds for cables (before and after ageing)	36
Table 4	Test requirements for particular characteristics of PVC oversheathing for cables	36
Table D.1	Type tests on cable system	45
Table E.1	Impulse voltage tests	47

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SUPERCONDUCTING AC POWER CABLES AND THEIR ACCESSORIES
FOR RATED VOLTAGES FROM 6 KV TO 500 KV –
TEST METHODS AND REQUIREMENTS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63075 has been prepared by IEC technical committee 20: Electric cables.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
20/1858/FDIS	20/1865/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

As a result of major developments in superconducting cable systems with cold dielectric for medium- and high-voltage AC applications, CIGRE study committee B1 set up working group (WG) B1.31 in 2009 with the aim to prepare recommendations for testing superconducting AC cable systems for power transmission at a rated voltage of up to 150 kV.

The recommendations of CIGRE WG B1.31 were published in TB 538 in June 2013 [1]¹. At the time of preparation of the CIGRE recommendation, laboratory experience at voltages up to and including 275 kV was available, but operating experience was limited to 154 kV. At the time of preparation of this document, several projects up to 220 kV are in progress, and many others are planned for the near future. As the insulation system of high-temperature superconducting (HTS) cable systems considered in this document is comparable to oil-filled cable systems, it was agreed to extend the voltage range to 500 kV in order to be compatible with IEC 60141-1 [2].

In 2014, TC 20 decided to start the standardization work on testing of HTS AC cables based on the published CIGRE TB 538. Manufacturers of HTS cable systems, utilities as the main users, and independent test laboratories will benefit from this document.

A list of relevant references is given in the Bibliography (see [3], [4], [5], [6]).

¹ Numbers in square brackets refer to the Bibliography.

SUPERCONDUCTING AC POWER CABLES AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 6 kV TO 500 kV – TEST METHODS AND REQUIREMENTS

1 Scope

This document specifies test methods and requirements for high-temperature superconducting (HTS) AC power cable systems, cables and their accessories, for fixed installations, for rated voltages from 6 kV ($U_m = 7,2$ kV) up to and including 500 kV ($U_m = 550$ kV).

The requirements apply to single-core, three-core and three-phase concentric cables with cold dielectric and their accessories that are not intended for fault current limitation purposes.

This document does not cover special cables and their accessories, such as fault current limiting cables or submarine cables, for which modifications to the standard tests may be necessary or special test conditions may need to be devised.

This document does not cover test methods and requirements for the cooling system.

NOTE For considerations regarding cooling systems, refer to Annex A.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60229:2007, *Electric cables – Tests on extruded oversheaths with a special protective function*

IEC 60230, *Impulse tests on cables and their accessories*

IEC 60332-1-2, *Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath*

IEC 60811-203, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions*

IEC 60811-401, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods. Ageing in an air oven*

IEC 60811-409, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 409: Miscellaneous tests – Loss of mass test for thermoplastic insulations and sheaths*