

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Magnetic powder cores – Guidelines on dimensions and the limits of surface irregularities –
Part 1: General specification**

**Noyaux en poudre magnétique – Lignes directrices concernant les dimensions
et les limites des irrégularités de surface –
Partie 1: Spécification générale**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Magnetic powder cores – Guidelines on dimensions and the limits of surface irregularities –
Part 1: General specification**

**Noyaux en poudre magnétique – Lignes directrices concernant les dimensions
et les limites des irrégularités de surface –
Partie 1: Spécification générale**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.100.10

ISBN 978-2-8322-8819-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Locations and functions of core parts and surfaces.....	7
4.1 Mating surface	7
4.2 Centre leg or centre pole	7
4.3 Outer walls or legs	7
4.4 Back wall, bottom and back surfaces	7
5 Dimensions descriptions	8
6 Limits of surface irregularities	10
6.1 Surface irregularities of uncoated cores	10
6.1.1 Chips and ragged edges	10
6.1.2 Cracks	10
6.1.3 Flash	10
6.1.4 Scratch	10
6.1.5 Rust.....	10
6.1.6 Discoloration	10
6.2 Surface irregularities of coated cores	10
6.2.1 Peeling	10
6.2.2 Pinholes	10
6.2.3 Bubble	10
6.2.4 Coating tip.....	10
6.2.5 Unevenness.....	10
Annex A (informative) Area and length reference for visual inspection	11
Annex B (informative) Anticipated sectional specifications	13
Figure 1 – Location of main core parts and surfaces – Example of E-core type	8
Figure 2 – Block-core and ellipse-core dimensions designations	8
Figure 3 – Cylinder-core dimensions designations	9
Figure 4 – EQ-core dimensions designations	9
Table 1 – Block-core and ellipse-core dimensions designations	8
Table 2 – Cylinder-core dimensions designations	9
Table 3 – EQ-core dimensions designations	9
Table A.1 – Area and length reference for visual inspection	12
Table B.1 – Anticipated sectional specifications in the IEC 63182 series.....	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MAGNETIC POWDER CORES – GUIDELINES ON DIMENSIONS AND THE LIMITS OF SURFACE IRREGULARITIES –

Part 1: General specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. For this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publications”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct interpretation of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63182-1 has been prepared by IEC technical committee 51: Magnetic components, ferrite and magnetic powder materials.

The text of this International Standard is based on the following documents:

CDV	Report on voting
51/1324/CDV	51/1340/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 63182 series, published under the general title *Magnetic powder cores – Guidelines on dimensions and the limits of surface irregularities*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Currently in preview, click buy full version

INTRODUCTION

Magnetic powder core materials are distinct from ferrite materials. Whereas ferrites are homogeneous ceramic oxides, powder cores are heterogeneous magnetic alloys. Alloys which can include iron, nickel and other additives are prepared in fine powder form. The powder particles are insulated with non-conductive materials, and the resulting heterogeneous structure is formed by compaction into a core shape, such as a ring.

Magnetic powder cores are suitable for use in inductors. They are characterized by low permeability, resistance to saturation under the influence of high currents, high flux densities, high Curie temperatures, as well as soft saturation, which is controlled, and gradual reduction in inductance with increasing DC bias field, even to very high levels of bias.

The commonly used magnetic powder core materials are pure iron (Fe), iron-silicon-aluminum (FeSiAl), iron-silicon (FeSi), iron-nickel (FeNi), iron-nickel-molybdenum (FeNiMo), iron-silicon-chromium (FeSiCr), iron-based amorphous powder (FeSiB) and iron-based nanocrystalline (FeCuNbSiB) powder.

Compliance with the requirements in the sectional specifications ensures basic mechanical interchangeability of complete assemblies and wound coils. The differences in loss, DC bias, and frequency response performance among materials, and among manufacturers, are significant, even though size and permeability can be identical for parts under comparison.

Due to the method of manufacture and the physical nature of the products, magnetic powder cores can be expected to exhibit some degree of physical irregularities such as chips and ragged edges, cracks, flash, scratch, rust and discoloration. For coated cores some coating layer defects such as peeling, pinholes, bubbles, coating loss and unevenness can occur.

The permissible extent of these surface irregularities will depend on the type, position and size of the irregularity and on the function of the core. Thus, in order to establish limits of surface irregularities for a given series of magnetic powder cores, for example ring-cores, block-cores, cylinder-cores, ellipse-cores, E-cores, EI-cores, EER-cores, U-cores and pot-cores, a particular specification for each should be prepared, setting out in detail the permissible extent of the various types of irregularities. The irregularities are considered as being detectable without the use of any magnifying equipment. An area and length reference for visual inspection is shown in Annex A.

In each particular specification relevant to a standardized core series, general rules for the calculation of limits should be defined for every kind of irregularity and for all core parts and surfaces.

For guidance on the limits of irregularities, refer to the sectional specifications of the IEC 63182 series, where limits according to core size are given in suitable tables, along with identification of irregularity types on figures and drawings.

The anticipated sectional specifications in the IEC 63182 series are shown in Annex B.

MAGNETIC POWDER CORES – GUIDELINES ON DIMENSIONS AND THE LIMITS OF SURFACE IRREGULARITIES –

Part 1: General specification

1 Scope

This part of IEC 63182 specifies the dimensions of magnetic powder cores.

It is intended that this document will include magnetic powder cores which are widely used and referenced in industry, either because they are included in national standards, or because they are seen to have broad-based use in industry. Where applicable, it is intended that the existing industrial name for each powder core will appear with the part within the IEC 63182 series.

This document also gives guidelines on the allowable limits of surface irregularities of magnetic powder cores. It is considered as a general specification useful in the dialogue between magnetic powder core manufacturers and users about surface irregularities.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60401-1, *Terms and nomenclature for cores made of magnetically soft ferrites – Part 1: Terms used for physical irregularities and tolerance of dimensions*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60401-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

scratches

core surface scrapes caused by the handling process

3.2

rust

corrosion spots on the surface of an uncoated core caused by the action of oxygen and water in air

3.3

peeling

absence of some part of the coating layer resulting in the exposure of the bare core due to the failure of the coating to adhere to the substrate surface