

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Lead-acid batteries for propulsion power of light weight vehicles – General requirements and methods of test**

**Batteries au plomb pour la puissance de propulsion des véhicules légers – Exigences générales et méthodes d'essai**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

---

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Lead-acid batteries for propulsion power of light weight vehicles – General requirements and methods of test**

**Batteries au plomb pour la puissance de propulsion des véhicules légers – Exigences générales et méthodes d'essai**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.220.20

ISBN 978-2-8322-8717-0

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references .....	8
3 Terms and definitions .....	8
4 Test set-up.....	13
4.1 Accuracy of the measuring instruments.....	13
4.2 General test features and rules.....	13
5 Test methods for batteries destined for electric two- and three-wheelers .....	15
5.1 General.....	15
5.2 Capacity determination with the 2 h rate current at 25 °C.....	16
5.3 Capacity determination with the 3 h rate current at 25 °C.....	17
5.4 High-rate constant current capacity at 25 °C.....	18
5.5 Capacity at a battery temperature of –18 °C .....	19
5.6 Capacity recovery at a battery temperature of –10 °C .....	20
5.7 Capacity recovery at a battery temperature of 25 °C with a time-limited fast charge .....	21
5.8 Cycle life with repetitive discharges at 25 °C to 90 % DoD of the rated capacity .....	22
5.9 Dynamic driving range at 25 °C.....	24
5.10 Dynamic driving range at 5 °C.....	25
5.11 Charge retention during storage at 40 °C.....	26
5.12 Cycle life with repetitive discharges at 40 °C to 50 % DoD of rated capacity .....	27
5.13 Vibration resistance .....	28
5.14 Protection against internal ignition from external spark sources .....	30
5.15 Flammability rating of materials .....	31
5.16 Content and durability of required marking.....	32
5.17 Material identification.....	35
6 Test methods for batteries destined for golf car and similar utility- and multi-passenger vehicles.....	36
6.1 General.....	36
6.2 Capacity determination with the 5 h rate current at 30 °C.....	36
6.3 Running time in minutes with a 56 A or 75 A current at 30 °C .....	38
6.4 Running time in minutes with a 56 A or 75 A current at 5 °C .....	39
6.5 Capacity recovery at a battery temperature of 30 °C and time-limited fast charge .....	40
6.6 Cycle life with repetitive discharges at 30 °C with the 5 h rate current to 1,75 V per cell .....	41
6.7 Pulsed-power cycle life at 40 °C.....	42
6.8 Determination of electrolyte level maintenance interval – Flooded types only.....	43
6.9 Charge retention during storage at 40 °C .....	44
6.10 Vibration resistance .....	45
6.11 Protection against internal ignition from external spark sources .....	47
6.12 Flammability rating of materials .....	48
6.13 Content and durability of required marking.....	49
6.14 Material identification.....	52

Annex A (informative) Guidance on expected test results.....	53
A.1 General.....	53
A.2 Expected outcomes for tests 5.2 to 5.17 with batteries destined for electric two- and three-wheelers.....	53
A.3 Expected outcomes for tests in 6.2 to 6.14 with batteries destined for golf car and similar utility- and multi-passenger vehicles.....	55
Figure 1 – Examples of vehicles covered by this document.....	7
Figure 2 – Example of orientation of the monoblocs on the vibration table in relation to their specified orientation in service.....	29
Figure 3 – Example of orientation of the monoblocs on the vibration table in relation to their specified orientation in service.....	46
Table 1 – Listing of the number of monoblocs to be tested for Clause 5 applications.....	15
Table 2 – Capacity at 25 °C determined with the 2 h rate discharge current $I_2$ .....	17
Table 3 – Capacity at 25 °C determined with the 3 h rate discharge current $I_3$ .....	18
Table 4 – Capacity at 25 °C determined with the high-rate discharge current $3,6 I_2$ .....	19
Table 5 – Capacity at –18 °C determined with the 2 h rate discharge current $I_2$ .....	20
Table 6 – Capacity recovery after discharge and charge at –10 °C.....	21
Table 7 – Capacity recovery at 25 °C with a time-limited fast charge.....	22
Table 8 – Cycle life with repetitive discharges to 90 % of the rated $C_2$ capacity at 25 °C.....	23
Table 9 – Cycle life with repetitive discharges to 90 % of the rated $C_3$ capacity at 25 °C.....	24
Table 10 – Dynamic discharge sequence.....	24
Table 11 – Achieved discharge sequences at 25 °C.....	25
Table 12 – Dynamic discharge sequence.....	25
Table 13 – Achieved discharge sequences at 5 °C.....	26
Table 14 – Capacity retained after 30 days of storage at 40 °C.....	27
Table 15 – Cycle life with repetitive discharges to 50 % DoD of rated $C_2$ capacity at 40 °C.....	28
Table 16 – Cycle life with repetitive discharges to 50 % DoD of rated $C_3$ capacity at 40 °C.....	28
Table 17 – Capacity retained after 60 min vibration and subsequent 24 h OC stand.....	30
Table 18 – Battery status after spark test.....	31
Table 19 – Battery classification achieved when tested in accordance with IEC 60695-11-10:2013.....	32
Table 20 – Content and durability of the required marking.....	33
Table 21 – Information to be present on the monobloc.....	34
Table 22 – Material identification and durability of the required marking.....	35
Table 23 – Listing of the number of monoblocs to be tested for Clause 6 applications.....	36
Table 24 – Capacity at 30 °C determined with the 5 h rate discharge current $I_5$ .....	37
Table 25 – Running time determined with the 56 A or 75 A discharge current at 30 °C.....	38
Table 26 – Running time determined with the 56 A or 75 A discharge current at 5 °C.....	39
Table 27 – Capacity recovery at 30 °C with a time-limited fast charge.....	41
Table 28 – Cycle life with repetitive discharges at 30 °C to 1,75 V per cell with the $I_5$ current.....	42
Table 29 – Pulsed power discharge and charge sequence – Flooded types.....	42

Table 30 – Pulsed power discharge and charge sequence – VRLA types .....	42
Table 31 – Achieved discharge and charge cycle sequences at 40 °C .....	42
Table 32 – Discharge and charge sequence for the determination of the electrolyte level maintenance interval .....	43
Table 33 – Achieved discharge and charge sequences at 40 °C until the manufacturer specified minimum electrolyte level mark is reached .....	44
Table 34 – Capacity retained after 30 days of storage at 40 °C .....	45
Table 35 – Capacity retained after 60 min vibration and subsequent 24 h OC stand .....	46
Table 36 – Battery status after spark test.....	48
Table 37 – Burning classification achieved when tested in accordance with IEC 60696-11-10:2013 .....	49
Table 38 – Content and durability of the required marking .....	50
Table 39 – Information to be present on the monobloc .....	51
Table 40 – Material identification and durability of the required marking.....	52

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LEAD-ACID BATTERIES FOR PROPULSION  
POWER OF LIGHTWEIGHT VEHICLES –  
GENERAL REQUIREMENTS AND METHODS OF TEST**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63193 has been prepared by IEC technical committee 21: Secondary cells and batteries.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
21/1056/FDIS	21/1066/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Currently in preview, click buy full version

## LEAD-ACID BATTERIES FOR PROPULSION POWER OF LIGHTWEIGHT VEHICLES – GENERAL REQUIREMENTS AND METHODS OF TEST

### 1 Scope

This document is applicable to lead-acid batteries powering electric two-wheelers (mopeds) and three-wheelers (e-rickshaws and delivery vehicles), and also to golf cars and similar light utility and multi-passenger vehicles.



a) Electric two- and three-wheeler



b) Electric golf car and light utility and multi-passenger vehicles

**Figure 1 – Examples of vehicles covered by this document**

Persons with a low level of technical skills as regards these vehicles and associated batteries, operate them most often in an environment with many bystanders who are unaware of the possible risks involved. The batteries have thus to be eminently reliable, consumer friendly and minimize risks of fire, explosions, electrical shocks and chemical burns.

These batteries are submitted to frequent and deep discharges with electrical power delivered to the propulsion system in short surges of high current when accelerating, followed by lower current levels when at cruising speed. The subsequent charge of the battery can also occur in areas accessible to the public.

The document specifies methods of tests tailored to batteries destined for the above-referenced types of vehicles so as to ensure satisfactory and safe battery performance in the intended application.

This document does not apply for example to lead acid cells and batteries used for:

- vehicle engine starting applications (IEC 60095 series);
- traction applications (IEC 60254 series);