



IEEE

IEC/IEEE 62704-1

Edition 1.0 2017-10

INTERNATIONAL STANDARD

**Determining the peak spatial-average specific absorption rate (SAR) in the human body from wireless communications devices, 30 MHz to 6 GHz –
Part 1: General requirements for using the finite difference time-domain (FDTD) method for SAR calculations**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

Copyright © 2017 IEEE

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from IEEE.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue
New York, NY 10016-5997
United States of America
stds.ipr@ieee.org
www.ieee.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About the IEEE

IEEE is the world's largest professional association dedicated to advancing technological innovation and excellence for the benefit of humanity. IEEE and its members inspire a global community through its highly cited publications, conferences, technology standards, and professional and educational activities.

About IEC/IEEE publications

The technical content of IEC/IEEE publications is kept under constant review by the IEC and IEEE. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEEE

IEC/IEEE 62704-1

Edition 1.0 2017-10

INTERNATIONAL STANDARD

**Determining the peak spatial-average specific absorption rate (SAR) in the human body from wireless communications devices, 30 MHz to 6 GHz –
Part 1: General requirements for using the finite-difference time-domain (FDTD) method for SAR calculations**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.220.20; 33.060.20

ISBN 978-2-8322-4769-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 Abbreviated terms	15
5 Finite-difference time-domain method – basic definition.....	16
6 SAR calculation and averaging	17
6.1 Calculation of SAR in FDTD voxels	17
6.2 SAR averaging.....	18
6.2.1 General	18
6.2.2 Calculation of the peak spatial-average SAR	20
6.2.3 Calculation of the whole body average SAR.....	24
6.2.4 Reporting peak spatial-average SAR and whole body average SAR	24
6.2.5 Referencing peak spatial-average SAR and whole body average SAR.....	24
6.3 Power scaling	25
7 SAR simulation uncertainty.....	26
7.1 Considerations for the uncertainty evaluation.....	26
7.2 Uncertainty of the test setup with respect to simulation parameters	27
7.2.1 General	27
7.2.2 Positioning.....	27
7.2.3 Mesh resolution	28
7.2.4 Absorbing boundary conditions	29
7.2.5 Power budget	29
7.2.6 Convergence	29
7.2.7 Dielectrics of the phantom or body model	30
7.3 Uncertainty and validation of the developed numerical model of the DUT	31
7.3.1 General	31
7.3.2 Uncertainty of the DUT model ($d \geq \lambda/2$ or $d \geq 200$ mm).....	31
7.3.3 Uncertainty of the DUT model ($d < \lambda/2$ and $d < 200$ mm)	33
7.3.4 Model validation	34
7.4 Uncertainty budget.....	35
8 Code verification.....	36
8.1 General.....	36
8.2 Code accuracy.....	37
8.2.1 Free space characteristics	37
8.2.2 Planar dielectric boundaries	42
8.2.3 Absorbing boundary conditions	45
8.2.4 SAR averaging	48
8.3 Canonical benchmarks.....	50
8.3.1 Generic dipole	50
8.3.2 Microstrip terminated with ABC.....	51
8.3.3 SAR calculation SAM phantom / generic phone	52
8.3.4 Setup for system performance check	53
Annex A (normative) Fundamentals of the FDTD method	55
Annex B (normative) SAR Star.....	59

B.1	CAD files of the SAR Star	59
B.2	Mesh lines for the SAR Star	59
B.2.1	General	59
B.2.2	Mesh lines for the homogeneous SAR Star	59
B.2.3	Mesh lines for the inhomogeneous SAR Star	60
B.3	Evaluation of the SAR Star benchmark	60
B.3.1	General	60
B.3.2	File format of the benchmark output	60
B.3.3	Evaluation script	61
Annex C (informative)	Practical considerations for the application of FDTD	65
C.1	Overview	65
C.2	Practical considerations	66
C.2.1	Computational requirements	66
C.2.2	Voxel size	67
C.2.3	Stability	67
C.2.4	Absorbing boundaries	67
C.2.5	Far-zone transformation	68
C.3	Modelling requirements for sources and loads	68
C.4	Calculation of S-parameters	70
C.5	Calculation of power and efficiency	70
C.6	Non-uniform meshes	71
Annex D (informative)	Background information on tissue modelling and anatomical models	73
D.1	Dielectric tissue properties	73
D.2	Anatomical models of the human body	73
D.3	Recommended numerical models of experimental phantoms	73
D.3.1	Experimental head phantom	73
D.3.2	Experimental body phantom	74
Bibliography	75
Figure 1	Field components on voxel edges	17
Figure 2	Flow chart of the SAR averaging algorithm	20
Figure 3	Illustration of valid and used voxels in a valid averaging cube centred on the highlighted voxel and an invalid averaging volume for which a new cube has to be expanded about the surface voxel because it contains more than 10 % of background material	22
Figure 4	Valid, used and partially used voxels	23
Figure 5	“Unused” location	24
Figure 6	Aligned parallel-plate waveguide and locations of the E_y -field components to be recorded for TE-polarization	37
Figure 7	Permissible power reflection coefficient (grey range) for the aligned absorbing boundary conditions	46
Figure 8	Tilted parallel-plate waveguide terminated with absorbing boundary conditions and locations of the E_y -field components to be recorded for TE-polarization	47
Figure 9	Permissible power reflection coefficient (grey range) for the tilted absorbing boundary conditions	48
Figure 10	Sketch of the testing geometry of the averaging algorithm	49
Figure 11	3D view of the SAR Star	50
Figure 12	Geometry of the microstrip line	52

Figure 13 – Geometry of the setup for the system performance check according to [31]..... 53

Figure A.1 – Voxel showing the arrangement of the E- and H-field vector components on a staggered mesh 57

Figure A.2 – Voxels with different dielectric properties surrounding a mesh edge with an E_y -component 58

Figure C.1 – FDTD voltage source with source resistance 69

Figure C.2 – Four magnetic field components surrounding the electric field component where the source is located 69

Table 1 – Voxel states during SAR averaging 22

Table 2 – Factors contributing to the uncertainty of experimental and numerical SAR evaluation 27

Table 3 – Budget of the uncertainty contributions of the numerical algorithm and the rendering of the test- or simulation-setup 30

Table 4 – Budget of the uncertainty of the developed model of the DUT..... 34

Table 5 – Numerical uncertainty budget 36

Table 6 – Results of the evaluation of the numerical dispersion characteristics 42

Table 7 – Results of the evaluation of the numerical reflection coefficient 44

Table 8 – Results of the dipole evaluation 51

Table 9 – Results of the microstrip evaluation 52

Table 10 – 1 g and 10 g psSAR for the SAM phantom exposed to the generic phone for 1 W accepted antenna power as specified in [22]..... 52

Table 11 – Dielectric parameters of the setup (Table 1 of [31]) 54

Table 12 – Mechanical parameters of the setup (Tables 1 and 2 of [31])..... 54

Table 13 – psSAR normalized to 1 W forward power and feedpoint impedance (Tables 3 and 4 of [31]) 54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DETERMINING THE PEAK SPATIAL-AVERAGE SPECIFIC ABSORPTION RATE (SAR) IN THE HUMAN BODY FROM WIRELESS COMMUNICATIONS DEVICES, 30 MHz TO 6 GHz –

Part 1: General requirements for using the finite-difference time-domain (FDTD) method for SAR calculations

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereinafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any national committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the best product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. *IEEE documents are made available for use subject to important notices and legal disclaimers (see <http://standards.ieee.org/IPR/disclaimers.html> for more information).*

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE-SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) Users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

International Standard IEEE/IEC 62704-1 has been prepared by IEC technical committee 106: Methods for the assessment of electric, magnetic and electromagnetic fields associated with human exposure, in cooperation with the International Committee on Electromagnetic Safety of the IEEE Standards Association¹, under the IEC/IEEE Dual Logo Agreement.

This publication is published as an IEC/IEEE Dual Logo standard.

This standard contains attached files in the form of CAD models and reference results described in Annexes B and D. These files are available at: http://www.iec.ch/dyn/www/f?p=103:227:0:::FSP_ORG_ID,FSP_LANG_ID:1303,25.

The text of this standard is based on the following IEC documents:

FDIS	Report on voting
106/401A/FDIS	106/413/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

A list of all parts in the IEC/IEEE 62704 series, published under the general title *Determining the peak spatial-average specific absorption rate (SAR) in the human body from wireless communications devices, 30 MHz to 6 GHz*, can be found on the IEC website.

The IEC technical committee and IEEE technical committee have decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>", in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

¹ A list of IEEE participants can be found at the following URL:
http://standards.ieee.org/downloads/62704/62704-1-2017/62704-1-2017_wg-participants.pdf.

INTRODUCTION

Computational techniques have reached a level of maturity which allows their use in specific absorption rate (SAR) assessment of wireless communication devices. Some wireless communication devices are used in situations where experimental SAR assessment is extremely complex or not possible at all. National regulatory bodies (e.g. US Federal Communications Commission) encourage the development of consensus standards and encouraged the establishment of the ICES Technical Committee 34 Subcommittee 2. The benefits to the users and the regulators include standardized and accepted protocols, anatomically correct body models, validation techniques, benchmark data, reporting format and means for estimating the computational uncertainty in order to produce valid, accurate, repeatable, and reproducible data.

Currently in preview, click buy full version.

DETERMINING THE PEAK SPATIAL-AVERAGE SPECIFIC ABSORPTION RATE (SAR) IN THE HUMAN BODY FROM WIRELESS COMMUNICATIONS DEVICES, 30 MHz TO 6 GHz –

Part 1: General requirements for using the finite-difference time-domain (FDTD) method for SAR calculations

1 Scope

This part of IEC/IEEE 62704 defines the methodology for the application of the finite-difference time domain (FDTD) technique when used for determining the peak spatial-average specific absorption rate (SAR) in the human body exposed to wireless communication devices with known uncertainty. It defines methods to validate the numerical model of the device under test (DUT) and to assess its uncertainty when used in SAR simulation. Moreover, it defines procedures to determine the peak spatial-average SAR in a cubical volume and to validate the correct implementation of the FDTD simulation software. The applicable frequency range is 30 MHz to 6 GHz.

NOTE Cubical averaging volumes are applied in all current experimental standards for the assessment of the peak spatial-average SAR (psSAR) and recommended by [1], [2] and [3]. Other averaging volumes have been proposed, for example, in [1], and may be included in future revisions of this document.

This document does not recommend specific SAR limits, since these are found elsewhere, for example, in the guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP) [1] or in IEEE Std C95.1 [4].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE The experimental standards that define the SAM phantom and the testing positions are IEEE Std 1528 and IEC 62209-1.

IEEE Std 1528, *IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques*

IEC 62209-1, *Human Exposure to Radio Frequency Fields from Hand Held and Body Mounted Wireless Communication Devices – Human Models, Instrumentation and Procedures – Part 1: Procedure to determine the specific absorption rate (SAR) for devices used next to the ear (frequency range of 300 MHz to 6 GHz)*

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at: <http://www.electropedia.org>)

IEEE Standards Dictionary Online (subscription available at: <http://dictionary.ieee.org>)