

# Standard for Information Technology— Portable Operating System Interface (POSIX®)

## Base Specifications, Issue 7

IEEE Computer Society

and

The Open Group

Sponsored by the  
Portable Applications Standards Committee

---

IEEE  
3 Park Avenue  
New York, NY 10016-5997  
USA

**IEEE Std 1003.1™, 2013 Edition**  
(incorporates IEEE Std 1003.1-2008,  
and IEEE Std 1003.1-2008/Cor 1-2013)

19 April 2013

Currently in preview, click buy full version

IEEE Std 1003.1™, 2013 Edition

The Open Group Technical Standard  
Base Specifications, Issue 7  
incorporates IEEE Std 1003.1™-2008, IEEE Std 1003.1™-2008/Cor 1-2013

# Standard for Information Technology— Portable Operating System Interface (POSIX®)

## Base Specifications, Issue 7

Sponsor

**Portable Applications Standards Committee**

of the

**IEEE Computer Society**

and

**The Open Group**



## Abstract

POSIX.1-2008 is simultaneously IEEE Std 1003.1™-2008 and The Open Group Technical Standard Base Specifications, Issue 7. This 2013 Edition includes IEEE Std 1003.1-2008/Cor 1-2013 incorporated into IEEE Std 1003.1-2008 (the base document). The Technical Corrigendum addresses problems discovered since the approval of IEEE Std 1003.1-2008.

POSIX.1-2008 defines a standard operating system interface and environment, including a command interpreter (or “shell”), and common utility programs to support applications portability at the source code level. POSIX.1-2008 is intended to be used by both application developers and system implementors and comprises four major components (each in an associated volume):

- General terms, concepts, and interfaces common to all volumes of this standard, including utility conventions and C-language header definitions, are included in the Base Definitions volume.
- Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume.
- Definitions for a standard source code-level interface to command interpretation services (a “shell”) and common utility programs for application programs are included in the Shell and Utilities volume.
- Extended rationale that did not fit well into the rest of the document structure, which contains historical information concerning the contents of POSIX.1-2008 and why features were included or discarded by the standard developers, is included in the Rationale (informative) volume.

The following areas are outside the scope of POSIX.1-2008:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

POSIX.1-2008 describes the external characteristics and facilities that are of importance to application developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

## Keywords

application program interface (API), argument, asynchronous, basic regular expression (BRE), batch job, batch system, built-in utility, byte, child, command language interpreter, CPU, extended regular expression (ERE), FIFO, file access control mechanism, IEEE 1003.1™, input/output (I/O), job control, network, parent, portable operating system interface (POSIX®), shell, stream, string, synchronous, system, thread, X/Open System Interface (XSI)

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

The Open Group  
Apex Plaza, Forbury Road, Reading, Berkshire RG1 1AX, U.K.

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc. and The Open Group.  
All rights reserved.

Published 19 April 2013 by the IEEE.

PDF: ISBN 978-0-7381-8331-2 STD98188

Print: ISBN 978-0-7381-8333-6 STDPD98188

Published 19 April 2013 by The Open Group.

Doc. Number: C138

ISBN: 1-937218-28-7

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

POSIX is a registered trademark of IEEE.

*This standard has been prepared by the Austin Group. Feedback relating to the material contained within this standard may be submitted by using the Austin Group web site at [www.opengroup.org/austin/acceptfor.html](http://www.opengroup.org/austin/acceptfor.html).*

*IEEE prohibits discrimination, harassment, and bullying. For more information, see [www.ieee.org/web/aboutus/whatis/policies/p9-26.html](http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html).*

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. Permission to reproduce all or any part of this standard must be with the consent of both copyright holders and may be subject to a license fee. Both copyright holders will need to be satisfied that the other has granted permission. Requests should be sent by email to [austin-group-permissions@opengroup.org](mailto:austin-group-permissions@opengroup.org).*

Please be advised IEEE Std 1003.1, 2013 Edition is for convenience of the user only. It does not supersede the individual published documents listed below:

IEEE Std 1003.1™-2008, Standard for Information Technology—Portable Operating System Interface (POSIX®)

IEEE Std 1003.1™-2008/Cor 1-2013, IEEE Standard for Information Technology—Portable Operating System Interface (POSIX®), Technical Corrigendum 1

**Notice and Disclaimer of Liability Concerning the Use of IEEE Documents:** IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS".

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. If a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

**Translations:** The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

**Official Statements:** A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. Announcements, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

**Comments on Standards:** Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any response to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854  
USA

**Photocopies:** Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to the Copyright Clearance Center. To arrange for payment of the licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## The Open Group

The Open Group is a global consortium that enables the achievement of business objectives through IT standards. With more than 400 member organizations, The Open Group has a diverse membership that spans all sectors of the IT community – customers, systems and solutions suppliers, tool vendors, integrators, and consultants, as well as academics and researchers – to:

- Capture, understand, and address current and emerging requirements, and establish policies and share best practices
- Facilitate interoperability, develop consensus, and evolve and integrate specifications and open source technologies
- Offer a comprehensive set of services to enhance the operational efficiency of consortia
- Operate the industry's premier certification service

Further information on The Open Group is available at [www.opengroup.org](http://www.opengroup.org).

The Open Group publishes a wide range of technical documentation, most of which is focused on development of Open Group Standards and Guides, but which also includes white papers, technical studies, certification and testing documentation, and business titles. Full details and a catalogue are available at [www.opengroup.org/bookstore](http://www.opengroup.org/bookstore).

Readers should note that updates – in the form of Corrigenda – may apply to any publication. This information is published at [www.opengroup.org/corrigenda](http://www.opengroup.org/corrigenda).

## Notice to users

### Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

### Copyrights

This document is copyrighted by the IEEE and The Open Group. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE and The Open Group do not waive any rights in copyright to this document.

### Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA website at <http://standards.ieee.org/index.html>.

### Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

### Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

## Participants

### The Austin Group

IEEE Std 1003.1-2008 was prepared by the Austin Group, sponsored by the Portable Applications Standards Committee of the IEEE Computer Society, The Open Group, and ISO/IEC JTC 1/SC 22. At the time of approval, the membership of the Austin Group was as follows:

**Andrew Josey**, *Chair*

**Donald W. Cragun**, *Organizational Representative, IEEE PASC*

**Nicholas Stoughton**, *Organizational Representative, ISO/IEC JTC 1/SC 22*

**Mark S. Brown**, *Organizational Representative, The Open Group*

**Cathy Fox**, *Technical Editor*

### Austin Group Technical Reviewers

Theodore P. Baker	Hallvard B. Furuseth	Stephen Michell
Eric Blake	Michael Gonzalez Harbour	Matthew Rice
Andries E. Brouwer	Joseph M. Gwinn	Joerg Schilling
Mark S. Brown	Bruno Haible	Stephen Schwarm
David Butenhof	Mark Harris	Konrad A. Schwarz
Geoff Clare	Andrew Josey	Keld Simonsen
David N. Clissold	Michael Kerrisk	Nicholas Stoughton
Donald W. Cragun	David Korn	Alexander Terekhov
Lawrence D.K.B. Dwyer	Vincent Lefèvre	William C. Toth
Cynthia Eastham	Wojtek Lerch	Fred J. Tydeman
Paul Eggert	Evan Liebovitch	Mark D. Wichmann
Clive D.W. Feather	Jens Maurer	Garrett Wollman
Glenn Fowler	Roland McGrath	James Youngman
Cathy Fox	Jim Meyering	

### Working Group Members

William J. Ackerman	Karen Gordon	Jose Puthenkulam
Adewole Akpose	Randall Groves	G.K. Rajani
Butch Anton	Scott Gudgeon	Chet Ramey
Peter Anvin	Joseph M. Gwinn	Matthew Rice
Jay Ashford	Charles Hammond	Gunnar Ritter
Theodore P. Baker	Mark Harris	Robert Robinson
Hugh Barrass	Barry Hedquist	Curtis Royster Jr.
William Bartholomew	Warner Hoelzl	Eusebio Rufian
Andy Bihain	David Hopwood	Wolfgang Sanow
Eric Blake	David P. Howell	Bartien Sayogo
Xie Bo	James Isaak	Nico Schottelius
Tomo Bogataj	Michael Jones	Stephen Schwarm
Walter B. Bos	Jaimon C. Jose	Konrad A. Schwarz
Andries E. Brouwer	Andrew Josey	Glen Seeds
Mark S. Brown	Piotr Karocki	M. Sekiguchi
David Butenhof	Sujit Madhavan Karataparambil	Al Simons
John Carlson	Michael Kerrisk	Keld Simonsen
Danila Chernetsov	Alexey V. Khoroshilov	Antonio Soares
Keith Chow	Akio Kido	Alexander A. Sortov
Jimmy Chun	William King	Thomas Starai
Geoff Clare	Klaus Klein	Nicholas Stoughton
Tommy Cooper	David Korn	Ienup Sung
Jeffrey L. Copeland	Wayne Krone	Alfred Mieczyslaw Szmidi

Donald W. Cragun  
Dragan S. Cvetkovic  
Lee Damico  
Juan A. de la Puente  
David Dice  
Thomas Dickey  
Loic Domaigne  
Steven J. Dovich  
Ulrich Drepper  
Sourav Dutta  
Lawrence D.K.B. Dwyer  
Paul Eggert  
Daniel M. Eischen  
Marc Emmelmann  
Laura Fairhead  
Joanna Farley  
Clive D.W. Feather  
John Fendrich  
Yaacov Fenster  
Andrew Fieldsend  
Glenn Fowler  
Cathy Fox  
Jesus Fuente  
Mark Funkenhauser  
Michael Geipel  
Michael Gonzalez Harbour

Thomas Kurihara  
Susan Land  
Kenneth Lang  
Shawn Leard  
Solomon Lee  
Fernando Lucas Rodriguez  
William Lumpkins  
Scott Lurndal  
Lieven Marchand  
Roger Marquis  
Roger J. Martin  
Jack Mccann  
Mick Meaden  
Jim Meyering  
Gary Michel  
Hai Ming Li  
Wilhelm Mueller  
Bruce Muschlitz  
Erik Naggum  
Gergely Nagy  
Michael S. Newman  
Liviu Nicoara  
Robert Nordier  
Peter Petrov  
Frank Prindle  
Vikram Punj

Alexander Terekhov  
Donn Terry  
Michael Thomadakis  
John Thywissen  
Leon Toh  
William L. Toth  
Miloslav Trmač  
Fred J. Tydeman  
Mark-Rene Uchida  
Steve Valentine  
Peter Van Der Veen  
Fred Web  
Tao Weijian  
David Wexelblat  
Mats D. Wichmann  
Robert Wilkens  
Martin Wille  
Matt Wilson  
Michael Wilson  
Jim Wise  
Song Wenchang  
Shao A. Wu  
Oren Yuen  
Janusz Zalewski  
Jim Zupeda  
Jason Zions

### The Open Group

When The Open Group approved the Base Specification, Issue 7 on 24 July 2008, the membership of the Base Working Group was as follows:

**Andrew Josey**, *Chair*

**Mark S. Brown**, *Vice Chair and Austin Group Liaison*

**Cathy Fox**, *Technical Editor*

### Base Working Group Members

Basabi Bhattacharya  
Mark S. Brown  
David Butenhof  
April Chin  
Geoff Clare  
David N. Clissold

Donald W. Cragun  
Ulrich Drepper  
Lawrence D.K.B. Dwyer  
Cynthia Eastham  
Roger Faulkner  
Carol Fields

Robbin Kawabata  
Craig Mohrman  
Nicholas Stoughton  
William L. Toth  
Kenjiro Tsuji  
Kevin Van Vechten

## IEEE

When the IEEE Standards Board approved IEEE Std 1003.1-2008 on 26 September 2008, the membership of the committees was as follows:

### Portable Application Standards Committee (PASC)

**Lowell G. Johnson**, *Chair*  
**Joseph M. Gwinn**, *Vice Chair*  
**Jay Ashford**, *Functional Chair (Balloting)*  
**Andrew Josey**, *Functional Chair (Interpretations)*  
**Curtis Royster Jr.**, *Functional Chair (Logistics)*  
**Nicholas Stoughton**, *Secretary*

### Balloting Committee

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William J. Ackerman	Andrew Fieldsend	Gary Michel
Adewole Akpose	Michael Geipel	Bruce Muschlitz
Butch Anton	Randall Groves	Michael S. Newman
Jay Ashford	Scott Gudgel	Peter Petrov
Hugh Barrass	Joseph M. Gwinn	Vikram Punj
Andy Bihain	Charles Hammons	Jose Puthenkulam
Tomo Bogataj	Michael Gonzalez Harbour	Robert Robinson
Mark S. Brown	Barry Hedquist	Fernando Lucas Rodriguez
Juan Carreon	Werner Hoelzl	Bartien Sayogo
Danila Chernetsov	Andrew Josey	Stephen Schwarm
Keith Chow	Piotr Karocki	Thomas Starai
Tommy Cooper	Thomas Kurihara	John Thywissen
Donald W. Cragun	Susan Land	Mark-Rene Uchida
Ulrich Drepper	Kenneth Lang	Robert Wilkens
Souray Dutta	Shawn Leard	Oren Yuen
Marc Emmelmann	William Lumpkins	Janusz Zalewski
John Fendrich	Roger J. Martin	

### IEEE-SA Standards Board

When the IEEE-SA Standards Board approved this standard on 26 September 2008, it had the following membership:

**Robert M. Grow**, *Chair*  
**Tom A. Prevost**, *Vice Chair*  
**Steve M. Mills**, *Past Chair*  
**Judith Gorman**, *Secretary*

Victor Berman	James Hughes	Chuck Powers
Richard DeBlasio	Richard H. Hulett	Narayanan Ramachandran
Andrew Drozd	Young Kyun Kim	Jon Walter Rosdahl
Mark Epstein	Joseph L. Koepfinger *	Anne-Marie Sahazizian
Alexander Gelman	John Kulick	Malcolm V. Thaden
William R. Goldbach	David J. Law	Howard L. Wolfman
Arnold M. Greenspan	Glenn Parsons	Don Wright
Kenneth S. Hanus	Ronald C. Petersen	

\* Member Emeritus

Also included are the following non-voting IEEE-SA Standards Board liaisons:

**Satish K. Aggarwal**, *NRC Representative*

**Michael H. Kelley**, *NIST Representative*

**Don Messina**, *IEEE Standards Program Manager, Document Development*

**Michael Kipness**, *IEEE Standards Program Manager, Technical Program Development*

IEEE Std 1003.1™-2008/Cor 1-2013 was prepared by the Austin Group, sponsored by the Portable Applications Standards Committee of the IEEE Computer Society, The Open Group, and ISO/IEC JTC 1/SC22.

## The Austin Group

At the time this IEEE standard was completed, the Austin Group had the following membership:

**Andrew Josey**, *Chair*

**Donald W. Cragun**, *Organizational Representative, IEEE PASC*

**Nicholas Stoughton**, *Organizational Representative, ISO/IEC JTC 1/SC22*

**Mark S. Brown**, *Organizational Representative, The Open Group*

**Cathy Fox**, *Technical Editor*

## Austin Group Technical Reviewers

Eric Blake	Ross Johnson	Jörg Schilling
Paolo Bonzini	Andrew Josey	Ed Schouten
Mark S. Brown	Alexey V. Khoroshilov	Konrad A. Schwarz
Geoff Clare	Antoine Leca	Martin Sebor
Donald W. Cragun	Vincent Lefèvre	Nicolas Sitbon
Ulrich Drepper	Matt McCutchen	Nicholas Stoughton
Laszlo Ersek	Christoph Anton Mitterer	Jilles Tjoelker
Hal Finkel	Peter O'Gorman	Nathan Weeks
Mark Harris	Peter Petrov	David A. Wheeler
Tom Honermann	James C. Pugsley	

## Austin Group Working Group Members

Hans Aberg	Mike Fryssinger	Peter O'Gorman
Eitan Adler	Pierre Gaston	Peter Petrov
Tanaka Akira	Thorsten Glaser	Wayne Pollock
Matthias Andree	Philip Guenther	James C. Pugsley
Matt W. Benjamin	Bruno Haible	Chet Ramey
Guido Berhoerster	Mark Harris	Xavier Roche
Eric Blake	David Holland	Jeroen Ruigrok van der Werven
Hans Boehm	Tom Honermann	Bart Schaefer
Paolo Bonzini	Ross Johnson	Jörg Schilling
Davide Brini	Andrew Josey	Nico Schottelius
Andries E. Brouwer	Dan Kegel	Ed Schouten
Mark S. Brown	Michael Kerrisk	Konrad A. Schwarz
David Butenhof	Alexey V. Khoroshilov	Jens Schweikhardt
Albert Cahalan	Josh Knight	Martin Sebor
Stephane Chazelas	Jonathan A. Kollasch	Glen Seeds
Geoff Clare	Bruce Korb	Thor Lancelot Simon
Garrett Cooper	David Korn	Keld Simonsen
Donald W. Cragun	Terry Lambert	Nicolas Sitbon
Matthew Dempsky	Antoine Leca	Johannes Sixt
Casper Dik	Vincent Lefèvre	Paul Smith
Niall Douglas	Wojtek Lerch	Nicholas Stoughton

Ulrich Drepper  
Lawrence D.K.B. Dwyer  
Paul Eggert  
Julian Elischer  
Laszlo Ersek  
Bruce Evans  
Sean C. Farley  
Hal Finkel  
Glenn Fowler

Scott Lurndal  
Roger Marquis  
Matt McCutchen  
Esmail Mirzaee  
Christoph Anton Mitterer  
Joseph S. Myers  
Alexander Nasonov  
Jonathan Nieder  
Carlos O'Donnell

Marcel Telka  
Jilles Tjoelker  
Fred J. Tydeman  
Nathan Weeks  
David A. Wheeler  
Mats D. Wichmann  
Garrett Wollman  
Jörg Wunsch

## The Open Group

When The Open Group approved the Base Specifications, Issue 7, Technical Corrigendum 1 on **25 October 2012**, the membership of The Open Group Base Working Group was as follows:

**Andrew Josey**, *Chair*  
**Mark S. Brown**, *Austin Group Liaison*  
**Cathy Fox**, *Technical Editor*

## Base Working Group Members

Eric Blake	Donald W. Cragun	William L. Toth
Mark S. Brown	Lawrence D.K.B. Dwyer	Kevin Van Vechten
David Butenhof	Darrin Johnson	
Geoff Clare	James C. Pugsley	

## Portable Applications Standards Committee (PASC)

**Joseph M. Gwinn**, *Chair*  
**Andrew Josey**, *Functional Chair (Interpretations)*  
**Curtis Royster Jr.**, *Functional Chair (Logistics)*  
**Nicholas Stoughton**, *Secretary*

## IEEE

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Mark S. Brown	Randall Groves	Peter Petrov
Michael Browne	Joseph M. Gwinn	Bartien Sayogo
Keith Chow	Werner Hoelzl	Stephen Schwarm
Donald W. Cragun	Andrew Josey	Gil Shultz
Thomas Dineen	Piotr Karocki	Walter Struppler
Andrew Fieldsend	Fernando Lucas Rodriguez	Oren Yuen
David Fuschi	Greg Luri	

When the IEEE-SA Standards Board approved this standard on 6 February 2013, it had the following membership:

**John Kulick**, *Chair*  
**Richard H. Hulett**, *Past Chair*  
**Konstantinos Karachalios**, *Secretary*.

Masayuki Ariyoshi	Mark Halpin	Ronald C. Petersen
Peter Balma	Gary Hoffman	Gary Robinson
Farooq Bari	Paul Houzé	Jon Walter Rosdahl
Ted Burse	Jim Hughes	Adrian Stephens
Wael William Diab	Michael Janezic	Peter Sutherland

Stephen Dukes  
Jean-Philippe Faure  
Alexander Gelman

Joseph L. Koepfinger\*  
David J. Law  
Oleg Logvinov

Yatin Trivedi  
Phil Winston  
Yu Yuan

\*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

**Richard DeBlasio**, *DOE Representative*

**Michael Janezic**, *NIST Representative*

**Don Messina**, *IEEE Standards Program Manager, Document Development*

**Michael Kipness**, *IEEE Standards Program Manager, Technical Program Development*

## Introduction

This introduction is not part of IEEE Std 1003.1, 2013 Edition, Standard for Information Technology – Portable Operating System Interface (POSIX).

This standard was developed, and is maintained, by a joint working group of members of the IEEE Portable Applications Standards Committee, members of The Open Group, and members of ISO/IEC Joint Technical Committee 1. This joint working group is known as the Austin Group.<sup>A</sup>

The Austin Group arose out of discussions amongst the parties which started in early 1998, leading to an initial meeting and formation of the group in September 1998. The purpose of the Austin Group is to develop and maintain the core open systems interfaces that are the POSIX<sup>®</sup> 1003.1 (and former 1003.2) standards, ISO/IEC 9945, and the core of the Single UNIX Specification.

The approach to specification development has been one of “write once, adopt everywhere”, with the deliverables being a set of specifications that carry the IEEE POSIX designation, The Open Group Technical Standard designation, and an ISO/IEC designation.

This unique development has combined both the industry-led efforts and the formal standardization activities into a single initiative, and included a wide spectrum of participants. The Austin Group continues as the maintenance body for this document.

Anyone wishing to participate in the Austin Group should contact the chair with their request. There are no fees for participation or membership. You may participate as an observer or as a contributor. You do not have to attend face-to-face meetings to participate; electronic participation is most welcome. For more information on the Austin Group and how to participate, see [www.opengroup.org/austin](http://www.opengroup.org/austin).

## Background

The developers of POSIX.1-2008 represent a cross-section of hardware manufacturers, vendors of operating systems and other software development tools, software designers, consultants, academics, authors, applications programmers, and others.

Conceptually, POSIX.1-2008 describes a set of fundamental services needed for the efficient construction of application programs. Access to these services has been provided by defining an interface, using the C programming language, a command interpreter, and common utility programs that establish standard semantics and syntax. Since this interface enables application developers to write portable applications – it was developed with that goal in mind – it has been designated POSIX<sup>B</sup>, an acronym for Portable Operating System Interface.

Although originated to refer to the original IEEE Std 1003.1-1988, the name POSIX more correctly refers to a *family* of related standards: IEEE Std 1003.*n* and the parts of ISO/IEC 9945. In earlier editions of the IEEE standard, the term POSIX was used as a synonym for IEEE Std 1003.1-1988. A preferred term, POSIX.1, emerged. This maintained the advantages of readability of the symbol “POSIX” without being ambiguous with the POSIX family of standards.

---

<sup>A</sup> The Austin Group is named after the location of the inaugural meeting held at the IBM facility in Austin, Texas in September 1998.

<sup>B</sup> The Name POSIX was suggested by Richard Stallman. It is expected to be pronounced *pahz-icks*, as in *positive*, not *poh-six*, or other variations. The pronunciation has been published in an attempt to promulgate a standardized way of referring to a standard operating system interface.

## Audience

The intended audience for POSIX.1-2008 is all persons concerned with an industry-wide standard operating system based on the UNIX system. This includes at least four groups of people:

- Persons buying hardware and software systems
- Persons managing companies that are deciding on future corporate computing directions
- Persons implementing operating systems, and especially
- Persons developing applications where portability is an objective

## Purpose

Several principles guided the development of POSIX.1-2008:

- **Application-Oriented** – The basic goal was to promote portability of application programs across UNIX system environments by developing a clear, consistent, and unambiguous standard for the interface specification of a portable operating system based on the UNIX system documentation. POSIX.1-2008 codifies the common, existing definition of the UNIX system.
- **Interface, Not Implementation** – POSIX.1-2008 defines an interface, not an implementation. No distinction is made between library functions and system calls; both are referred to as functions. No details of the implementation of any function are given (although historical practice is sometimes indicated in the RATIONALE section). Symbolic names are given for constants (such as signals and error numbers) rather than numbers.
- **Source, Not Object, Portability** – POSIX.1-2008 has been written so that a program written and translated for execution on one conforming implementation may also be translated for execution on another conforming implementation. POSIX.1-2008 does not guarantee that executable (object or binary) code will execute under a different conforming implementation than that for which it was translated, even if the underlying hardware is identical.
- **The C Language** – The system interfaces and header definitions are written in terms of the standard C language as specified in the ISO C standard.
- **No Superuser, No System Administration** – There was no intention to specify all aspects of an operating system. System administration facilities and functions are excluded from this standard, and functions usable only by the superuser have not been included. Still, an implementation of the standard interface may also implement features not in POSIX.1-2008. POSIX.1-2008 is also not concerned with hardware constraints or system maintenance.
- **Minimal Interface, Minimally Defined** – In keeping with the historical design principles of the UNIX system, the mandatory core facilities of POSIX.1-2008 have been kept as minimal as possible. Additional capabilities have been added as optional extensions.
- **Broadly Implementable** – The developers of POSIX.1-2008 endeavored to make all specified functions implementable across a wide range of existing and potential systems, including:
  - All of the current major systems that are ultimately derived from the original UNIX system code (Version 7 or later)
  - Compatible systems that are not derived from the original UNIX system code
  - Emulations hosted on entirely different operating systems
  - Networked systems
  - Distributed systems
  - Systems running on a broad range of hardware

No direct references to this goal appear in POSIX.1-2008, but some results of it are mentioned in the Rationale (Informative) volume.

- Minimal Changes to Historical Implementations – When the original version – IEEE Std 1003.1-1988 – was published, there were no known historical implementations that did not have to change. However, there was a broad consensus on a set of functions, types, definitions, and concepts that formed an interface that was common to most historical implementations.

The adoption of the 1988 and 1990 IEEE system interface standards, the 1992 IEEE shell and utilities standard, the various Open Group (formerly X/Open) specifications, and IEEE Std 1003.1-2001 and its technical corrigenda have consolidated this consensus, and this version reflects the significantly increased level of consensus arrived at since the original versions. The authors of the original versions tried, as much as possible, to follow the principles below when creating new specifications:

- By standardizing an interface like one in an historical implementation; for example, directories
- By specifying an interface that is readily implementable in terms of, and backwards-compatible with, historical implementations, such as the extended *tar* format defined in the *pax* utility
- By specifying an interface that, when added to an historical implementation, will not conflict with it; for example, the *sigaction()* function

POSIX.1-2008 is specifically not a codification of a particular vendor's product.

It should be noted that implementations will have different kinds of extensions. Some will reflect “historical usage” and will be preserved for execution of pre-existing applications. These functions should be considered “obsolescent” and the standard functions used for new applications. Some extensions will represent functions beyond the scope of POSIX.1-2008. These need to be used with careful management to be able to adapt to future extensions of POSIX.1-2008 and/or port to implementations that provide these services in a different manner.

- Minimal Changes to Existing Application Code – A goal of POSIX.1-2008 was to minimize additional work for application developers. However, because every known historical implementation will have to change at least slightly to conform, some applications will have to change.

## POSIX.1-2008

POSIX.1-2008 defines the Portable Operating System Interface (POSIX) requirements and consists of the following topics arranged as a series of volumes within the standard:

- Base Definitions
- System Interfaces
- Shell and Utilities
- Rationale (Informative)

### Base Definitions

The Base Definitions volume provides common definitions for this standard, therefore readers should be familiar with it before using the other volumes.

This volume is structured as follows:

- Chapter 1 is an introduction.
- Chapter 2 defines the conformance requirements.
- Chapter 3 defines general terms used.
- Chapter 4 describes general concepts used.
- Chapter 5 describes the notation used to specify file input and output formats in this volume and the Shell and Utilities volume.
- Chapter 6 describes the portable character set and the process of character set definition.

- Chapter 7 describes the syntax for defining internationalization locales as well as the POSIX locale provided on all systems.
- Chapter 8 describes the use of environment variables for internationalization and other purposes.
- Chapter 9 describes the syntax of pattern matching using regular expressions employed by many utilities and matched by the *regcomp()* and *regexexec()* functions.
- Chapter 10 describes files and devices found on all systems.
- Chapter 11 describes the asynchronous terminal interface for many of the functions in the System Interfaces volume and the *stty* utility in the Shell and Utilities volume.
- Chapter 12 describes the policies for command line argument construction and parsing.
- Chapter 13 defines the contents of headers which declare the functions and global variables, and define types, constants, macros, and data structures that are needed by programs using the services provided by the System Interfaces volume.

Comprehensive references are available in the index.

### **System Interfaces**

The System Interfaces volume describes the interfaces offered to application programs by POSIX-conformant systems. Readers are expected to be experienced C language programmers, and to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards.
- Chapter 2 contains important concepts, terms, and caveats relating to the rest of this volume.
- Chapter 3 defines the functional interfaces to the POSIX-conformant system.

Comprehensive references are available in the index.

### **Shell and Utilities**

The Shell and Utilities volume describes the commands and utilities offered to application programs on POSIX-conformant systems. Readers are expected to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards. It also describes the defaults used by the utility descriptions.
- Chapter 2 describes the command language used in POSIX-conformant systems, and special built-in utilities.
- Chapter 3 describes a set of services and utilities that are implemented on systems supporting the Batch Environment Services and Utilities option.
- Chapter 4 consists of reference pages for all utilities, other than the special built-in utilities described in Chapter 2, available on POSIX-conformant systems.

Comprehensive references are available in the index.

### **Rationale (Informative)**

The Rationale volume is published to assist in the process of review. It contains historical information concerning the contents of this standard and why features were included or discarded by the standard developers. It also contains notes of interest to application programmers on recommended programming practices, emphasizing the consequences of some aspects of POSIX.1-2008 that may not be immediately apparent.

This volume is organized in parallel to the normative volumes of this standard, with a separate part for each of the three normative volumes.

Within this volume, the following terms are used:

- Base standard – The portions of POSIX.1-2008 that are not optional, equivalent to the definitions of classic POSIX.1 and POSIX.2.
- POSIX.0 – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to IEEE Std 1003.0™-1995.
- POSIX.1b – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the elements of the POSIX Realtime Extension amendment. (This was earlier referred to as POSIX.4 during the standard development process.)
- POSIX.1c – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the POSIX Threads Extension amendment. (This was earlier referred to as POSIX.4a during the standard development process.)
- Standard developers – The individuals and companies in the development organizations responsible for POSIX.1-2008: the IEEE P1003.1 working groups, The Open Group Base working group, advised by the hundreds of individual technical experts who balloted the draft standards within the Austin Group, and the member bodies and technical experts of ISO/IEC JTC 1/SC 22.
- XSI option – The portions of POSIX.1-2008 addressing the extension added for support of the Single UNIX Specification.

## Typographical Conventions

The following typographical conventions are used throughout this standard. In the text, this standard is referred to as POSIX.1-2008, which is technically identical to The Open Group Base Specifications, Issue 7.

The typographical conventions listed here are for ease of reading only. Editorial inconsistencies in the use of typography are unintentional and have no normative meaning in POSIX.1-2008.

Reference	Example	Notes
C-Language Data Structure	<b>aiocb</b>	
C-Language Data Structure Member	<i>aio_lio_opcode</i>	
C-Language Data Type	<b>long</b>	
C-Language External Variable	<i>errno</i>	
C-Language Function	<i>system()</i>	
C-Language Function Argument	<i>arg</i>	
C-Language Function Family	<i>exec</i>	
C-Language Header	<b>&lt;sys/stat.h&gt;</b>	
C-Language Keyword	<b>return</b>	
C-Language Macro with Argument	<i>assert()</i>	
C-Language Macro with No Argument	<b>NET_ADDRSTRLEN</b>	
C-Language Preprocessing Directive	<b>#define</b>	
Commands within a Utility	<b>a, c</b>	
Conversion Specifier, Specifier/Modifier Character	<i>%A, g, E</i>	1
Environment Variable	<i>PATH</i>	
Error Number	<b>[EINTR]</b>	
Example Output	<b>Hello, World</b>	
Filename	<b>/tmp</b>	
Literal Character	<b>'c', '\r'</b>	2
Literal String	<b>"abcde"</b>	2
Optional Items in Utility Syntax	<b>[ ]</b>	
Parameter	<b>&lt;directory pathname&gt;</b>	

Reference	Example	Notes
Special Character	<newline>	3
Symbolic Constant	POSIX_VDISABLE	
Symbolic Limit, Configuration Value	{LINE_MAX}	4
Syntax	#include <sys/stat.h>	
User Input and Example Code	echo Hello, World	5
Utility Name	awk	
Utility Operand	file name	
Utility Option	-c	
Utility Option with Option-Argument	-w width	

Note that:

1. Conversion specifications, specifier characters, and modifier characters are used primarily in date-related functions and utilities and the *fprintf()* and *scanf()* formatting functions.
2. Unless otherwise noted, the quotes shall not be used as input or output. When used in a list item, the quotes are omitted. The literal characters <apostrophe> (also known as single-quote) and <backslash> are either shown as the C constants '\ ' and '\\ ', respectively, or as the special characters <apostrophe>, single-quote, and <backslash> depending on context.
3. The style selected for some of the special characters, such as <newline>, matches the form of the input given to the *localedef* utility. Generally, the characters selected for this special treatment are those that are not visually distinct, such as the control characters <tab> or <newline>.
4. Names surrounded by braces represent symbolic limits or configuration values which may be declared in appropriate headers by means of the C **#define** construct.
5. Brackets shown in this font, "[ ]", are part of the syntax and do not indicate optional items. In syntax the '| ' symbol is used to separate alternatives, and ellipses ("...") are used to show that additional arguments are optional.

Shading is used to identify extensions and options.

Footnotes and notes within the body of the normative text are for information only (informative).

Informative sections (such as Rationale, Change History, Application Usage, and so on) are denoted by continuous shading bars in the margins.

Ranges of values are indicated with parentheses or brackets as follows:

1.  $(a,b)$  means the range of all values from  $a$  to  $b$ , including neither  $a$  nor  $b$ .
2.  $[a,b]$  means the range of all values from  $a$  to  $b$ , including  $a$  and  $b$ .
3.  $[a,b)$  means the range of all values from  $a$  to  $b$ , including  $a$ , but not  $b$ .
4.  $(a,b]$  means the range of all values from  $a$  to  $b$ , including  $b$ , but not  $a$ .

**Note:** A symbolic limit beginning with POSIX is treated differently, depending on context. In a C-language header, the symbol *POSIXstring* (where *string* may contain underscores) is represented by the C identifier `_POSIXstring`, with a leading underscore required to prevent ISO C standard name space pollution. However, in other contexts, such as languages other than C, the leading underscore is not used because this requirement does not exist.

# Contents

<b>Volume</b>	<b>1</b>	<b>Base Definitions, Issue 7</b> .....	<b>1</b>
<b>Chapter</b>	<b>1</b>	<b>Introduction</b> .....	<b>3</b>
	1.1	Scope .....	3
	1.2	Conformance.....	4
	1.3	Normative References .....	4
	1.4	Change History .....	5
	1.5	Terminology .....	5
	1.6	Definitions and Concepts.....	6
	1.7	Portability .....	6
	1.7.1	Codes .....	7
	1.7.2	Margin Code Notation .....	13
<b>Chapter</b>	<b>2</b>	<b>Conformance</b> .....	<b>15</b>
	2.1	Implementation Conformance .....	15
	2.1.1	Requirements .....	15
	2.1.2	Documentation .....	16
	2.1.3	POSIX Conformance.....	16
	2.1.4	XSI Conformance .....	19
	2.1.5	Option Groups.....	20
	2.1.6	Options .....	26
	2.2	Application Conformance.....	29
	2.2.1	Strictly Conforming POSIX Application.....	29
	2.2.2	Conforming POSIX Application .....	30
	2.2.3	Conforming POSIX Application Using Extensions.....	30
	2.2.4	Strictly Conforming XSI Application .....	30
	2.2.5	Conforming XSI Application Using Extensions .....	31
	2.3	Language-Dependent Services for the C Programming Language .....	31
	2.4	Other Language-Related Specifications.....	31
<b>Chapter</b>	<b>3</b>	<b>Definitions</b> .....	<b>33</b>
	3.1	Abortive Release.....	33
	3.2	Absolute Pathname.....	33
	3.3	Access Mode .....	33
	3.4	Additional File Access Control Mechanism.....	33
	3.5	Address Space.....	33
	3.6	Advisory Information.....	34
	3.7	Affirmative Response .....	34
	3.8	Alert .....	34
	3.9	Alert Character (<alert>).....	34
	3.10	Alias Name.....	34
	3.11	Alignment .....	35
	3.12	Alternate File Access Control Mechanism .....	35

3.13	Alternate Signal Stack.....	35
3.14	Ancillary Data.....	35
3.15	Angle Brackets.....	35
3.16	Apostrophe Character (<apostrophe>).....	35
3.17	Application.....	35
3.18	Application Address.....	36
3.19	Application Program Interface (API).....	36
3.20	Appropriate Privileges.....	36
3.21	Argument.....	36
3.22	Arm (a Timer).....	36
3.23	Asterisk Character (<asterisk>).....	36
3.24	Async-Cancel-Safe Function.....	36
3.25	Asynchronous Events.....	37
3.26	Asynchronous Input and Output.....	37
3.27	Async-Signal-Safe Function.....	37
3.28	Asynchronously-Generated Signal.....	37
3.29	Asynchronous I/O Completion.....	37
3.30	Asynchronous I/O Operation.....	37
3.31	Authentication.....	37
3.32	Authorization.....	38
3.33	Background Job.....	38
3.34	Background Process.....	38
3.35	Background Process Group (or Background Job).....	38
3.36	Backquote Character.....	38
3.37	Backslash Character (<backslash>).....	38
3.38	Backspace Character (<backspace>).....	38
3.39	Barrier.....	39
3.40	Basename.....	39
3.41	Basic Regular Expression (BRE).....	39
3.42	Batch Access List.....	39
3.43	Batch Administrator.....	39
3.44	Batch Client.....	39
3.45	Batch Destination.....	40
3.46	Batch Destination Identifier.....	40
3.47	Batch Directive.....	40
3.48	Batch Job.....	40
3.49	Batch Job Attribute.....	40
3.50	Batch Job Identifier.....	40
3.51	Batch Job Name.....	41
3.52	Batch Job Owner.....	41
3.53	Batch Job Priority.....	41
3.54	Batch Job State.....	41
3.55	Batch Name Service.....	41
3.56	Batch Name Space.....	41
3.57	Batch Node.....	42
3.58	Batch Operator.....	42
3.59	Batch Queue.....	42
3.60	Batch Queue Attribute.....	42
3.61	Batch Queue Position.....	42
3.62	Batch Queue Priority.....	42
3.63	Batch Rerunability.....	43
3.64	Batch Restart.....	43

3.65	Batch Server .....	43
3.66	Batch Server Name.....	43
3.67	Batch Service .....	43
3.68	Batch Service Request.....	43
3.69	Batch Submission .....	43
3.70	Batch System .....	44
3.71	Batch Target User .....	44
3.72	Batch User .....	44
3.73	Bind .....	44
3.74	Blank Character (<blank>).....	44
3.75	Blank Line.....	44
3.76	Blocked Process (or Thread) .....	44
3.77	Blocking .....	44
3.78	Block-Mode Terminal .....	45
3.79	Block Special File.....	45
3.80	Braces .....	45
3.81	Brackets.....	45
3.82	Broadcast .....	45
3.83	Built-In Utility (or Built-In).....	46
3.84	Byte.....	46
3.85	Byte Input/Output Functions .....	46
3.86	Carriage-Return Character (<carriage-return>) .....	46
3.87	Character .....	47
3.88	Character Array.....	47
3.89	Character Class.....	47
3.90	Character Set .....	47
3.91	Character Special File .....	47
3.92	Character String.....	47
3.93	Child Process .....	48
3.94	Circumflex Character (<circumflex>).....	48
3.95	Clock .....	48
3.96	Clock Jump.....	48
3.97	Clock Tick.....	48
3.98	Coded Character Set .....	48
3.99	Codeset .....	49
3.100	Collating Element.....	49
3.101	Collation .....	49
3.102	Collation Sequence.....	49
3.103	Column Position.....	50
3.104	Command.....	50
3.105	Command Language Interpreter .....	50
3.106	Composite Graphic Symbol.....	50
3.107	Condition Variable .....	50
3.108	Connected Socket .....	51
3.109	Connection .....	51
3.110	Connection Mode .....	51
3.111	Connectionless Mode .....	51
3.112	Control Character.....	51
3.113	Control Operator .....	51
3.114	Controlling Process .....	51
3.115	Controlling Terminal .....	52
3.116	Conversion Descriptor .....	52

3.117	Core File.....	52
3.118	CPU Time (Execution Time) .....	52
3.119	CPU-Time Clock.....	52
3.120	CPU-Time Timer.....	52
3.121	Current Job.....	52
3.122	Current Working Directory.....	53
3.123	Cursor Position.....	53
3.124	Datagram.....	53
3.125	Data Segment.....	53
3.126	Deferred Batch Service .....	53
3.127	Device .....	53
3.128	Device ID.....	53
3.129	Directory.....	53
3.130	Directory Entry (or Link) .....	53
3.131	Directory Stream .....	54
3.132	Disarm (a Timer) .....	54
3.133	Display.....	54
3.134	Display Line.....	54
3.135	Dollar-Sign Character (<dollar-sign>) .....	54
3.136	Dot.....	54
3.137	Dot-Dot.....	55
3.138	Double-Quote Character.....	55
3.139	Downshifting.....	55
3.140	Driver.....	55
3.141	Effective Group ID.....	55
3.142	Effective User ID.....	55
3.143	Eight-Bit Transparency.....	55
3.144	Empty Directory.....	56
3.145	Empty Line.....	56
3.146	Empty String (or Null String).....	56
3.147	Empty Wide-Character String.....	56
3.148	Encoding Rule .....	56
3.149	Entire Regular Expression.....	56
3.150	Epoch .....	57
3.151	Equivalence Class.....	57
3.152	Era.....	57
3.153	Event Management.....	57
3.154	Executable File.....	57
3.155	Execute.....	58
3.156	Execution Time.....	58
3.157	Execution Time Monitoring.....	58
3.158	Expand.....	58
3.159	Extended Regular Expression (ERE) .....	58
3.160	Extended Security Controls.....	58
3.161	Feature Test Macro.....	59
3.162	Field.....	59
3.163	FIFO Special File (or FIFO) .....	59
3.164	File.....	59
3.165	File Description .....	59
3.166	File Descriptor .....	60
3.167	File Group Class.....	60
3.168	File Mode.....	60

3.169	File Mode Bits .....	60
3.170	Filename .....	60
3.171	Filename String.....	61
3.172	File Offset .....	61
3.173	File Other Class .....	61
3.174	File Owner Class .....	61
3.175	File Permission Bits.....	61
3.176	File Serial Number .....	61
3.177	File System .....	61
3.178	File Type .....	62
3.179	Filter .....	62
3.180	First Open (of a File) .....	62
3.181	Flow Control .....	62
3.182	Foreground Job.....	62
3.183	Foreground Process .....	62
3.184	Foreground Process Group (or Foreground Job).....	62
3.185	Foreground Process Group ID .....	62
3.186	Form-Feed Character (<form-feed>).....	63
3.187	Graphic Character .....	63
3.188	Group Database.....	63
3.189	Group ID.....	63
3.190	Group Name .....	63
3.191	Hard Limit.....	63
3.192	Hard Link .....	64
3.193	Home Directory .....	64
3.194	Host Byte Order.....	64
3.195	Incomplete Line.....	64
3.196	Inf.....	64
3.197	Instrumented Application .....	64
3.198	Interactive Shell .....	64
3.199	Internationalization .....	65
3.200	Interprocess Communication .....	65
3.201	Invoke .....	65
3.202	Job.....	65
3.203	Job Control .....	65
3.204	Job Control Job ID .....	65
3.205	Last Close (of a File).....	66
3.206	Line.....	66
3.207	Linger.....	66
3.208	Link .....	66
3.209	Link Count .....	66
3.210	Local Customs .....	66
3.211	Local Interprocess Communication (Local IPC).....	66
3.212	Locale .....	67
3.213	Localization.....	67
3.214	Login .....	67
3.215	Login Name .....	67
3.216	Map .....	67
3.217	Marked Message .....	67
3.218	Matched .....	68
3.219	Memory Mapped Files .....	68
3.220	Memory Object .....	68

3.221	Memory-Resident.....	68
3.222	Message .....	68
3.223	Message Catalog.....	68
3.224	Message Catalog Descriptor .....	69
3.225	Message Queue.....	69
3.226	Mode .....	69
3.227	Monotonic Clock .....	69
3.228	Mount Point .....	69
3.229	Multi-Character Collating Element .....	69
3.230	Mutex .....	69
3.231	Name.....	70
3.232	Named STREAM.....	70
3.233	NaN (Not a Number) .....	70
3.234	Native Language .....	70
3.235	Negative Response.....	70
3.236	Network.....	70
3.237	Network Address .....	70
3.238	Network Byte Order .....	71
3.239	Newline Character (<newline>) .....	71
3.240	Nice Value .....	71
3.241	Non-Blocking.....	71
3.242	Non-Spacing Characters .....	71
3.243	NUL.....	72
3.244	Null Byte.....	72
3.245	Null Pointer.....	72
3.246	Null String.....	72
3.247	Null Wide-Character Code .....	72
3.248	Number-Sign Character (<number-sign>).....	72
3.249	Object File.....	72
3.250	Octet .....	72
3.251	Offset Maximum .....	73
3.252	Opaque Address.....	73
3.253	Open File .....	73
3.254	Open File Description.....	73
3.255	Operand.....	73
3.256	Operator .....	73
3.257	Option .....	74
3.258	Option-Argument .....	74
3.259	Orientation .....	74
3.260	Orphaned Process Group.....	74
3.261	Page.....	74
3.262	Page Size.....	74
3.263	Parameter .....	75
3.264	Parent Directory .....	75
3.265	Parent Process.....	75
3.266	Parent Process ID .....	75
3.267	Pathname.....	75
3.268	Pathname Component.....	76
3.269	Path Prefix .....	76
3.270	Pattern.....	76
3.271	Period Character (<period>) .....	76
3.272	Permissions .....	77

3.273	Persistence .....	77
3.274	Pipe .....	77
3.275	Polling .....	77
3.276	Portable Character Set .....	77
3.277	Portable Filename .....	78
3.278	Portable Filename Character Set .....	78
3.279	Positional Parameter .....	78
3.280	Preallocation .....	78
3.281	Preempted Process (or Thread) .....	78
3.282	Previous Job .....	78
3.283	Printable Character .....	79
3.284	Printable File .....	79
3.285	Priority .....	79
3.286	Priority Band .....	79
3.287	Priority Inversion .....	79
3.288	Priority Scheduling .....	79
3.289	Priority-Based Scheduling .....	79
3.290	Privilege .....	80
3.291	Process .....	80
3.292	Process Group .....	80
3.293	Process Group ID .....	80
3.294	Process Group Leader .....	80
3.295	Process Group Lifetime .....	80
3.296	Process ID .....	81
3.297	Process Lifetime .....	81
3.298	Process Memory Locking .....	81
3.299	Process Termination .....	81
3.300	Process-To-Process Communication .....	81
3.301	Process Virtual Time .....	82
3.302	Program .....	82
3.303	Protocol .....	82
3.304	Pseudo-Terminal .....	82
3.305	Radix Character .....	82
3.306	Read-Only File System .....	82
3.307	Read-Write Lock .....	82
3.308	Real Group ID .....	83
3.309	Real Time .....	83
3.310	Realtime Signal Extension .....	83
3.311	Real User ID .....	83
3.312	Record .....	83
3.313	Redirection .....	83
3.314	Redirection Operator .....	84
3.315	Referenced Shared Memory Object .....	84
3.316	Refresh .....	84
3.317	Regular Expression .....	84
3.318	Region .....	84
3.319	Regular File .....	84
3.320	Relative Pathname .....	85
3.321	Relocatable File .....	85
3.322	Relocation .....	85
3.323	Requested Batch Service .....	85
3.324	(Time) Resolution .....	85

3.325	Robust Mutex.....	85
3.326	Root Directory .....	85
3.327	Runnable Process (or Thread) .....	85
3.328	Running Process (or Thread).....	86
3.329	Saved Resource Limits .....	86
3.330	Saved Set-Group-ID.....	86
3.331	Saved Set-User-ID .....	86
3.332	Scheduling.....	86
3.333	Scheduling Allocation Domain .....	86
3.334	Scheduling Contention Scope .....	86
3.335	Scheduling Policy.....	87
3.336	Screen .....	87
3.337	Scroll.....	87
3.338	Semaphore.....	87
3.339	Session .....	88
3.340	Session Leader .....	88
3.341	Session Lifetime.....	88
3.342	Shared Memory Object.....	88
3.343	Shell.....	88
3.344	Shell, the .....	88
3.345	Shell Script.....	89
3.346	Signal.....	89
3.347	Signal Stack .....	89
3.348	Single-Quote Character .....	89
3.349	Slash Character (<slash>).....	89
3.350	Socket .....	89
3.351	Socket Address .....	89
3.352	Soft Limit .....	90
3.353	Source Code .....	90
3.354	Space Character (<space>).....	90
3.355	Spawn .....	90
3.356	Special Built-In.....	90
3.357	Special Parameter.....	91
3.358	Spin Lock.....	91
3.359	Sporadic Server.....	91
3.360	Standard Error .....	91
3.361	Standard Input.....	91
3.362	Standard Output .....	91
3.363	Standard Utilities .....	91
3.364	Stream .....	92
3.365	STREAM.....	92
3.366	STREAM End.....	92
3.367	STREAM Head .....	92
3.368	STREAMS Multiplexor.....	92
3.369	String.....	92
3.370	Subshell.....	93
3.371	Successfully Transferred .....	93
3.372	Supplementary Group ID .....	93
3.373	Suspended Job .....	93
3.374	Symbolic Constant .....	93
3.375	Symbolic Link .....	94
3.376	Synchronized Input and Output.....	94

3.377	Synchronized I/O Completion .....	94
3.378	Synchronized I/O Data Integrity Completion.....	94
3.379	Synchronized I/O File Integrity Completion .....	94
3.380	Synchronized I/O Operation .....	94
3.381	Synchronous I/O Operation.....	95
3.382	Synchronously-Generated Signal .....	95
3.383	System.....	95
3.384	System Boot.....	95
3.385	System Clock.....	95
3.386	System Console .....	95
3.387	System Crash .....	95
3.388	System Databases.....	96
3.389	System Documentation .....	96
3.390	System Process.....	96
3.391	System Reboot .....	96
3.392	System Trace Event .....	96
3.393	System-Wide .....	96
3.394	Tab Character (<tab>).....	97
3.395	Terminal (or Terminal Device) .....	97
3.396	Text Column.....	97
3.397	Text File.....	97
3.398	Thread.....	97
3.399	Thread ID .....	97
3.400	Thread List .....	98
3.401	Thread-Safe .....	98
3.402	Thread-Specific Data Key.....	98
3.403	Tilde Character (<tilde>).....	98
3.404	Timeouts .....	98
3.405	Timer .....	98
3.406	Timer Overrun.....	98
3.407	Token.....	99
3.408	Trace Analyzer Process.....	99
3.409	Trace Controller Process.....	99
3.410	Trace Event.....	99
3.411	Trace Event Type .....	99
3.412	Trace Event Type Mapping.....	99
3.413	Trace Filter.....	99
3.414	Trace Generation Version .....	99
3.415	Trace Log .....	100
3.416	Trace Point.....	100
3.417	Trace Stream.....	100
3.418	Trace Stream Identifier .....	100
3.419	Trace System .....	100
3.420	Traced Process.....	100
3.421	Tracing Status of a Trace Stream .....	100
3.422	Typed Memory Name Space .....	100
3.423	Typed Memory Object.....	101
3.424	Typed Memory Pool .....	101
3.425	Typed Memory Port.....	101
3.426	Unbind .....	101
3.427	Unit Data .....	101
3.428	Upshifting .....	101

3.429	User Database .....	101
3.430	User ID.....	102
3.431	User Name .....	102
3.432	User Trace Event.....	102
3.433	Utility .....	102
3.434	Variable .....	103
3.435	Vertical-Tab Character (<vertical-tab>).....	103
3.436	White Space.....	103
3.437	Wide-Character Code (C Language) .....	103
3.438	Wide-Character Input/Output Functions .....	103
3.439	Wide-Character String.....	103
3.440	Word.....	104
3.441	Working Directory (or Current Working Directory) .....	104
3.442	Worldwide Portability Interface .....	104
3.443	Write.....	104
3.444	XSI .....	104
3.445	XSI-Conformant .....	105
3.446	Zombie Process.....	105
3.447	±0 .....	105
<b>Chapter 4</b>	<b>General Concepts .....</b>	<b>107</b>
4.1	Concurrent Execution.....	107
4.2	Directory Protection.....	107
4.3	Extended Security Controls .....	107
4.4	File Access Permissions.....	108
4.5	File Hierarchy .....	108
4.6	Filenames.....	109
4.7	Filename Portability.....	109
4.8	File Times Update .....	109
4.9	Host and Network Byte Orders .....	110
4.10	Measurement of Execution Time .....	110
4.11	Memory Synchronization .....	110
4.12	Pathname Resolution.....	111
4.13	Process ID Reuse .....	112
4.14	Scheduling Policy.....	112
4.15	Seconds Since the Epoch .....	113
4.16	Semaphore.....	113
4.17	Thread-Safety.....	114
4.18	Tracing .....	114
4.19	Treatment of Error Conditions for Mathematical Functions .....	116
4.19.1	Domain Error .....	116
4.19.2	Pole Error.....	117
4.19.3	Range Error .....	117
4.20	Treatment of NaN Arguments for the Mathematical Functions .....	118
4.21	Utility .....	118
4.22	Variable Assignment.....	118
<b>Chapter 5</b>	<b>File Format Notation.....</b>	<b>121</b>
<b>Chapter 6</b>	<b>Character Set .....</b>	<b>125</b>

6.1	Portable Character Set .....	125
6.2	Character Encoding .....	128
6.3	C Language Wide-Character Codes .....	129
6.4	Character Set Description File .....	129
6.4.1	State-Dependent Character Encodings .....	132
<b>Chapter 7</b>	<b>Locale .....</b>	<b>135</b>
7.1	General.....	135
7.2	POSIX Locale .....	136
7.3	Locale Definition .....	136
7.3.1	LC_CTYPE .....	139
7.3.2	LC_COLLATE.....	147
7.3.3	LC_MONETARY .....	154
7.3.4	LC_NUMERIC.....	157
7.3.5	LC_TIME .....	159
7.3.6	LC_MESSAGES .....	164
7.4	Locale Definition Grammar .....	165
7.4.1	Locale Lexical Conventions .....	165
7.4.2	Locale Grammar.....	166
<b>Chapter 8</b>	<b>Environment Variables.....</b>	<b>173</b>
8.1	Environment Variable Definition.....	173
8.2	Internationalization Variables .....	174
8.3	Other Environment Variables.....	177
<b>Chapter 9</b>	<b>Regular Expressions.....</b>	<b>181</b>
9.1	Regular Expression Definitions.....	181
9.2	Regular Expression General Requirements.....	182
9.3	Basic Regular Expressions .....	183
9.3.1	BREs Matching a Single Character or Collating Element.....	183
9.3.2	BRE Ordinary Characters.....	183
9.3.3	BRE Special Characters .....	183
9.3.4	Periods in BREs .....	184
9.3.5	RE Bracket Expression.....	184
9.3.6	BREs Matching Multiple Characters .....	186
9.3.7	BRE Precedence .....	187
9.3.8	BRE Expression Anchoring.....	187
9.4	Extended Regular Expressions.....	188
9.4.1	EREs Matching a Single Character or Collating Element.....	188
9.4.2	ERE Ordinary Characters.....	188
9.4.3	ERE Special Characters .....	188
9.4.4	Periods in EREs .....	189
9.4.5	ERE Bracket Expression .....	189
9.4.6	EREs Matching Multiple Characters .....	189
9.4.7	ERE Alternation.....	190
9.4.8	ERE Precedence .....	190
9.4.9	ERE Expression Anchoring.....	191
9.5	Regular Expression Grammar .....	191
9.5.1	BRE/ERE Grammar Lexical Conventions.....	191
9.5.2	RE and Bracket Expression Grammar.....	192

	9.5.3	ERE Grammar.....	195
<b>Chapter</b>	<b>10</b>	<b>Directory Structure and Devices .....</b>	<b>197</b>
	10.1	Directory Structure and Files.....	197
	10.2	Output Devices and Terminal Types.....	198
<b>Chapter</b>	<b>11</b>	<b>General Terminal Interface .....</b>	<b>199</b>
	11.1	Interface Characteristics .....	199
	11.1.1	Opening a Terminal Device File.....	199
	11.1.2	Process Groups .....	200
	11.1.3	The Controlling Terminal.....	200
	11.1.4	Terminal Access Control .....	201
	11.1.5	Input Processing and Reading Data .....	201
	11.1.6	Canonical Mode Input Processing.....	202
	11.1.7	Non-Canonical Mode Input Processing.....	202
	11.1.8	Writing Data and Output Processing .....	203
	11.1.9	Special Characters .....	204
	11.1.10	Modem Disconnect .....	205
	11.1.11	Closing a Terminal Device File.....	205
	11.2	Parameters that Can be Set .....	205
	11.2.1	The termios Structure .....	205
	11.2.2	Input Modes.....	206
	11.2.3	Output Modes.....	207
	11.2.4	Control Modes .....	209
	11.2.5	Local Modes.....	210
	11.2.6	Special Control Characters.....	212
<b>Chapter</b>	<b>12</b>	<b>Utility Conventions.....</b>	<b>213</b>
	12.1	Utility Argument Syntax.....	213
	12.2	Utility Syntax Guidelines.....	215
<b>Chapter</b>	<b>13</b>	<b>Headers .....</b>	<b>219</b>
<b>Volume</b>	<b>2</b>	<b>System Interfaces, Issue 7.....</b>	<b>467</b>
<b>Chapter</b>	<b>1</b>	<b>Introduction.....</b>	<b>469</b>
	1.1	Relationship to Other Formal Standards.....	469
	1.2	Format of Entries.....	469
<b>Chapter</b>	<b>2</b>	<b>General Information .....</b>	<b>471</b>
	2.1	Use and Implementation of Interfaces .....	471
	2.1.1	Use and Implementation of Functions.....	471
	2.1.2	Use and Implementation of Macros .....	472
	2.2	The Compilation Environment .....	472
	2.2.1	POSIX.1 Symbols.....	472
	2.2.2	The Name Space.....	473
	2.3	Error Numbers.....	481
	2.3.1	Additional Error Numbers .....	488
	2.4	Signal Concepts .....	488
	2.4.1	Signal Generation and Delivery.....	488
	2.4.2	Realtime Signal Generation and Delivery .....	489

2.4.3	Signal Actions .....	490
2.4.4	Signal Effects on Other Functions.....	495
2.5	Standard I/O Streams .....	495
2.5.1	Interaction of File Descriptors and Standard I/O Streams .....	496
2.5.2	Stream Orientation and Encoding Rules .....	498
2.6	STREAMS.....	499
2.6.1	Accessing STREAMS .....	500
2.7	XSI Interprocess Communication .....	501
2.7.1	IPC General Description .....	501
2.8	Realtime.....	502
2.8.1	Realtime Signals .....	502
2.8.2	Asynchronous I/O.....	503
2.8.3	Memory Management.....	504
2.8.4	Process Scheduling.....	506
2.8.5	Clocks and Timers.....	510
2.9	Threads .....	512
2.9.1	Thread-Safety.....	512
2.9.2	Thread IDs.....	513
2.9.3	Thread Mutexes.....	513
2.9.4	Thread Scheduling .....	514
2.9.5	Thread Cancellation.....	516
2.9.6	Thread Read-Write Locks.....	520
2.9.7	Thread Interactions with Regular File Operations.....	521
2.9.8	Use of Application-Managed Thread Stacks.....	521
2.10	Sockets .....	522
2.10.1	Address Families .....	522
2.10.2	Addressing .....	522
2.10.3	Protocols .....	522
2.10.4	Routing .....	523
2.10.5	Interfaces .....	523
2.10.6	Socket Types.....	523
2.10.7	Socket I/O Mode.....	524
2.10.8	Socket Owner.....	524
2.10.9	Socket Queue Limits .....	524
2.10.10	Pending Error .....	524
2.10.11	Socket Receive Queue.....	525
2.10.12	Socket Out-of-Band Data State.....	525
2.10.13	Connection Indication Queue .....	526
2.10.14	Signals.....	526
2.10.15	Asynchronous Errors.....	526
2.10.16	Use of Options .....	527
2.10.17	Use of Sockets for Local UNIX Connections .....	530
2.10.18	Use of Sockets over Internet Protocols.....	530
2.10.19	Use of Sockets over Internet Protocols Based on IPv4.....	531
2.10.20	Use of Sockets over Internet Protocols Based on IPv6.....	531
2.11	Tracing .....	534
2.11.1	Tracing Data Definitions .....	536
2.11.2	Trace Event Type Definitions.....	540
2.11.3	Trace Functions.....	544

	2.12	Data Types.....	545
	2.12.1	Defined Types.....	545
	2.12.2	The char Type.....	546
<b>Chapter</b>	<b>3</b>	<b>System Interfaces.....</b>	<b>547</b>
<b>Volume</b>	<b>3</b>	<b>Shell and Utilities, Issue 7 .....</b>	<b>2299</b>
<b>Chapter</b>	<b>1</b>	<b>Introduction.....</b>	<b>2301</b>
	1.1	Relationship to Other Documents .....	2301
	1.1.1	System Interfaces.....	2301
	1.1.2	Concepts Derived from the ISO C Standard .....	2305
	1.2	Utility Limits.....	2307
	1.3	Grammar Conventions.....	2309
	1.4	Utility Description Defaults.....	2310
	1.5	Considerations for Utilities in Support of Files of Arbitrary Size.....	2317
	1.6	Built-In Utilities .....	2318
<b>Chapter</b>	<b>2</b>	<b>Shell Command Language .....</b>	<b>2319</b>
	2.1	Shell Introduction.....	2319
	2.2	Quoting.....	2320
	2.2.1	Escape Character (Backslash).....	2320
	2.2.2	Single-Quotes.....	2320
	2.2.3	Double-Quotes.....	2320
	2.3	Token Recognition.....	2321
	2.3.1	Alias Substitution.....	2322
	2.4	Reserved Words.....	2323
	2.5	Parameters and Variables.....	2323
	2.5.1	Positional Parameters .....	2323
	2.5.2	Special Parameters .....	2324
	2.5.3	Shell Variables.....	2324
	2.6	Word Expansions .....	2327
	2.6.1	Tilde Expansion .....	2327
	2.6.2	Parameter Expansion.....	2328
	2.6.3	Command Substitution .....	2331
	2.6.4	Arithmetic Expansion.....	2332
	2.6.5	Field Splitting .....	2333
	2.6.6	Pathname Expansion .....	2333
	2.6.7	Quote Removal.....	2333
	2.7	Redirection .....	2334
	2.7.1	Redirecting Input .....	2334
	2.7.2	Redirecting Output .....	2335
	2.7.3	Appending Redirected Output .....	2335
	2.7.4	Here-Document .....	2335
	2.7.5	Duplicating an Input File Descriptor .....	2336
	2.7.6	Duplicating an Output File Descriptor .....	2336
	2.7.7	Open File Descriptors for Reading and Writing.....	2337
	2.8	Exit Status and Errors .....	2337
	2.8.1	Consequences of Shell Errors .....	2337
	2.8.2	Exit Status for Commands .....	2337

2.9	Shell Commands .....	2338
2.9.1	Simple Commands.....	2338
2.9.2	Pipelines .....	2341
2.9.3	Lists .....	2341
2.9.4	Compound Commands.....	2343
2.9.5	Function Definition Command .....	2346
2.10	Shell Grammar.....	2347
2.10.1	Shell Grammar Lexical Conventions.....	2347
2.10.2	Shell Grammar Rules.....	2348
2.11	Signals and Error Handling.....	2353
2.12	Shell Execution Environment.....	2353
2.13	Pattern Matching Notation.....	2354
2.13.1	Patterns Matching a Single Character .....	2354
2.13.2	Patterns Matching Multiple Characters.....	2355
2.13.3	Patterns Used for Filename Expansion.....	2355
2.14	Special Built-In Utilities.....	2356
<b>Chapter 3</b>	<b>Batch Environment Services .....</b>	<b>2397</b>
3.1	General Concepts .....	2397
3.1.1	Batch Client-Server Interaction .....	2397
3.1.2	Batch Queues .....	2398
3.1.3	Batch Job Creation.....	2398
3.1.4	Batch Job Tracking.....	2398
3.1.5	Batch Job Routing.....	2399
3.1.6	Batch Job Execution .....	2399
3.1.7	Batch Job Exit.....	2400
3.1.8	Batch Job Abort.....	2400
3.1.9	Batch Authorization.....	2400
3.1.10	Batch Administration .....	2400
3.1.11	Batch Notification.....	2401
3.2	Batch Services .....	2401
3.2.1	Batch Job States.....	2402
3.2.2	Deferred Batch Services.....	2403
3.2.3	Requested Batch Services.....	2412
3.3	Common Behavior for Batch Environment Utilities.....	2419
3.3.1	Batch Job Identifier.....	2419
3.3.2	Destination .....	2420
3.3.3	Multiple Keyword-Value Pairs.....	2421
<b>Chapter 4</b>	<b>Utilities.....</b>	<b>2423</b>
<b>Volume 4</b>	<b>Rationale (Informative), Issue 7.....</b>	<b>3435</b>
<b>Part A</b>	<b>Base Definitions .....</b>	<b>3437</b>
<b>Appendix A</b>	<b>Rationale for Base Definitions.....</b>	<b>3439</b>
A.1	Introduction .....	3439
A.1.1	Scope .....	3439
A.1.2	Conformance.....	3442
A.1.3	Normative References .....	3442
A.1.4	Change History .....	3442

A.1.5	Terminology .....	3442
A.1.6	Definitions and Concepts.....	3444
A.1.7	Portability.....	3444
A.2	Conformance.....	3445
A.2.1	Implementation Conformance .....	3445
A.2.2	Application Conformance.....	3449
A.2.3	Language-Dependent Services for the C Programming Language .....	3449
A.2.4	Other Language-Related Specifications.....	3450
A.3	Definitions .....	3450
A.4	General Concepts .....	3472
A.4.1	Concurrent Execution.....	3472
A.4.2	Directory Protection.....	3473
A.4.3	Extended Security Controls.....	3473
A.4.4	File Access Permissions.....	3473
A.4.5	File Hierarchy .....	3473
A.4.6	Filenames.....	3474
A.4.7	Filename Portability.....	3475
A.4.8	File Times Update .....	3475
A.4.9	Host and Network Byte Order .....	3476
A.4.10	Measurement of Execution Time .....	3476
A.4.11	Memory Synchronization .....	3476
A.4.12	Pathname Resolution.....	3478
A.4.13	Process ID Reuse .....	3479
A.4.14	Scheduling Policy.....	3479
A.4.15	Seconds Since the Epoch .....	3479
A.4.16	Semaphore.....	3481
A.4.17	Thread-Safety.....	3481
A.4.18	Tracing .....	3481
A.4.19	Treatment of Error Conditions for Mathematical Functions .....	3481
A.4.20	Treatment of NaN Arguments for Mathematical Functions .....	3481
A.4.21	Utility .....	3481
A.4.22	Variable Assignment.....	3481
A.5	File Format Notation .....	3482
A.6	Character Set.....	3482
A.6.1	Portable Character Set .....	3482
A.6.2	Character Encoding .....	3483
A.6.3	C Language Wide-Character Codes .....	3483
A.6.4	Character Set Description File.....	3483
A.7	Locale .....	3486
A.7.1	General.....	3486
A.7.2	POSIX Locale .....	3486
A.7.3	Locale Definition .....	3486
A.7.4	Locale Definition Grammar .....	3493
A.7.5	Locale Definition Example.....	3494
A.8	Environment Variables .....	3497
A.8.1	Environment Variable Definition.....	3497
A.8.2	Internationalization Variables .....	3497
A.8.3	Other Environment Variables.....	3498
A.9	Regular Expressions .....	3500

A.9.1	Regular Expression Definitions.....	3500
A.9.2	Regular Expression General Requirements.....	3501
A.9.3	Basic Regular Expressions .....	3502
A.9.4	Extended Regular Expressions.....	3505
A.9.5	Regular Expression Grammar .....	3506
A.10	Directory Structure and Devices.....	3507
A.10.1	Directory Structure and Files.....	3507
A.10.2	Output Devices and Terminal Types.....	3508
A.11	General Terminal Interface .....	3508
A.11.1	Interface Characteristics.....	3509
A.11.2	Parameters that Can be Set .....	3513
A.12	Utility Conventions.....	3514
A.12.1	Utility Argument Syntax.....	3514
A.12.2	Utility Syntax Guidelines.....	3515
A.13	Headers.....	3518
A.13.1	Format of Entries.....	3518
A.13.2	Removed Headers in Issue 7 .....	3518
<b>Part B</b>	<b>System Interfaces.....</b>	<b>3519</b>
<b>Appendix B</b>	<b>Rationale for System Interfaces.....</b>	<b>3521</b>
B.1	Introduction .....	3521
B.1.1	Change History .....	3521
B.1.2	Relationship to Other Formal Standards.....	3524
B.1.3	Format of Entries.....	3524
B.2	General Information .....	3525
B.2.1	Use and Implementation of Interfaces.....	3525
B.2.2	The Compilation Environment .....	3526
B.2.3	Error Numbers.....	3531
B.2.4	Signal Concepts .....	3535
B.2.5	Standard I/O Streams .....	3545
B.2.6	STREAMS.....	3545
B.2.7	XSI Interprocess Communication .....	3546
B.2.8	Realtime .....	3547
B.2.9	Threads .....	3592
B.2.10	Sockets .....	3620
B.2.11	Tracing .....	3622
B.2.12	Data Types.....	3647
B.3	System Interfaces.....	3649
B.3.1	System Interfaces Removed in this Version .....	3649
B.3.2	System Interfaces Removed in the Previous Version.....	3652
B.3.3	Examples for Spawn .....	3652
<b>Part C</b>	<b>Shell and Utilities .....</b>	<b>3663</b>
<b>Appendix C</b>	<b>Rationale for Shell and Utilities.....</b>	<b>3665</b>
C.1	Introduction .....	3665
C.1.1	Change History .....	3665
C.1.2	Relationship to Other Documents .....	3666
C.1.3	Utility Limits.....	3667
C.1.4	Grammar Conventions.....	3670

C.1.5	Utility Description Defaults.....	3670
C.1.6	Considerations for Utilities in Support of Files of Arbitrary Size .....	3674
C.1.7	Built-In Utilities .....	3674
C.2	Shell Command Language .....	3676
C.2.1	Shell Introduction.....	3676
C.2.2	Quoting.....	3676
C.2.3	Token Recognition.....	3678
C.2.4	Reserved Words.....	3679
C.2.5	Parameters and Variables.....	3679
C.2.6	Word Expansions .....	3682
C.2.7	Redirection .....	3689
C.2.8	Exit Status and Errors .....	3691
C.2.9	Shell Commands .....	3692
C.2.10	Shell Grammar.....	3699
C.2.11	Signals and Error Handling.....	3700
C.2.12	Shell Execution Environment.....	3700
C.2.13	Pattern Matching Notation.....	3700
C.2.14	Special Built-In Utilities.....	3702
C.3	Batch Environment Services and Utilities .....	3702
C.3.1	Batch General Concepts .....	3705
C.3.2	Batch Services .....	3707
C.3.3	Common Behavior for Batch Environment Utilities.....	3708
C.4	Utilities.....	3708
C.4.1	Utilities Removed in this Version .....	3708
C.4.2	Utilities Removed in the Previous Version.....	3708
C.4.3	Exclusion of Utilities.....	3709
<b>Part</b>	<b>D Portability Considerations.....</b>	<b>3713</b>
<b>Appendix</b>	<b>D Portability Considerations (Informative).....</b>	<b>3715</b>
D.1	User Requirements.....	3715
D.1.1	Configuration Interrogation .....	3716
D.1.2	Process Management .....	3716
D.1.3	Access to Data.....	3716
D.1.4	Access to the Environment .....	3716
D.1.5	Access to Determinism and Performance Enhancements.....	3716
D.1.6	Operating System-Dependent Profile .....	3717
D.1.7	I/O Interaction .....	3717
D.1.8	Internationalization Interaction .....	3717
D.1.9	C-Language Extensions.....	3717
D.1.10	Command Language .....	3717
D.1.11	Interactive Facilities .....	3717
D.1.12	Accomplish Multiple Tasks Simultaneously.....	3717
D.1.13	Complex Data Manipulation.....	3718
D.1.14	File Hierarchy Manipulation .....	3718
D.1.15	Locale Configuration .....	3718
D.1.16	Inter-User Communication.....	3718
D.1.17	System Environment .....	3718
D.1.18	Printing.....	3718

D.1.19	Software Development.....	3718
D.2	Portability Capabilities.....	3719
D.2.1	Configuration Interrogation.....	3719
D.2.2	Process Management.....	3720
D.2.3	Access to Data.....	3720
D.2.4	Access to the Environment.....	3721
D.2.5	Bounded (Realtime) Response.....	3722
D.2.6	Operating System-Dependent Profile.....	3722
D.2.7	I/O Interaction.....	3722
D.2.8	Internationalization Interaction.....	3723
D.2.9	C-Language Extensions.....	3723
D.2.10	Command Language.....	3723
D.2.11	Interactive Facilities.....	3724
D.2.12	Accomplish Multiple Tasks Simultaneously.....	3724
D.2.13	Complex Data Manipulation.....	3724
D.2.14	File Hierarchy Manipulation.....	3725
D.2.15	Locale Configuration.....	3725
D.2.16	Inter-User Communication.....	3725
D.2.17	System Environment.....	3726
D.2.18	Printing.....	3726
D.2.19	Software Development.....	3726
D.2.20	Future Growth.....	3726
D.3	Profiling Considerations.....	3727
D.3.1	Configuration Options.....	3727
D.3.2	Configuration Options (Shell and Utilities).....	3727
D.3.3	Configurable Limits.....	3729
D.3.4	Configuration Options (System Interfaces).....	3729
D.3.5	Configurable Limits.....	3734
D.3.6	Optional Behavior.....	3737
<b>Part E</b>	<b>Subprofiling Considerations.....</b>	<b>3739</b>
<b>Appendix E</b>	<b>Subprofiling Considerations (Informative).....</b>	<b>3741</b>
E.1	Subprofiling Option Groups.....	3741
	<b>Index.....</b>	<b>3747</b>
<b>List of Figures</b>		
B-1	Example of a System with Typed Memory.....	3565
B-2	Trace System Overview: for Offline Analysis.....	3627
B-3	Trace System Overview: for Online Analysis.....	3629
B-4	Trace System Overview: States of a Trace Stream.....	3630
B-5	Trace Another Process.....	3640
B-6	Trace Name Space Overview: With Third-Party Library.....	3641
<b>List of Tables</b>		
3-1	Job Control Job ID Formats.....	66
5-1	Escape Sequences and Associated Actions.....	121
6-1	Portable Character Set.....	125

6-2	Control Character Set .....	130
7-1	Valid Character Class Combinations.....	142
10-1	Control Character Names .....	198
2-1	Value of Level for Socket Options.....	527
2-2	Socket-Level Options.....	528
2-3	Trace Option: System Trace Events.....	542
2-4	Trace and Trace Event Filter Options: System Trace Events.....	542
2-5	Trace and Trace Log Options: System Trace Events.....	543
2-6	Trace, Trace Log, and Trace Event Filter Options: System Trace Events .....	543
2-7	Trace Option: User Trace Event.....	544
1-1	Actions when Creating a File that Already Exists.....	2303
1-2	Selected ISO C Standard Operators and Control Flow Keywords .....	2306
1-3	Utility Limit Minimum Values.....	2307
1-4	Symbolic Utility Limits .....	2308
1-5	Regular Built-In Utilities .....	2318
3-1	Batch Utilities.....	2397
3-2	Environment Variable Summary .....	2401
3-3	Next State Table.....	2403
3-4	Results/Output Table.....	2405
3-5	Batch Services Summary.....	2412
A-1	Historical Practice for Symbolic Links.....	3469

# Trademarks

The following information is given for the convenience of users of POSIX.1-2008 and does not constitute an endorsement by the IEEE or The Open Group of these products. Equivalent products may be used if they can be shown to lead to the same results.

There may be other products mentioned in the text that might be covered by trademark protection and readers are advised to verify them independently.

AIX<sup>®</sup> and IBM<sup>®</sup> are registered trademarks of International Business Machines Corporation.

ArchiMate<sup>®</sup>, Jericho Forum<sup>®</sup>, Making Standards Work<sup>®</sup>, The Open Group<sup>®</sup>, TOGAF<sup>®</sup>, UNIX<sup>®</sup>, and the “X”<sup>®</sup> device are registered trademarks and Boundaryless Information Flow<sup>™</sup>, DirecNet<sup>™</sup>, FACE<sup>™</sup>, and The Open Group Certification Mark<sup>™</sup> are trademarks of The Open Group.

AT&T<sup>®</sup> is a registered trademark of AT&T in the USA and other countries.

BSD<sup>™</sup> is a trademark of the University of California, Berkeley, USA.

Hewlett-Packard<sup>®</sup>, HP<sup>®</sup>, and HP-UX<sup>®</sup> are registered trademarks of Hewlett-Packard Company.

IEEE<sup>®</sup> and POSIX<sup>®</sup> are registered trademarks, and 754<sup>™</sup>, 854<sup>™</sup>, 1003.0<sup>™</sup>, 1003.1<sup>™</sup>, 1003.1d<sup>™</sup>, 1003.1g<sup>™</sup>, 1003.1j<sup>™</sup>, 1003.1q<sup>™</sup>, 1003.2<sup>™</sup>, 1003.2a<sup>™</sup>, 1003.2d<sup>™</sup>, 1003.9<sup>™</sup>, and 1003.13<sup>™</sup> are trademarks of The Institute of Electrical and Electronic Engineers, Inc.

Linux<sup>®</sup> is a registered trademark of Linus Torvalds.

Sun<sup>®</sup> and Sun Microsystems<sup>®</sup> are registered trademarks of Oracle America, Inc.

/usr/group<sup>®</sup> is a registered trademark of UniForum, the International Network of UNIX System Users.

# *Acknowledgements*

The contributions of the following organizations to the development of POSIX.1-2008 are gratefully acknowledged:

- AT&T for permission to reproduce portions of its copyrighted System V Interface Definition (SVID) and material from the UNIX System V Release 2.0 documentation.
- Hewlett-Packard Company, International Business Machines Corporation, Novell Inc., The Open Software Foundation, and Sun Microsystems Inc. for permission to reproduce portions of their copyrighted documentation
- ISO/IEC JTC 1/SC 22/WG 14 C Language Committee
- Red Hat Inc. for permission to reproduce portions of its copyrighted documentation

POSIX.1-2008 was prepared by the Austin Group, a joint working group of the IEEE, The Open Group, and ISO/IEC JTC 1/SC 22.

# Referenced Documents

## Normative References

Normative references for POSIX.1-2008 are defined in [Section 1.3](#) (on page 4).

## Informative References

The following documents are referenced in POSIX.1-2008:

1984 /usr/group Standard

/usr/group Standards Committee, Santa Clara, CA, UniForum 1984.

Almasi and Gottlieb

George S. Almasi and Allan Gottlieb, *Highly Parallel Computing*, The Benjamin/Cummings Publishing Company, Inc., 1989, ISBN: 0-8053-0177-1.

ANSI C

American National Standard for Information Systems: Standard X3.159-1989, Programming Language C.

ANSI X3.226-1994

American National Standard for Information Systems: Standard X3.226-1994, Programming Language Common LISP.

Brawer

Steven Brawer, *Introduction to Parallel Programming*, Academic Press, 1989, ISBN: 0-12-128470-0.

DeRemer and Pennello Article

DeRemer, Frank and Pennello, Thomas J., *Efficient Computation of LALR(1) Look-Ahead Sets*, SigPlan Notices, Volume 15, No. 8, August 1979.

Draft ANSI X3J11.1

IEEE Floating Point draft report of ANSI X3J11.1 (NCEG).

FIPS 151-1

Federal Information Procurement Standard (FIPS) 151-1. Portable Operating System Interface (POSIX)—Part 1: System Application Program Interface (API) [C Language].

FIPS 151-2

Federal Information Procurement Standards (FIPS) 151-2, Portable Operating System Interface (POSIX)— Part 1: System Application Program Interface (API) [C Language].

HP-UX Manual

Hewlett-Packard HP-UX Release 9.0 Reference Manual, Third Edition, August 1992.

IEC 60559: 1989

IEC 60559: 1989, Binary Floating-Point Arithmetic for Microprocessor Systems (previously designated IEC 559: 1989).

IEEE Standards Terms

IEEE 100, The Authoritative Dictionary of IEEE Standards Terms, Seventh Edition.

- IEEE Std 754<sup>TM</sup>-1985  
IEEE Std 754-1985 (Reaff 1990), IEEE Standard for Binary Floating-Point Arithmetic.
- IEEE Std 854<sup>TM</sup>-1987  
IEEE Std 854-1987, IEEE Standard for Radix-Independent Floating-Point Arithmetic.
- IEEE Std 1003.9<sup>TM</sup>-1992  
IEEE Std 1003.9-1992, IEEE Standard for Information Technology — POSIX FORTRAN 77 Language Interfaces — Part 1: Binding for System Application Program Interface API.
- IETF RFC 791  
Internet Protocol, Version 4 (IPv4), September 1981 (available at: [www.ietf.org/rfc/rfc0791.txt](http://www.ietf.org/rfc/rfc0791.txt)).
- IETF RFC 819  
The Domain Naming Convention for Internet User Applications, Z. Su, J. Postel, August 1982 (available at: [www.ietf.org/rfc/rfc0819.txt](http://www.ietf.org/rfc/rfc0819.txt)).
- IETF RFC 822  
Standard for the Format of ARPA Internet Text Messages, D.H. Crocker, August 1982 (available at: [www.ietf.org/rfc/rfc0822.txt](http://www.ietf.org/rfc/rfc0822.txt)).
- IETF RFC 919  
Broadcasting Internet Datagrams, J. Mogul, October 1984 (available at: [www.ietf.org/rfc/rfc0919.txt](http://www.ietf.org/rfc/rfc0919.txt)).
- IETF RFC 920  
Domain Requirements, J. Postel, J. Reynolds, October 1984 (available at: [www.ietf.org/rfc/rfc0920.txt](http://www.ietf.org/rfc/rfc0920.txt)).
- IETF RFC 921  
Domain Name System Implementation Schedule, J. Postel, October 1984 (available at: [www.ietf.org/rfc/rfc0921.txt](http://www.ietf.org/rfc/rfc0921.txt)).
- IETF RFC 922  
Broadcasting Internet Datagrams in the Presence of Subnets, J. Mogul, October 1984 (available at: [www.ietf.org/rfc/rfc0922.txt](http://www.ietf.org/rfc/rfc0922.txt)).
- IETF RFC 1034  
Domain Names — Concepts and Facilities, P. Mockapetris, November 1987 (available at: [www.ietf.org/rfc/rfc1034.txt](http://www.ietf.org/rfc/rfc1034.txt)).
- IETF RFC 1035  
Domain Names — Implementation and Specification, P. Mockapetris, November 1987 (available at: [www.ietf.org/rfc/rfc1035.txt](http://www.ietf.org/rfc/rfc1035.txt)).
- IETF RFC 1123  
Requirements for Internet Hosts — Application and Support, R. Braden, October 1989 (available at: [www.ietf.org/rfc/rfc1123.txt](http://www.ietf.org/rfc/rfc1123.txt)).
- IETF RFC 1886  
DNS Extensions to Support Internet Protocol, Version 6 (IPv6), C. Huitema, S. Thomson, December 1995 (available at: [www.ietf.org/rfc/rfc1886.txt](http://www.ietf.org/rfc/rfc1886.txt)).
- IETF RFC 2045  
Multipurpose Internet Mail Extensions (MIME), Part 1: Format of Internet Message Bodies, N. Freed, N. Borenstein, November 1996 (available at: [www.ietf.org/rfc/rfc2045.txt](http://www.ietf.org/rfc/rfc2045.txt)).

## *Referenced Documents*

### IETF RFC 2181

Clarifications to the DNS Specification, R. Elz, R. Bush, July 1997 (available at: [www.ietf.org/rfc/rfc2181.txt](http://www.ietf.org/rfc/rfc2181.txt)).

### IETF RFC 2373

Internet Protocol, Version 6 (IPv6) Addressing Architecture, S. Deering, R. Hinden, July 1998 (available at: [www.ietf.org/rfc/rfc2373.txt](http://www.ietf.org/rfc/rfc2373.txt)).

### IETF RFC 2460

Internet Protocol, Version 6 (IPv6), S. Deering, R. Hinden, December 1998 (available at: [www.ietf.org/rfc/rfc2460.txt](http://www.ietf.org/rfc/rfc2460.txt)).

### Internationalisation Guide

Guide, July 1993, Internationalisation Guide, Version 2 (ISBN: 1-859120-02-4, G304), published by The Open Group.

### ISO 2375: 1985

ISO 2375: 1985, Data Processing — Procedure for Registration of Escape Sequences.

### ISO 8652: 1987

ISO 8652: 1987, Programming Languages — Ada (technically identical to ANSI standard 1815A-1983).

### ISO/IEC 1539: 1991

ISO/IEC 1539: 1991, Information Technology — Programming Languages — Fortran (technically identical to the ANSI X3.9-1978 standard [FORTRAN 77]).

### ISO/IEC 4873: 1991

ISO/IEC 4873: 1991, Information Technology — ISO 8-bit Code for Information Interchange — Structure and Rules for Implementation.

### ISO/IEC 6429: 1992

ISO/IEC 6429: 1992, Information Technology — Control Functions for Coded Character Sets.

### ISO/IEC 6937: 1994

ISO/IEC 6937: 1994, Information Technology — Coded Graphic Character Set for Text Communication — Latin Alphabet.

### ISO/IEC 8802-3: 1996

ISO/IEC 8802-3: 1996, Information Technology — Telecommunications and Information Exchange Between Systems — Local and Metropolitan Area Networks — Specific Requirements — Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications.

### ISO/IEC 8859

ISO/IEC 8859, Information Technology — 8-Bit Single-Byte Coded Graphic Character Sets:

Part 1: Latin Alphabet No. 1

Part 2: Latin Alphabet No. 2

Part 3: Latin Alphabet No. 3

Part 4: Latin Alphabet No. 4

Part 5: Latin/Cyrillic Alphabet

Part 6: Latin/Arabic Alphabet

Part 7: Latin/Greek Alphabet

Part 8: Latin/Hebrew Alphabet

Part 9: Latin Alphabet No. 5

Part 10: Latin Alphabet No. 6

Part 11: Latin/Thai Alphabet

- Part 13: Latin Alphabet No. 7
- Part 14: Latin Alphabet No. 8 (Celtic)
- Part 15: Latin Alphabet No. 9
- Part 16: Latin Alphabet No. 10

ISO/IEC 9899:1990

ISO/IEC 9899:1990, Programming Languages — C, including Amendment 1:1995 (E), C Integrity (Multibyte Support Extensions (MSE) for ISO C).

ISO POSIX-1:1996

ISO/IEC 9945-1:1996, Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language] (identical to ANSI/IEEE Std 1003.1-1996). Incorporating ANSI/IEEE Stds 1003.1-1990, 1003.1b-1993, 1003.1c-1995, and 1003.1i-1995.

ISO POSIX-2:1993

ISO/IEC 9945-2:1993, Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities (identical to ANSI/IEEE Std 1003.2<sup>TM</sup>-1992, as amended by ANSI/IEEE Std 1003.2a<sup>TM</sup>-1992).

Issue 1

X/Open Portability Guide, July 1985 (ISBN: 0-444-87839-4).

Issue 2

X/Open Portability Guide, January 1987:

- Volume 1: XVS Commands and Utilities (ISBN: 0-444-70174-5)
- Volume 2: XVS System Calls and Libraries (ISBN: 0-444-70175-3)

Issue 3

X/Open Specification, 1988, 1989, February 1992:

- Commands and Utilities, Issue 3 (ISBN: 1-872630-36-7, C211); this specification was formerly X/Open Portability Guide, Issue 3, Volume 1, January 1989, XSI Commands and Utilities (ISBN: 0-13-685835-X, XO/XPG/89/002)
- System Interfaces and Headers, Issue 3 (ISBN: 1-872630-37-5, C212); this specification was formerly X/Open Portability Guide, Issue 3, Volume 2, January 1989, XSI System Interface and Headers (ISBN: 0-13-685843-0, XO/XPG/89/003)
- Curses Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapters 9 to 14 inclusive; this specification was formerly X/Open Portability Guide, Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)
- Headers Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapter 19, Cpio and Tar Headers; this specification was formerly X/Open Portability Guide Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)

Issue 4

CAE Specification, July 1992, published by The Open Group:

- System Interface Definitions (XBD), Issue 4 (ISBN: 1-872630-46-4, C204)
- Commands and Utilities (XCU), Issue 4 (ISBN: 1-872630-48-0, C203)
- System Interfaces and Headers (XSH), Issue 4 (ISBN: 1-872630-47-2, C202)

## Referenced Documents

### Issue 4, Version 2

CAE Specification, August 1994, published by The Open Group:

- System Interface Definitions (XBD), Issue 4, Version 2 (ISBN: 1-85912-036-9, C434)
- Commands and Utilities (XCU), Issue 4, Version 2 (ISBN: 1-85912-034-2, C436)
- System Interfaces and Headers (XSH), Issue 4, Version 2 (ISBN: 1-85912-037-7, C435)

### Issue 5

Technical Standard, February 1997, published by The Open Group:

- System Interface Definitions (XBD), Issue 5 (ISBN: 1-85912-186-1, C605)
- Commands and Utilities (XCU), Issue 5 (ISBN: 1-85912-191-8, C604)
- System Interfaces and Headers (XSH), Issue 5 (ISBN: 1-85912-181-0, C606)

### Issue 6

Technical Standard, April 2004, published by The Open Group:

- Base Definitions (XBD), Issue 6 (ISBN: 1-931624-43-7, C046)
- System Interfaces (XSH), Issue 6 (ISBN: 1-931624-44-5, C047)
- Shell and Utilities (XCU), Issue 6 (ISBN: 1-931624-45-3, C048)

### Knuth Article

Knuth, Donald E., *On the Translation of Languages from Left to Right*, Information and Control, Volume 8, No. 6, October 1965.

### KornShell

Bolsky, Morris I. and Korn, David G., *The New KornShell Command and Programming Language*, March 1995, Prentice Hall.

### MSE Working Draft

Working draft of ISO/IEC 9899:1990/Add3:Draft, Addendum 3 — Multibyte Support Extensions (MSE) as documented in the ISO Working Paper SC22/WG14/N205 dated 31 March 1992.

### POSIX.0:1995

IEEE Std 1003.0™-1995, IEEE Guide to the POSIX Open System Environment (OSE) (identical to ISO/IEC TR 14252).

### POSIX.1:1988

IEEE Std 1003.1™-1988, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

### POSIX.1:1990

IEEE Std 1003.1™-1990, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

### POSIX.1a

P1003.1a, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — (C Language) Amendment.

### POSIX.1d:1999

IEEE Std 1003.1d™-1999, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) —

- Amendment 4: Additional Realtime Extensions [C Language].
- POSIX.1g: 2000  
IEEE Std 1003.1g™-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 6: Protocol-Independent Interfaces (PII).
- POSIX.1j: 2000  
IEEE Std 1003.1j™-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 5: Advanced Realtime Extensions [C Language].
- POSIX.1q: 2000  
IEEE Std 1003.1q™-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 7: Tracing [C Language].
- POSIX.2: 1992  
IEEE Std 1003.2™-1992, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities.
- POSIX.2b  
P1003.2b, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment.
- POSIX.2d: 1994  
IEEE Std 1003.2d™-1994, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment 1: Batch Environment.
- POSIX.13: 1998  
IEEE Std 1003.13™-1998, IEEE Standard for Information Technology — Standardized Application Environment Profile (AEP) — POSIX Realtime Application Support.
- Sarwate Article  
Sarwate, Dilip V., *Computation of Cyclic Redundancy Checks via Table Lookup*, Communications of the ACM, Volume 30, No. 8, August 1988.
- Sprunt, Sha, and Lehoczky  
Sprunt, B., Sha, L., and Lehoczky, J.P., *Aperiodic Task Scheduling for Hard Real-Time Systems*, The Journal of Real-Time Systems, Volume 1, 1989, Pages 27-60.
- SVID, Issue 1  
American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 1; Morristown, NJ, UNIX Press, 1985.
- SVID, Issue 2  
American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 2; Morristown, NJ, UNIX Press, 1986.
- SVID, Issue 3  
American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 3; Morristown, NJ, UNIX Press, 1989.
- The AWK Programming Language  
Aho, Alfred V., Kernighan, Brian W., and Weinberger, Peter J., *The AWK Programming Language*, Reading, MA, Addison-Wesley 1988.
- The C Programming Language  
Kernighan, Brian W. and Ritchie, Dennis M., *The C Programming Language*, Englewood Cliffs, NJ, Prentice Hall, 1st Edition (February 1978) ISBN 0-13-110163-3; 2nd Edition (March

## Referenced Documents

1988) ISBN 0-13-110362-8.

### UNIX Programmer's Manual

American Telephone and Telegraph Company, *UNIX Time-Sharing System: UNIX Programmer's Manual*, 7th Edition, Murray Hill, NJ, Bell Telephone Laboratories, January 1979.

### XNS, Issue 4

CAE Specification, August 1994, Networking Services, Issue 4 (ISBN: 1-85912-049-0, C438), published by The Open Group.

### XNS, Issue 5

CAE Specification, February 1997, Networking Services, Issue 5 (ISBN: 1-85912-165-9, C523), published by The Open Group.

### XNS, Issue 5.2

Technical Standard, January 2000, Networking Services (XNS), Issue 5.2 (ISBN: 1-85912-241-8, C808), published by The Open Group.

### X/Open Curses, Issue 4, Version 2

CAE Specification, May 1996, X/Open Curses, Issue 4, Version 2 (ISBN: 1-85912-171-3, C610), published by The Open Group.

### Yacc

*Yacc: Yet Another Compiler Compiler*, Stephen C. Johnson, 1978.

## Source Documents

Parts of the following documents were used to create the base documents for POSIX.1-2008:

### AIX 3.2 Manual

AIX Version 3.2 For RISC System/6000, Technical Reference: Base Operating System and Extensions, 1990, 1992 (Part No. SC23-2382-00).

### OSF/1

OSF/1 Programmer's Reference, Release 1.2 (ISBN: 0-13-020579-6).

### OSF AES

Application Environment Specification (AES) Operating System Programming Interfaces Volume, Revision A (ISBN: 0-13-043522-8).

### System V Release 2.0

- UNIX System V Release 2.0 Programmer's Reference Manual (April 1984 - Issue 2).
- UNIX System V Release 2.0 Programming Guide (April 1984 - Issue 2).

### System V Release 4.2

Operating System API Reference, UNIX<sup>®</sup> SVR4.2 (1992) (ISBN: 0-13-017658-3).

**Standard for Information Technology—  
Portable Operating System Interface (POSIX<sup>®</sup>)**

**Base Specifications, Issue 7**

Prepared by the Austin Group ([www.opengroup.org/austin](http://www.opengroup.org/austin)).

IMPORTANT NOTICE: This standard is not intended to assure safety, security, health, or environmental protection in all circumstances. Implementors of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents”. They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

 *Technical Standard*

1       **Vol. 1:**  
2       **Base Definitions, Issue 7**

3       *The Open Group*  
4       *The Institute of Electrical and Electronics Engineers, Inc.*



5  
6

7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26

## 1.1 Scope

POSIX.1-2008 defines a standard operating system interface and environment, including a command interpreter (or “shell”), and common utility programs to support applications portability at the source code level. It is intended to be used by both application developers and system implementors.

POSIX.1-2008 comprises four major components (each in an associated volume):

1. General terms, concepts, and interfaces common to all volumes of POSIX.1-2008, including utility conventions and C-language header definitions, are included in the Base Definitions volume of POSIX.1-2008.
2. Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume of POSIX.1-2008.
3. Definitions for a standard source code-level interface to command interpretation services (a “shell”) and common utility programs for application programs are included in the Shell and Utilities volume of POSIX.1-2008.
4. Extended rationale that did not fit well into the rest of the document structure, containing historical information concerning the contents of POSIX.1-2008 and why features were included or discarded by the standard developers, is included in the Rationale (Informative) volume of POSIX.1-2008.

The following areas are outside of the scope of POSIX.1-2008:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

POSIX.1-2008 describes the external characteristics and facilities that are of importance to application developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

The facilities provided in POSIX.1-2008 are drawn from the following base documents:

- IEEE Std 1003.1, 2004 Edition (POSIX-1) (incorporating IEEE Std 1003.1-2001, IEEE Std 1003.1-2001/Cor 1-2002, and IEEE Std 1003.1-2001/Cor 2-2004)

37  
38  
39