

IEEE Guide for the Application of Shunt Power Capacitors

IEEE Power and Energy Society

Developed by the
Transmission and Distribution Committee

IEEE Std 1036™ 2020
(Revision of IEEE Std 1036-2010)

Currently in preview, click buy full version

IEEE Guide for the Application of Shunt Power Capacitors

Developed by the

**Transmission and Distribution Committee
of the
IEEE Power and Energy Society**

Approved 5 March 2020

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: This guide applies to the use of 50 Hz and 60 Hz shunt power capacitors rated 2400 Vac and above, and assemblies of such capacitors. Included are guidelines for the application, protection, and ratings of equipment for the improved safety and reliability in the utilization of shunt power capacitors. The guide is general and intended to be basic and supplemental to specific recommendations of the manufacturer. The guide covers applications that range from simple capacitor unit utilization to complex capacitor bank situations.

Keywords: capacitor, capacitor banks, externally fused, fuseless, IEEE 1036™, internally fused, power factor correction, shunt power capacitors

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2021 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 5 March 2021. Printed in the United States of America.

IEEE, National Electrical Safety Code, and NESC are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code, NEC, and NFPA 70 are registered trademarks in the U.S. Patent & Trademark Office, owned by the National Fire Protection Association.

PDF: ISBN 978-1-5044-6566-3 STD24121
Print: ISBN 978-1-5044-6567-0 STDPD24121

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PURCHASE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include being used, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the [IEEE SA Website](#).

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Currently in preview, click buy full versi

Participants

At the time this guide was completed, the Shunt Capacitor Application Guide Working Group had the following membership:

D. Joe Meisner, Chair
Mike Hulse, Vice Chair

Othmane Alaoui	Chuck Gougler	Pratap Mysore
Roy Alexander	Tom Grebe	Jeffrey Nelson
Steve Ashmore	Stephen Ladd	Sarah Newton
Thomas Callsen	Hua Liu	Jan Paramalingam
Bill Chai	Dan Luke	Reynaldo Ramos
Paul Datka	Halim Malaj	Vittal Rebbapragada
Vincent Deslauriers	Derrick Mar	Eduardo Sanchez
Bruce English	Paul Marken	Richard Sévigny
Clay Fellers	Mark McVey	Devki Sharma
Roberto Gonzales-Ramos	Stephen Miller	Biswajit Sing
	William Munn	Frederic St-Clair

The following members of the individual Standards Association balloting groups voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman	Thomas Grebe	Bansi Patel
Ali Al Awazi	Randall Groves	Iulian Profir
Roy Alexander	Jeffrey Helzer	Reynaldo Ramos
Saleman Alibhay	Werner Hoelzl	Charles Rogers
Peter Balma	Robert Hoerauf	Joseph Rostron
Thomas Barnes	Geza Joos	Daniel Sabin
Wallace Binder	Laszlo Kadar	Bartien Sayogo
Anne Bosma	Tanuj Khandelwal	Kenneth Sedziol
Gustavo Brunello	Yuri Kheifonsky	Richard Sevigny
Demetrio Bucaneg Jr.	James Kinley	Devki Sharma
Thomas Callsen	Henry Koet	Jerry Smith
Wen-Kung Chang	Jim Kulchisky	Gary Smullin
Arvind Chaudhary	Stephen Ladd	Kris Sommerstad
Michael Chirico	Chung-Yiu Lam	Wayne Stec
Robert Christman	Hua Liu	Gary Stoedter
Stephen Conrad	Albert Livshitz	K. Stump
Randall Crellin	Daniel Luke	James Van De Ligt
John Crouse	Bruce Mackie	John Vergis
Vincent Deslauriers	Reginaldo Maniego	Ilia Voloh
Gary Donner	Sean McGuinness	Reigh Walling
Cliff Erve	William Munn	Daniel Ward
Clay Fellers	Jerry Murphy	Kenneth White
Fredrick Friend	Arthur Neubauer	Aaron Wilson
Kamal Gang	Joe Nims	Wilsun Xu
Erwin Goodwin	Gearold O. H. Eidhin	Jian Yu
Charles Gougler	T. W. Olsen	David Zech
Tom Goyette	Jan Paramalingam	Xi Zhu

When the IEEE-SA Standards Board approved this guide on 5 March 2020, it had the following membership:

Gary Hoffman, *Chair*
Jon Walter Rosdahl, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Doug Edwards
J. Travis Griffith
Grace Gu
Guido R. Hiertz
Joseph L. Koepfinger*

David J. Law
Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel
Dorothy Stanley

Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Currently in preview, click buy full versi

Introduction

This introduction is not part of IEEE Std 1036-2020, IEEE Guide for the Application of Shunt Power Capacitors.

This application guide is widely recognized as a useful guide, and it needs to be revised in order to continue its functional life as an active standard. The content has been reviewed and updated to make sure that it is in line with current industry developments and practices.

This revision also complements updates included in the recent revision of IEEE Std 18-2012. [Subclause 9.4](#) and [Annex B](#) have been added to provide additional information on shunt capacitor bank rating considerations and terminal-to-case voltage considerations.

Contents

1. Scope.....	15
2. Normative references	15
3. Definitions.....	16
4. Power system considerations.....	18
4.1 Capacitor benefits.....	18
4.2 Size and number of capacitor banks.....	24
4.3 Control considerations.....	25
5. Capacitor rating capabilities and service conditions.....	26
5.1 Standard ratings.....	27
5.2 Related capabilities.....	30
5.3 Service conditions	33
6. Capacitor bank switching considerations	33
6.1 Switching of capacitors	33
6.2 Switching transients	34
6.3 Outrush current.....	50
6.4 Capacitor switching equipment	50
7. Harmonics.....	52
7.1 Capacitor limitations	52
7.2 Distortion limits.....	53
7.3 Operating and application considerations.....	53
7.4 Harmonic “problems”.....	54
8. Surge arresters.....	54
8.1 Substation applications.....	55
8.2 Distribution applications	55
9. Substation shunt power capacitor bank applications	56
9.1 Capacitor bank connections and grounding	56
9.2 Capacitor bank types	59
9.3 Protection	63
9.4 Shunt capacitor bank rating considerations	70
10. Shunt power capacitor applications on distribution lines	70
10.1 Protection	71
10.2 Sizing and locating capacitors	73
11. Inspection and maintenance	74
11.1 General	74
11.2 Safety and personnel protection.....	74
11.3 Initial inspection, measurements, and energization	75
11.4 Periodic inspection, measurements, and maintenance	76
11.5 Field testing	82
12. Special capacitor applications	83
12.1 Harmonic filters.....	83
12.2 Motor applications.....	84
12.3 Surge capacitors	85

Annex A (informative) Bibliography.....	87
Annex B (informative) Terminal to case voltage considerations	89

List of Figures

Figure 1—Effect of adding shunt capacitors	19
Figure 2—Economical system power factor	21
Figure 3—Typical kilovar demand profile for switched and fixed capacitor banks	26
Figure 4—Maximum contingency power frequency overvoltage capability of capacitor units	31
Figure 5—Transient peak overvoltage capability of capacitor units.....	33
Figure 6—System diagram for energizing an isolated capacitor bank.....	35
Figure 7—Typical bus voltage and capacitor current during capacitor energizing	35
Figure 8—Example phase-to-phase transformer transient due to capacitor switching	37
Figure 9—Back-to-back switching circuit	40
Figure 10—Concept of synchronous closing control for ungrounded wye banks	42
Figure 11—System diagram for magnification condition.....	42
Figure 12—Equivalent circuit for magnification condition.....	43
Figure 13—Magnification of transient at remote capacitor bank.....	44
Figure 14—Adjustable speed motor drive: Voltage source inverter type with uncontrolled source converter	45
Figure 15—Transient voltages during capacitor switching	46
Figure 16—System diagrams for dynamic overvoltage conditions	47
Figure 17—Dynamic overvoltage on capacitors	47
Figure 18—Capacitor and bus voltage during de-energizing: (a) System frequency component of voltage and (b) system frequency and high-frequency component of voltage.....	48
Figure 19—De-energizing capacitor bank with restriking switching device.....	49
Figure 20—Single point grounding.....	57
Figure 21—Peninsula grounding	58
Figure 22—Schematic of an externally fused capacitor bank, single wye, 11 capacitors per series group, 4 series groups per phase	60
Figure 23—Schematic of an internally fused capacitor bank, wye-wye configuration with 24 capacitor units per phase.....	61
Figure 24—Schematic of a fuseless capacitor bank with 2 strings per phase, 12 capacitor units per string....	62
Figure 25—Grounded wye-connected, Δ , or grounded double wye-connected capacitor bank: Voltage on remaining capacitor units in series group versus percentage of capacitor units removed from series group	65
Figure 26—Ungrounded double wye-connected (neutrals tied together) capacitor bank: Voltage on remaining capacitor units in series group versus percentage of capacitor units removed from series group...	66

Figure 27—Ungrounded wye-connected or ungrounded double wye-connected (neutrals isolated) capacitor bank: Voltage on remaining capacitor units in series group versus percentage of capacitor units removed from series group	67
Figure 28—Typical case rupture curves for approximately 30 L case volume	73
Figure 29—Capacitor bank grounded in preparation for testing	78
Figure 30—Measurement of midpoint-to-ground capacitance for one string with capacitor bank phase and neutral grounded	78
Figure 31—Midpoint-to-ground measurement with one failed capacitor unit	79
Figure 32—Capacitance measurements across racks without and with a failed capacitor unit.....	79
Figure 33—Comparing capacitances with different numbers of capacitor units in various racks	80
Figure 34—Measuring individual capacitor units in a rack with an indicated failure.....	80
Figure 35—Capacitance measurement using a modified Schering bridge.....	81
Figure 36—Typical motor starting curve.....	85
Figure 37—Motor starting capacitor application	85
Figure 38—Surge capacitor application	86
Figure B.1—Example capacitor layout with $N_{SPR} = 4$ and $N_1 = N_2 = 2$	89
Figure B.2—Diagram of series rack capacitance grading across a capacitor bank	91

List of Tables

Table 1—Summary of benefits of applying shunt power capacitors.....	19
Table 2—Power factor correction kilowatt multipliers.....	22
Table 3—Typical power capacitor voltage and reactive power ratings.....	27
Table 4—Maximum ambient.....	30
Table 5—Capacitor peak transient current capability.....	32
Table 6—Restrike performance classifications	51
Table 7—Voltage distortion limits for medium- and high-voltage power systems	53
Table 8—Typical capacitance values for line-to-ground surge capacitors.....	86
Table B.1—Typical capacitor bank rack configurations	90
Table B.2—Relation of LOW bus voltage terminal-to-case (TC) to maximum terminal-to-terminal (TT) based on capacitor bank rack configuration	93
Table B.3—Example comparison of terminal-to-case insulation to standard levels.....	94

IEEE Guide for the Application of Shunt Power Capacitors

1. Scope

This guide applies to the use of 50 Hz and 60 Hz shunt power capacitors rated 2400 Vac and above, and assemblies of such capacitors. Included are guidelines for the application, protection, and ratings of equipment for the improved safety and reliable utilization of shunt power capacitors. The guide is general and intended to be basic and supplemental to specific recommendations of the manufacturer. The guide covers applications that range from simple capacitor unit utilization to complex capacitor bank situations.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

Accredited Standards Committee C2-2012, National Electrical Safety Code® (NESC®).^{1,2}

IEEE Std 18™, IEEE Standard for Shunt Power Capacitors.^{3,4}

IEEE Std 141™-1993 (Reaff 1999), IEEE Recommended Practice for Electric Power Distribution for Industrial Plants (*IEEE Red Book™*).

IEEE Std 519™, IEEE Recommended Practices and Requirements for Harmonic Control in Electric Power Systems.

IEEE Std 1247™, IEEE Standard for Interrupter Switches for Alternating Current, Rated Above 1000 Volts.

IEEE Std 1531™, IEEE Guide for Application and Specification of Harmonic Filters.

IEEE Std C37.012™, IEEE Guide for the Application of Capacitance Current Switching for AC High-Voltage Circuit Breakers Above 1000 V.

IEEE Std C37.016™, IEEE Standard for AC High-Voltage Circuit Switchers rated 15.5 kV through 245 kV.

¹National Electrical Safety Code and NESC are both registered trademarks and service marks of The Institute of Electrical and Electronics Engineers, Inc.

²The NESC is available from The Institute of Electrical and Electronics Engineers (<https://standards.ieee.org/>).

³IEEE publications are available from The Institute of Electrical and Electronics Engineers Inc. (<https://standards.ieee.org/>).

⁴The IEEE standards or products referred to in this clause are trademarks of The Institute of Electrical and Electronics Engineers, Inc.