

IEEE Guide for Protective Grounding of Power Lines

IEEE Power and Energy Society

Sponsored by the
Electrical Safety and Maintenance of Lines Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1048™-2016
(Revision of IEEE Std 1048-2003)

IEEE Guide for Protective Grounding of Power Lines

Sponsor

**Electrical Safety and Maintenance of Lines Committee
of the
IEEE Power and Energy Society**

Approved 29 January 2016

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: Guidelines are provided for Temporary Protective Grounding (TPG) of electric power lines to assist in protection of workers from voltages and currents that might develop at a de-energized worksite during maintenance of ac overhead and underground, transmission and distribution lines, cables, and equipment. Other forms of worker protection include isolation and insulation. These methods are described in other documents and guides and are not discussed here.

Keywords: bracket grounds, combination grounding, grounding, IEEE 1048™, protective grounds safety, worksite grounds

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 21 December 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-3584-0 STD22326
Print: ISBN 978-1-5044-3585-7 STDPD22326

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Explore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable terms, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association

Participants

At the time this IEEE guide was completed, the Temporary Protective Grounding Working Group had the following membership:

Clayton King, Chair
Keith Wallace, Vice Chair

John Anthony	Edward Hunt	Charles Stinnett Jr.
Kristine Buchholz	Alan Holloman	Samuel Stonerock
Thomas Buonincontri	Christopher Kasiewicz	Eric Surmanis
James Chistensen	Norbert Kilroe	Steve Theis
Brett Cuevas	Jeff Laninga	James Tomaseski
Marcia Eblen	Joe Love	Janos Toth
Brian Erga	Thomas McCarthy	Tom Verdecchia
Don Dodds	Bill McGough	Kevin Verett
Buck Fife	Lucus Moore	Erica Weyer
David Grover	Tim Olson	Gary Zevenbergen
Mark Green	Graham Peace	Steve Zorn
Mike Hanner	Lawrence Schweitzer	

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman	Raymond Hill	Percy Pool
Ali Al Awazi	Werner Hoelzl	Douglas Proctor
Saleman Alibhay	Edward Hunt	Reynaldo Ramos
Thomas Barnes	Gael Kennedy	Keith Reese
James Bouford	Yuri Khersonsky	Michael Roberts
Gernot Brandt	Morteza Khodaie	Jesse Rorabaugh
Gustavo Brunello	Chad Kiefer	Thomas Rozek
William Bush	Clayton King	Bartien Sayogo
Mark Bushnell	James Kinley	Dennis Schlender
William Byrd	Tom Koepfinger	Charles Shaw
Robert Christman	Tom Kulchisky	Stephen Shull
Gary Donner	Saumen Kundu	James Smith
Randall Dotson	Donald Laird	Jerry Smith
Marcia Eblen	Chung-Yiu Lam	Gary Stoedter
Brian Erga	Michael Lauxman	Peter Sutherland
Dan Evans	Greg Luri	John Toth
Jorge Fernandez Deber	John Mcalhaney Jr.	John Vergis
Marcel Fortin	William McBride	Carl Wall
Fredric Friend	Thomas McCarthy	Keith Wallace
David Galloway	Bill McGough	Mark Walton
George Gola	Daniel Mulkey	Daniel Ward
David Gilman	Jerry Murphy	Yingli Wen
Waymon Goch	Dennis Neitzel	Kenneth White
Erwin Goodwin	Arthur Neubauer	James Wilson
Charles Grose	Michael Newman	Larry Young
Randall Groves	Joe Nims	Jian Yu
Bruce Gurley	Gary Nissen	Luis Zambrano
Ajit Gwal	Tim Olson	Dawn Zhao
Jeffrey Hartenberger	Carl Orde	Tiebin Zhao
Timothy Hayden	Lorraine Padden	
Jeffrey Helzer	Donald Parker	
Steven Hensley	Bansi Patel	
Lee Herron	Shashi Patel	

When the IEEE-SA Standards Board approved this guide on 29 January 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Vacant Position, *Vice Chair*
John Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezik
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Currently in preview, click buy full version

Introduction

This introduction is not part of IEEE Std 1048-2016, IEEE Guide for Protective Grounding of Power Lines.

This revision of IEEE Std 1048 is the first revision since the revision in 2003. The Working Group determined the guide needed a common method for evaluating different temporary protective grounding methods, more detailed explanation of electric and magnetic field induction, clarification on the definition of equipotential zones (EPZ), and example calculations for realistic temporary protective grounding work scenarios.

An equipotential zone (EPZ), with respect to protective grounding, is relative to the exposure voltage and tolerable current of the worker. Any arrangement of temporary protective grounds that achieves limiting exposure voltages to allow less current through the worker (in a defined work area) than the tolerable current is considered to create an EPZ. This is obtainable by worksite grounding, bracket grounding, and combination grounding as is described by the Guide, and performed safely in the industry.

Worksite grounding, bracket grounding, and combination grounding are different arrangements of temporary protective grounding commonly used in industry due to specific types of repairs and maintenance required on a line. The intent of the guide is to ensure the safety of the worker drives the temporary protective grounding procedures. [Appendix B](#) is included as a normative reference to compare these grounding arrangements to one example of a worksite.

This guide was developed through the collaborative effort of an international group of volunteers with expertise in many disciplines. While this guide represents a consensus among the volunteer group, it is not the only view on the issues addressed herein. As with any guidance, use of this guide and the procedures and positions herein does not proof or guarantee safety. Use and compliance with this IEEE guide are wholly voluntary.

Contents

1. Overview.....	10
1.1 Purpose.....	10
2. Normative references	10
3. Definitions.....	11
4. Temporary protective grounding principles.....	13
4.1 General	13
4.2 Induction	14
4.3 Inductive coupling during faults	17
4.4 Lightning.....	17
4.5 Developing an equipotential zone (EPZ).....	18
4.6 Approximating worker exposure voltage on structures	18
5. Temporary protective grounding assemblies and components	19
5.1 General	19
5.2 Temporary protective grounding assemblies	19
5.3 Clamps and ferrules.....	20
5.4 Cable	22
6. Grounding parameters to consider.....	24
6.1 Body current limits	24
6.2 Equivalent worker body resistance.....	25
6.3 Allowable exposure voltage and current limits.....	25
6.4 Fault currents.....	25
6.5 Fault current return paths.....	26
7. Overhead protective grounding practices.....	27
7.1 General	27
7.2 Structures.....	27
7.3 Installing and removing protective grounding equipment	28
7.4 Protective grounding practices	30
7.5 Grounding procedure for work from the structure – overhead systems	36
8. Underground distribution temporary protective grounding practices.....	36
8.1 Cable isolation.....	37
8.2 Use of equipotential mat.....	37
8.3 Voltage detection methods.....	37
9. Vehicles and equipment methods of protection for workers and public.....	38
10. Maintenance of TPGs.....	39
10.1 Inspection and maintenance of protective grounds.....	39
10.2 Testing	39
Annex A (informative) Bibliography.....	40
Annex B (normative) Comparison between commonly used grounding systems on a 4-wire system with continuous neutral/shield conductor.....	42
Annex C (informative) Considerations of asymmetrical currents.....	50

IEEE Guide for Protective Grounding of Power Lines

1. Overview

This document provides guidelines for temporary protective grounding of electric power lines to aid in the protection of workers from voltages and currents that might develop at a de-energized worksite during maintenance of ac overhead and underground, transmission and distribution lines, cables, and equipment.

Other forms of worker protection including isolation and insulation are acceptable methods, when used properly, in the place of temporary protective grounding. Details of these other methods are described in other documents and guides and are not further discussed here.

1.1 Purpose

This guide suggests several practices, technical information, and safety criteria for temporary protective grounding of power lines during de-energized maintenance. As an IEEE guide, this document does not have mandatory requirements. Following the suggestions in this guide helps to mitigate risks. Reasonable steps are to be taken by users to minimize all risks associated with protective grounding of power lines during de-energized maintenance.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., the understanding and use of each referenced document is cited and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

ASTM F855, Standard Specifications for Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment.¹

ASTM F2249, Standard Specification for In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment.

¹ASTM publications are available from the American Society for Testing and Material (<http://www.astm.org>).