

IEEE Standard for Boundary-Scan Testing of Advanced Digital Networks

IEEE Computer Society

Sponsored by the
Test Technology Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1149.6™-2015
(Revision of
IEEE Std 1149.6-2003)

Currently in preview, click buy full version

IEEE Std 1149.6™-2015

(Revision of
IEEE Std 1149.6-2003)

IEEE Standard for Boundary-Scan Testing of Advanced Digital Networks

Sponsor

Test Technology Standards Committee
of the
IEEE Computer Society

Approved 5 December 2015

IEEE-SA Standards Board

Abstract: IEEE Std 1149.1™ is augmented by this standard to improve the ability for testing differential and/or ac-coupled interconnections between integrated circuits on circuit boards and systems.

Keywords: ac-coupled signaling, boundary scan, circuit boards, differential signaling, IEEE 1149.6™, integrated circuits, interconnect test, printed circuit boards, test

*This standard is dedicated to the memory
of our friend and colleague, Carl Barnhart.
This was Carl's standard from start to
finish. Carl was our leader and mentor.
We will dearly miss his passion, humor
and vast knowledge.*

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 18 March 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-0596-6 STD20753
Print: ISBN 978-1-5044-0597-3 STDPD20753

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance

Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Summitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Advanced I/O Working Group Working Group had the following membership:

William Eklow, *Chair*
Carl Barnhart, *Vice Chair*
Kenneth P. Parker, *Editor*

John Braden
William Bruce
Christopher J. Clark
Heiko Ehrenberg
Peter Elias
Josh Ferry

Hongshin Jun
Siva Kumar Vijaya Kumar
Roland Latvala
Phillippe Lebourg
Adam W. Ley
Skip Meyers

Francisco Russi
Craig Stephan
Stephen Sunter
Anthony Suto
Brian Turmelle

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Saman Adham
Bailarico Balangue Jr.
Carl Barnhart
John Braden
Susan Burgess
Juan Carreon
Keith Chow
Christopher J. Clark
Sourav Dutta
Heiko Ehrenberg
Peter Eijnden
William Eklow

Josh Ferry
James Grealish
Randall Groves
Peter Harrod
Werner Hoelzl
Noriyuki Ikeuchi
James Langlois
Roland Latvala
Philippe Lebourg
Adam W. Ley
Jeffrey Moon
Michael N...

Nick S.A. Nikjoo
Kenneth Parker
Ulrich Pohl
Mike Ricchetti
Francisco Russi
Kapil Sood
Thomas Starai
Walter Struppler
Stephen Sunter
Anthony Suto
David Thompson
Oren Yuen

When the IEEE-SA Standards Board approved this standard on 5 December 2015, it had the following membership:

John D. Kulick, *Chair*
Jon Walter Rosdahl, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Jean-Philippe Faure
John Trav... Griffith
Gar... Hoffman
Michael Janezic

Joseph L. Koepfinger*
David J. Law
Hung Ling
Andrew Myles
T. W. Olsen
Glenn Parsons
Ronald C. Petersen
Annette D. Reilly

Stephen J. Shellhammer
Adrian P. Stephens
Yatin Trivedi
Philip Winston
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 1149.6-2015, IEEE Standard for Boundary-Scan Testing of Advanced Digital Networks.

History of the development of this standard

The development of this standard was started on 21 May 2001 by an ad hoc industry Working Group called by Agilent Technologies¹ and Cisco Systems. This group formulated this standard with the intention of handing it over to the IEEE for formal standardization when the underlying technology became understood.

The group adopted as its mission: To define, document, and promote a means for designing integrated circuits (ICs) that support robust boundary-scan testing of boards where signal pathways make use of differential signaling and/or ac-coupled technologies. This technology utilizes and is compatible with the existing IEEE Std 1149.1². The goal is to upgrade the capabilities of IEEE Std 1149.1 to maintain the rapid and accurate detection and diagnosis of interconnection defects in boards and systems despite the fault-masking effects of differential signaling and the dc blocking effects of ac-coupled signaling.

The group first referred to itself as the “AC EXTEST” Working Group, but has since expanded its charter to consider topics now called “Advanced I/O.”

Changes introduced by this revision

A summary of the changes includes the following:

- Deletion of Annex E content
- Changes driven by the 2013 update to IEEE Std 1149.1
- Added new level-detection behavior of the test receiver for ac-coupled channels
- Documentation of driver and test receiver analog parameters, including documenting programmability of those parameters
- Programmability of coupling capacitor shunts
- Documentation of non-compliance of certain pins to EXTEST_PULSE performance
- Addition of Procedure Description Language (PDL) routines for documenting the procedures to access programmable analog parameters
- IP Package support in Boundary-Scan Description Language (BSDL)
- New “AC” boundary register cell designs

This revision affirms what has been required from the previous version, and products that conform to the previous version are still compliant with this revision. There is one deletion: Annex E (informative) proposed an “Initialize” instruction. This topic has since been subsumed into IEEE Std 1149.1-2013.

Many of the changes found in this revision are in response to the major revision of the underlying IEEE 1149.1 standard that was released in 2013. This standard introduced new concepts, such as segmented data registers, the initialization data register, and register descriptions. These concepts, once adopted in new ICs,

¹ Now called Keysight Technologies.

² Information on references can be found in Clause 2.

will materially affect the design, and subsequent description in BSDL, for those devices that are to conform to this standard.

There are also changes that come from industry commentary and usage practices developed over the past decade. A known problem exists in the 2003 version of this standard for level-sensitive behavior when using the EXTEST instruction defined in IEEE Std 1149.1. Simply, in some cases it is impossible to ensure compatible drive and receive voltage levels. When a channel is guaranteed to be ac-coupled, and the only use for the EXTEST instruction is to detect a shorted capacitor, there is a new behavior defined that essentially performs a simple but robust continuity check. See option 2) of rule a) in 6.2.2.1.

A significant addition provided by this revision is the ability to provide for (and describe) variable, programmable parameters such as threshold and common mode voltages. This will assist the users of test generation and diagnosis tools in creating and debugging tests, where analog parameter mismatches could occur.

On-chip ac coupling capacitors can now have provisions to shunt them out of the input signal pathway under control of the test circuitry. Improvements are offered to the ability to test external (board level) capacitors for shorts and to compensate for mismatches in voltages between devices.

It is recognized in this revision that for some pins, it may not be possible for the EXTEST_PULSE instruction to transmit or receive data due to dynamic conditioning of the associated circuitry that is not fully completed by a single data pulse; that is, a longer set of transitions, such as that provided by EXTEST_TRAIN, may be required. Such pins that need this exception can now be identified in BSDL so that tools can make appropriate tradeoffs for them.

The 2013 revision of IEEE Std. 1149.1 also added a new PDL which is used to describe how devices and their registers are used for various testing purposes. This revision requires the documentation of certain programmable features, when implemented in a device, in PDL.

The 2013 revision of IEEE Std. 1149.1 made significant additions to BSDL, which affect the BSDL representation of 1149.6 technology as described in Clause 7. Part of these changes are driven by the electronics industry's movement towards the use of intellectual property packages, where portions of circuitry are bought and sold for inclusion in other IC designs. This means that, along with the circuitry description, any relevant test-oriented information about IEEE 1149.1 or IEEE 1149.6 implementations contained within such IP must also be provided in BSDL packages. Thus, significant changes for such support are found in Clause 7 — see 7.1 and 7.5, taking note of “Port Behavior” descriptions. New and updated examples for both BSDL and PDL appear in Clause 7.

Annex C contains information on ac boundary register cell designs. Two new cells [AC_40 and AC_41 (see C.9)] are documented there.

Updating BSDL to the new standard

Components compliant with the 2003 version of this standard will typically be compliant with this new version. However, the BSDL documentation must be updated. First, the BSDL will need to be updated to comply with the changes introduced in IEEE Std 1149.1-2013, including as a minimum:

- Changing all “Linkage” pin types to the new linkage and power pin types in the port declaration.
- Updating “Use” and component conformance statements to STD_1149_1_2013.
- Adding an <input spec> for all pins of type "input" in the Boundary-Scan Register description.
- Taking advantage of the optimal register structural descriptions (REGISTER_MNEMONICS, REGISTER_FIELDS, REGISTER_ASSEMBLY, etc.) and of the PDL language to document

programmable characteristics of the component that could not be documented in a standard form before. This would be particularly valuable when documenting any initialization built into the component and required for proper operation of the I/O and boundary tests.

Second, the BSDL will need to be updated to comply with the changes introduced by this standard:

- Updating AIO component conformance statement to STD_1149_6_2015.
- Adding to the AIO_Pin_Behavior attribute the new parameters for driver common-mode and peak-to-peak voltages, test receiver threshold and hysteresis voltages, bypass control of on-chip capacitors, and any ports that require the EXTEST_TRAIN instruction.
- Adding PDL procedures to document initialization of any programmable I/O parameters. This ties into the new initialization documentation introduced in IEEE Std 1149.1-2013.

A component compliant with IEEE Std 1149.1-2001 and IEEE Std 1149.6-2003 may have included proprietary capabilities for initializing I/O, including advanced I/O. If the capabilities are conformant to the new requirements of these standards, then they must be documented in order to be compliant. However, even if those proprietary capabilities are not conformant, if they can be made public by writing procedures in PDL using the reserved PDL procedure names where appropriate, doing so will improve the automation of test generation and execution.

Notice to readers

Those reading the PDF version of this document will notice many hyperlinks that allow the reader to jump to a referenced item. For example, a text reference to 4.1 will be a link to the subclause itself. Readers using this facility may return to their starting point by selecting the menu item View>Page Navigation>Previous View, or by adding a “Previous view” page navigation tool to the Toolbar in their PDF reader.

Also, the PDF version of this document contains bookmarks of major headings and page thumbnails, also helpful in navigating the document.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
1.3 Organization of the standard.....	2
1.4 Context	3
1.5 Objectives	3
2. Normative references.....	4
3. Definitions and acronyms.....	4
3.1 Definitions	4
3.2 Acronyms	10
4. Technology.....	11
4.1 Signal pin types	12
4.2 Signal coupling and coupling combinations	12
4.3 The effects of defects.....	18
4.4 Defects targeted by the standard.....	20
4.5 Differential termination and testability.....	21
4.6 Test signal implementation.....	24
4.7 Test receiver support for ac testing instructions	28
4.8 Test receiver support for the (DC) EXTEST instruction	32
4.9 A general test receiver for dc and ac testing instructions.....	34
4.10 Boundary-scan capture data versus configuration	36
4.11 Noise sources and sensitivities	38
5. Instructions	42
5.1 IEEE Std 1149.1 instructions.....	42
5.2 AC testing instructions	42
5.3 The EXTEST_PULSE instruction	45
5.4 The EXTEST_TRAIN instruction	47
5.5 ac test signal generation.....	50
6. Pin implementation specifications.....	50
6.1 Pin identification.....	50
6.2 Input test receivers	51
6.3 Output drivers	83
6.4 Bidirectional pins.....	86
6.5 AC/DC selection cells.....	90
7. Conformance and documentation requirements	92
7.1 Conformance	92
7.2 Documentation.....	93
7.3 BSDL package for Advanced I/O description (STD_1149_6_2015)	95
7.4 BSDL extension structure.....	98
7.5 BSDL attribute definitions.....	101
7.6 Example BSDL.....	123
7.7 PDL procedures for programmable ac pins	142
7.8 Example PDL procedures for programmable ac pins	147

Annex A (informative) Applications and tools.....	173
A.1 Chip compliance checking and BSDL and PDL verification	173
A.2 Functional verification.....	179
A.3 Board interconnection testing	179
Annex B (informative) Noise rejection in edge-detecting mode	189
B.1 Noise rejection by bandwidth limitation	189
B.2 Noise rejection by slew rate limitation.....	191
Annex C (informative) Advanced I/O boundary-scan register cells.....	192
C.1 AC/DC selection cell AC_SelX.....	192
C.2 AC/DC selection cell AC_SelU	192
C.3 Output data cell AC_1 (supports INTEST).....	193
C.4 Output data cell AC_2.....	194
C.5 Bidirectional output cell AC_7 (supports INTEST).....	194
C.6 Bidirectional output cell AC_8	195
C.7 Self-monitoring output cell AC_9 (supports INTEST).....	196
C.8 Self-monitoring output cell AC_10.....	197
C.9 AC_40 and AC_41 cells	197
C.10 AC cell mode controls.....	198
Annex D (informative) Test receiver design examples	199
D.1 LVDS with normal board coupling.....	199
D.2 LVDS with alternative board coupling	205
D.3 LVDS with on-chip coupling.....	206
D.4 LVPECL (low-voltage pseudo emitter-coupled logic)	208
D.5 LVPECL with guaranteed on-board ac coupling.....	210
D.6 LVPECL with on-chip coupling	211
Annex E (informative) A proposed “INITIALIZE” instruction	213
Annex F (informative) Bibliography	214

IEEE Standard for Boundary-Scan Testing of Advanced Digital Networks

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard defines extensions to IEEE Std 1149.1™ to standardize the boundary-scan structures and methods required to help ensure simple, robust, and minimally intrusive boundary-scan testing of advanced digital networks.¹ Such networks are not adequately addressed by existing standards, especially for those networks that are ac-coupled, differential, or both. Testing enabled by this standard will operate in parallel with IEEE Std 1149.1 testing of conventional digital networks and in conjunction with IEEE Std 1149.4™ testing of conventional analog networks. This standard also specifies software and Boundary-Scan Description Language (BSDL) extensions to IEEE Std 1149.1, which are required to support new I/O test structures.

1.2 Purpose

Existing boundary-scan test standards (IEEE Std 1149.1, IEEE Std 1149.4) do not fully address some of the increasingly common, newer digital network topologies, such as ac-coupled, differential interconnections on very high speed (1+ Gb/s) digital data paths. IEEE Std 1149.1 structures and methods are intended to test static (dc-coupled), single-ended networks. They are unable to test dynamic (ac-coupled) digital networks, since ac coupling blocks static signals. Differential networks are also inadequately tested by

¹ Information of references can be found in Clause 2.