

IEEE Recommended Practice for Installation Design and Installation of Valve-Regulated Lead-Acid Batteries for Stationary Applications

IEEE Power and Energy Society

Sponsored by the
Stationary Batteries Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1187™-2013
(Revision of
IEEE Std 1187-2002)

Currently in preview, click buy full version

IEEE Recommended Practice for Installation Design and Installation of Valve-Regulated Lead-Acid Batteries for Stationary Applications

Sponsor

**Stationary Batteries Committee
of the
IEEE Power and Energy Society**

Approved 11 December 2013

IEEE-SA Standards Board

Abstract: Guidance for the installation and installation design of valve-regulated lead-acid (VRLA) batteries is provided in this recommended practice. This recommended practice is intended for all standby stationary installations. However, specific applications, such as emergency lighting units and semi-portable equipment, may have other appropriate practices and are beyond the scope of this recommended practice. Alternative energy applications are not covered.

Keywords: acceptance test, battery capacity, battery installation, battery installation design, battery maintenance, battery terminal voltage, battery testing, connection resistance measurements, float voltage, IEEE 1187™, internal ohmic measurements, standby power applications, valve-regulated lead-acid battery

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA
Copyright © 2014 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 11 March 2014. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code and NEC are both registered trademarks of the National Fire Protection Association, Inc.

PDF: ISBN 978-0-7381-8970-3 **STD98569**
Print: ISBN 978-0-7381-8971-0 **STDPD98569**

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory, not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied on as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and its members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyright

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this recommended practice was submitted to the IEEE-SA Standards Board for approval, the VRLA Battery Installation Working Group had the following membership:

John Polenz, *Chair*
Allen Byrne, *Vice Chair*

Edward Amato
Curtis Ashton
Gary Balash
William Cantor
Terry Chapman

Troy Chatwin
Pete Demar
Paul Anthonius Cornelis Hectors
John Kopera
Daniel Lambert
Stephen McCluer

Daniel McMenamin
Robert Schmidt
Richard Tressler
Lesley Varga
Stephen Vechy

The following members of the individual balloting committee voted on this recommended practice. Balloters may have voted for approval, disapproval, or abstention.

Michael Adams
Samuel Aguirre
Edward Amato
Phyllis Archer
Curtis Ashton
Gary Balash
Thomas Barnes
Robert Beavers
Steven Bezner
John Bonner
Derek Brown
Nissen Burstein
William Bush
William Cantor
Paul Cardinal
Larry Carson
Leonard Casella
Terry Chapman
Troy Chatwin
Mark Clark
Garth Corey
Charles Cotton
Mark Crisler
Ray Davis
Peter Demar
Gary Donner
Randall Dotson
Neal Dowling
Sourav Duf
Charles Finin
Robert Fletcher
John Garre
Debra Gaur

David Gilmer
James Gleason
Joseph Gravelle
Randall Groves
Ajit Gwal
Paul Anthonius Cornelis Hectors
Scott Hietpas
David Horvath
David Ittner
Alan Jensen
Wayne Johnson
Gael Kennedy
James Kinney
Jim Kulchisky
Saumen Kulkarni
Thomas Lawson
Chang Yiu Lam
Melvin LaMarca
Daniel Lambert
Michael Lauxman
Greg Luri
Jose Marrero
John McAlhaney
William McBride
Stephen McCluer
Daniel McMenamin
Peter McNutt
Larry Meisner
Kimberly Mosley
Haissam Nasrat
Dennis Neitzel
Arthur Neubauer

Michael Neumar
Charles Oethe
Joe Nils
Gael Nissen
Lorraine Padden
Bansi Patel
Roger Pocock
John Polenz
Shawn Pryer
Edward Rafter
John Randolph
Jan Reber
Michael Roberts
Charles Rogers
Steven Sano
Bartien Sayogo
Robert Schmidt
Robert Schuerger
Christo Searles
Robert Seitz
Gil Shultz
David Singleton
David Smith
Jeremy Smith
Gary Stodter
Richard Tressler
Eric Udren
Lesley Varga
Stephen Vechy
John Vergis
Kenneth White
Jian Yu
Ahmed Zobaa

When the IEEE-SA Standards Board approved this recommended practice on 11 December 2013, it had the following membership:

John Kulick, Chair
David J. Law, Vice Chair
Richard H. Hulett, Past Chair
Konstantinos Karachalios, Secretary

Masayuki Ariyoshi
Peter Balma
Farooq Bari
Ted Burse
Stephen Dukes
Jean-Philippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Koepfinger*
Oleg Logvinov
Ron Petersen

Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Michelle Turner
IEEE Standards Program Manager, Document Development

Malia Zaman
IEEE Standards Program Manager, Technical Program Developer

Introduction

This introduction is not part of IEEE Std 1187-2013, IEEE Recommended Practice for Installation Design and Installation of Valve-Regulated Lead-Acid Batteries for Stationary Applications.

Guidance for the installation and installation design of valve-regulated lead-acid (VRLA) batteries is provided in this recommended practice. This recommended practice is intended for all standby stationary installations. However, specific applications, such as emergency lighting units and semi-portable equipment, may have other appropriate practices and are beyond the scope of this recommended practice. Alternative energy applications are not covered.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations.....	3
3.1 Definitions	3
3.2 Acronyms and abbreviations	3
4. Safety	4
4.1 General.....	4
4.2 Electrical hazards.....	4
4.2.1 Shock hazard	4
4.2.2 Ground fault detection.....	4
4.2.3 Arc flash hazard	5
4.3 Chemical hazards.....	5
4.4 Thermal hazards.....	6
4.5 Lifting and handling hazards	6
4.6 Personal protective equipment (PPE)	6
5. Installation design criteria.....	6
5.1 Location	7
5.1.1 General considerations	7
5.1.2 Design for maintainability.....	7
5.2 Mounting.....	8
5.3 Seismic.....	8
5.4 Ventilation	9
5.4.1 Ventilation for temperature control.....	9
5.4.2 Ventilation for hydrogen control.....	9
5.5 Instrumentation, controls, and alarms	10
5.5.1 Instrumentation	10
5.5.2 Controls.....	10
5.5.3 Alarms.....	10
5.6 Parallel-battery strings	11
5.7 Charging	11
5.8 Battery protection	12
5.8.1 General.....	12
5.8.2 Additional considerations for parallel battery strings.....	12
6. Installation procedures.....	12
6.1 Receiving and storage.....	12
6.1.1 Receiving inspection	12
6.1.2 Unpacking.....	12
6.1.3 Storage	13
6.2 Assembly	13
6.2.1 Rack, enclosures, and modules	13
6.2.2 Cell/Module installation and connections	13
6.3 Freshening/initial charge and testing	15
6.3.1 Freshening/initial charge	15
6.3.2 Preparation of replacement VRLA cells/modules	15
6.3.3 Internal ohmic measurements.....	16
6.4 Connection to dc system.....	16

6.5 Measuring ac ripple voltage and current.....	16
6.6 Measuring battery temperature and ambient temperature.....	16
6.7 Measuring battery charging current.....	16
6.7.1 General.....	16
6.7.2 Parallel strings.....	17
6.7.3 Series parallel strings.....	17
7. Records.....	17
7.1 Records for warranty and baseline data.....	17
7.2 Records for environmental health and safety.....	18
Annex A (informative) Bibliography.....	19
Annex B (informative) Thermal runaway.....	20
Annex C (informative) Effect of elevated temperature on expected battery life.....	21
Annex D (informative) Connection resistance measurements.....	22
D.1 General recommendations.....	22
D.2 Single and parallel interconnections.....	24
D.3 Multiple post-interconnections.....	25
D.4 Single terminal connections.....	26
D.5 Connections involving cables.....	27
Annex E (informative) Cell internal ohmic measurements.....	29
Annex F (informative) Material handling.....	30
F.1 Battery handling.....	30
F.2 Transportation.....	30
F.3 Battery storage, moving, and placement.....	31
F.4 Verifying integrity of a battery cell before installation.....	32
Annex G (informative) Arc flash PPE.....	33

IEEE Recommended Practice for Installation Design and Installation of Valve-Regulated Lead-Acid Batteries for Stationary Applications

IMPORTANT NOTICE: *IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.*

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This recommended practice provides recommended design practices and procedures for storage, location, mounting, ventilation, instrumentation, preassembly, assembly, and charging of valve-regulated lead-acid (VRLA) batteries. Required safety practices are also included. This recommended practice is applicable to float-service stationary installations.

This recommended practice contains several informative annexes. These provide additional tutorial information relating to topics introduced in the body of the document.

Battery sizing, maintenance, capacity testing, charging equipment, battery protection, and monitoring are beyond the scope of this recommended practice. Alternative energy applications are also beyond the scope of this recommended practice.

The portions of this recommended practice that specifically relate to personnel safety are mandatory instructions and are designated by the word *shall*; all other portions are recommended practices and are designated by the word *should*.