

IEEE Guide for Temporary Protective Grounding Systems Used in Substations

IEEE Power and Energy Society

Developed by the
Substations Committee

IEEE Std 1246™ 2020
(Revision of IEEE Std 1246-2011)

Currently in preview, click buy full version



IEEE Guide for Temporary Protective Grounding Systems Used in Substations

Developed by

Substations Committee
of the
IEEE Power and Energy Society

Approved 3 December 2020

IEEE SA Standards Board

Currently in preview, click buy full version

Abstract: The design, performance, use, testing, and installation of temporary protective grounding systems, including the connection points, as used in permanent and mobile substations, are covered in this guide.

Keywords: grounding, IEEE 1246™, personnel safety, protective grounding, safety, temporary grounding, ultimate rating, withstand rating

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2021 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 19 February 2021. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-7287-6 STD24550
Print: ISBN 978-1-5044-7288-3 STDPD24550

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PURCHASE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile and Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include being used, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Currently in preview, click buy full versi

Participants

At the time this IEEE guide was completed, the G4 Working Group had the following membership:

Jesse Rorabaugh, Chair
Jon Martin, Vice Chair
David Lane Garrett, Past Chair

Ehsan Azordegan	Terri Hopkins	Christian Robles
Bryan Beske	Richard Keil	Will Sheh
William Carman	Reginaldo Maniego	Curtis Stidham
Jeffrey Drummond	Carl Moller	Brian Story
Joseph Gravelle	Stephen Palmer	Keith Wallace
Martin Havelka	Anil Babu Poda	Don Wengerter
	Eduardo Ramirez Bettoni	

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman	Brady Hansen	Pathik Patel
Robert Aiello	Jeffrey Helzer	S. Patel
W.J.(Bill) Bergman	Lee Herron	Christopher Petrola
Bryan Beske	Werner Hoelzl	Thomas Proios
Steven Bezner	Richard Jackson	Richard Rohr
Gustavo Brunello	Thomas Keels	Charles Rogers
Demetrio Bucaneg Jr	Richard Keil	Jesse Rorabaugh
Ted Burse	Dave Kelley	Bartien Sayogo
William Bush	Peter Kelly	Robert Schaerer
William Byrd	Yuri Khersonsky	Douglas Smith
Paul Cardinal	James Kinney	Jerry Smith
Michael Champagne	Herman Koch	Gary Smullin
Michael Chirico	Boris Kogan	Ryan Stargel
Robert Christman	Jim Kuchinsky	Gregory Steinman
Randy Clelland	Prithwan Lagoda	Gary Stoedter
James Dehaan	Chung-Yiu Lam	Brian Story
Robert Dempsey	Reginaldo Maniego	Walter Struppler
William Dietzman	Jon Martin	K. Stump
Huan Dinh	Thomas McCarthy	Paul Sullivan
Gary Donner	John McAlhaney Jr	Wayne Timm
Michael Dood	William McBride	John Toth
Ernest Duckworth	Jeremy McNutt	Matthew Vacha
Donald Dunn	Charles Morse	John Vergis
Gearold O. H. Eidi	Jerry Murphy	Jane Verner
Brian Ergon	Ryan Musgrove	David Wallis
David Lane Garrett	Dennis Neitzel	John Wang
George Gerber	Joe Nims	Don Wengerter
Jalal Gonari	Matthew Norwalk	Kenneth White
Erwin Goodwin	Michael Novev	Terry Woodyard
Joseph Gravelle	T.W. Olsen	Iain Wright
Charles Grose	Lorraine Padden	Dean Yager
Randall Groves	Bansi Patel	Jian Yu
David Guzman		Chen Zou

When the IEEE SA Standards Board approved this guide on 3 December 2020, it had the following membership:

Gary Hoffman, *Chair*
Jon Walter Rosdahl, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Doug Edwards
J. Travis Griffith
Grace Gu
Guido R. Hiertz
Joseph L. Koepfinger*

David J. Law
Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel
Dorothy Stanley

Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Currently in preview, click buy full version

Introduction

This introduction is not part of IEEE Std 1246-2020, IEEE Guide for Temporary Protective Grounding Systems Used in Substations.

Practices for applying temporary protective grounds (TPGs) in substations vary from company to company. These practices have come from a number of documents, such as ASTM F855, IEC 61230, and IEEE Std 1048™, as well as from field experience derived from line maintenance practices. This guide was developed to consolidate into one document all the necessary information for the company to develop sound personnel safety grounding practices in substations. The guide provides information on the physical construction, application, and testing of TPGs as they are used in substations.

This revision emphasizes the electromechanical forces present with high short-circuit currents and with high current offset (asymmetry). In recent tests, these forces were found to have a significant impact on the ability of a complete TPG assembly, including attachment points, to successfully handle these high short-circuit currents. It also introduces a new method for determining the TPG impedance (length and cable size) for use in determining the current through the worker for an accidental energization.

Contents

1. Overview.....	14
1.1 Scope.....	14
1.2 Purpose.....	14
1.3 Word usage.....	14
2. Normative references.....	14
3. Definitions.....	15
4. Considerations for temporary protective grounding systems.....	16
4.1 General TPG.....	16
4.2 Permanent or mobile substations.....	16
4.3 Current magnitude and duration.....	16
4.4 Special areas of concern.....	18
4.5 TPG cable assemblies.....	19
4.6 TPG cable.....	19
4.7 Clamps.....	23
4.8 Multiple assemblies.....	24
4.9 Attachment points.....	26
4.10 Cable extensions.....	27
5. Application.....	27
5.1 General.....	27
5.2 Location.....	28
5.3 Ratings and selections.....	30
5.4 Methods.....	33
6. Installation and removal.....	34
6.1 General procedures.....	34
6.2 Tools.....	34
6.3 Testing for absence of voltage.....	35
6.4 Placing and removing of TPGs.....	36
6.5 Equipment grounding.....	36
7. Managing static and capacitively coupled voltage on personnel.....	37
7.1 Protective garments.....	38
7.2 Attachments.....	38
7.3 Conductive liners.....	38
8. Testing.....	38
8.1 New TPG component and assembly type testing.....	38
8.2 In-service inspection, maintenance, and testing TPGs.....	38
Annex A (informative) Bibliography.....	40
Annex B (normative) Terminology.....	42
Annex C (normative) TPG impedance correction factors.....	47

List of Figures

Figure 1—Variation of current flows for various TPG configurations	28
Figure 2—Effects of location of TPG relative to the worker	29
Figure B.1—Equivalent circuit for capacitive-coupled voltage	42
Figure B.2—Case of contact with de-energized conductor	43
Figure B.3—Magnetically coupled voltage	43
Figure B.4—Asymmetrical short-circuit current components (example)	44
Figure B.5—Basic shock situation	45
Figure C.1—Schematic illustration of substation single-point grounded worksite showing a TPG induction ground loop with worker	48
Figure C.2—Schematic illustration of substation bracket grounded worksite showing a TPG induction ground loop with worker	49
Figure C.3—Electrical circuit model of worker exposure voltage (V_{exp}) at a single-point grounded worksite for development of TPG composite impedance and K factor	50
Figure C.4—#2 AWG copper TPG length = 2 m (6.56 ft).....	55
Figure C.5—#2 AWG copper TPG length = 4.57 m (15 ft).....	56
Figure C.6—#2 AWG copper TPG length = 10 m (32.81 ft).....	56
Figure C.7—#1 AWG copper TPG length = 4.57 m (15 ft).....	57
Figure C.8—1/0 AWG copper TPG length = 4.57 m (15 ft)	57
Figure C.9—2/0 AWG copper TPG Length = 4.57 m (15 ft).....	58
Figure C.10—4/0 AWG copper TPG length = 2 m (6.56 ft)	58
Figure C.11—4/0 AWG copper TPG length = 4.57 m (15 ft).....	59
Figure C.12—4/0 AWG copper TPG length 10 m (32.81 ft).....	59
Figure C.13—250 kcmil copper TPG length = 4.57 m (15 ft)	60
Figure C.14—350 kcmil copper TPG length = 2 m (6.56 ft)	60
Figure C.15—350 kcmil copper TPG length = 4.57 m (15 ft)	61
Figure C.16—350 kcmil copper TPG length = 10 m (32.81 ft)	61
Figure C.17—2 m (6.56 ft) length TPGs	62
Figure C.18—4.57 m (15 ft) length TPGs	63
Figure C.19—10 m (32.81 ft) length TPGs	63
Figure C.20—Example 60 Hz TPG Impedance K factor curves for single-phase bracket grounding with 4/0 copper TPGs	64

Figure C.21—2 m (6.56 ft) TPGs	65
Figure C.22—4.57 m (15 ft) TPGs	65
Figure C.23—10 m (32.81 ft) length TPGs	66

List of Tables

Table 1—Typical fault clearing times for various substation bus protection schemes	17
Table 2—Ultimate equivalent symmetrical current-carrying capabilities of copper grounding cables (currents are rms values, for frequency of 60 Hz; $X/R = 40$; current in kA)	20
Table 3—Ultimate equivalent symmetrical current-carrying capabilities of copper grounding cables (currents are rms values, for frequency of 60 Hz; $X/R = 20$; current in kA)	20
Table 4—Ultimate equivalent symmetrical current-carrying capabilities of copper grounding cables (currents are rms values, for frequency of 60 Hz; $X/R = 10$; current in kA)	21
Table 5—Ultimate equivalent symmetrical current-carrying capabilities of copper grounding cables (currents are rms values, for frequency of 60 Hz; $X/R = 0$; current in kA)	21
Table C.1—60 Hz TPG impedance K factors (Z_g/R_c)	52
Table C.2—DC resistance of copper welding cable, milliohms per meter at 25 °C	55

IEEE Guide for Temporary Protective Grounding Systems Used in Substations

1. Overview

1.1 Scope

This guide covers the design, performance, use, testing, and installation of temporary protective grounding (TPG) systems, including the connection points, as used in permanent and mobile substations.

1.2 Purpose

This guide suggests good practices, technical information, and safety criteria to assist in the selection and application of temporary protective grounding systems, including the connection points, as used in permanent and mobile substations.

1.3 Word usage

The word *shall* indicates mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (shall equals is required to).^{1,2}

The word *should* indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required (should equals is recommended that).

The word *may* is used to indicate a course of action permissible within the limits of the standard (may equals is permitted to).

The word *can* is used for statements of possibility and capability, whether material, physical, or causal (can equals is able to).

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is

¹The use of the word *must* is deprecated and cannot be used when stating mandatory requirements; *must* is used only to describe unavoidable situations.

²The use of *will* is deprecated and cannot be used when stating mandatory requirements; *will* is only used in statements of fact.