

# **IEEE Standard Method for Measuring Transmission Performance of Speakerphones**

Sponsor

**Transmission, Access, and Optical Systems Committee  
of the  
IEEE Communications Society**

Approved 17 June 2010

**IEEE-SA Standards Board**

**Abstract:** This standard provides techniques for objective measurement of electroacoustic and voice-switching characteristics of speakerphones that connect directly or indirectly to an analog or digital telephone network. Due to the various characteristics of speakerphones and the environments in which they operate, not all of the test procedures in this standard are applicable to all speakerphones. Application of the test procedures to atypical speakerphones should be determined on an individual basis.

**Keywords:** full duplex, half duplex, handsfree, speakerphone, voice switching

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 15 October 2010. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

**PDF:** ISBN 978-0-7381-6353-6      **STD96083**  
**Print:** ISBN 978-0-7381-6354-3      **STDPD96083**

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.  
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

**Interpretations:** Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretation is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretation, should be addressed to:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854  
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Introduction

This introduction is not part of IEEE Std 1329-2010, IEEE Standard Method for Measuring Transmission Performance of Speakerphones.

This standard has been developed in response to a widely expressed need by the telecommunications industry for a standard, comprehensive method for testing the transmission performance of speakerphone telephone sets. This standard is generally in agreement with the International Telecommunication Union—Telecommunication Standardization Sector (ITU-T) test arrangements and calibration procedures.

The IEEE will maintain this standard current with the state of the technology. Comments on this standard and suggestions for the additional material that should be included are invited. Comments should be addressed to the Secretary, IEEE Standards Board, The Institute of Electrical and Electronics Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854.

This standard began in 1992 and was prepared by the Subcommittee on Telephone Instrument Testing of the Transmission, Access, and Optical Systems Committee of the IEEE Communications Society (formerly the IEEE Communications Technology Group). It was originally published in 1992 and has been updated in this 2010 edition to reflect current telecommunications technology.

## Notice to users

### Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and the documents may not be construed as doing so.

### Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

### Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

## Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

## Patents

Attention is called to the possibility that implementation of this standard method may require use of subject matter covered by patent rights. By publication of this standard method, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents or patent applications for which a license may be required to implement an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

## Participants

At the time this standard method was submitted to the IEEE-SA Standards Board for approval, the Telephone Instrument Testing Working Group had the following membership:

**John R. Bareham**, *Chair*  
**Glenn Hess**, *Vice-chair*

Al Baum  
Cliff Chamney  
Miguel Dearaujo  
Dan Foley  
Steve Graham

Fred Kruger  
Ron D. Magnuson  
Scott Pennock  
Tony Scott

Hong Sodoma  
Christopher J. Struck  
Stephen R. Whitesell  
Allen Woo  
Bob Young

The following members of the individual balloting committee voted on this standard method. Balloters may have voted for approval, disapproval, or abstention.

John R. Bareham  
Cliff Barrass  
Al Baum  
H. Stephen Berger  
Cliff Chamney  
Keith Chow  
Miguel De Araujo  
Carlo Donati

Sourav Dutta  
Steve Graham  
Randall Groves  
Glenn Hess  
Werner Hoelzl  
Akio Iso  
Piotr Karocki  
Fred Kruger

G. Luri  
Ron D. Magnuson  
Gary Michel  
Michael Newman  
Gary Nissen  
Scott Pennock  
Venkatesha Prasad  
Bartien Sayogo

Jeffrey Schenck  
Tony Scott  
Peretz Shekalim

Gil Shultz  
Christopher J. Struck  
Mitsutoshi Sugawara

Stephen R. Whitesell  
Allen Woo  
Oren Yuen

When the IEEE-SA Standards Board approved this method on 17 June 2010, it had the following membership:

**Robert M. Grow**, *Chair*  
**Richard H. Hulett**, *Vice Chair*  
**Steve M. Mills**, *Past Chair*  
**Judith Gorman**, *Secretary*

Karen Bartleson  
Victor Berman  
Ted Burse  
Clint Chaplin  
Andy Drozd  
Alexander Gelman  
Jim Hughes

Young Kyun Kim  
Joseph L. Koepfinger\*  
John Kulick  
David J. Law  
Hung Ling  
Oleg Logvinov  
Ted Olsen

Ronald C. Petersen  
Thomas Prevost  
Jon Walter Rosdahl  
Sam Sciacca  
Mike Seavey  
Curtis Sille  
Don Wright

\*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish Aggarwal, *NRC Representative*  
Richard DeBlasio, *DOE Representative*  
Michael Janezic, *NIST Representative*

Catherine Berger  
*IEEE Standards Program Manager, Document Development*

Matthew Ceglia  
*IEEE Standards Program Manager, Technical Program Development*

## Contents

1. Overview .....	1
1.1 General .....	1
1.2 Scope .....	1
1.3 Purpose .....	2
1.4 Contents of standard .....	2
2. Normative references .....	2
3. Definitions .....	3
4. Abbreviations, acronyms, and symbols .....	8
5. Test equipment, environment, and impairments .....	11
5.1 General .....	11
5.2 Test equipment .....	11
5.3 Test environment .....	12
5.4 Impairments .....	16
6. Test calibration .....	17
6.1 Electrical test signal calibration .....	17
7. Transmission measurements .....	18
7.1 General .....	18
7.2 Choice of measurement transducers .....	20
7.3 Positioning of speakerphone and test transducers .....	21
7.4 Test position guidelines .....	22
7.5 Receive .....	27
7.6 Send .....	34
7.7 Echo path response .....	39
8. Voice-switching time (half-duplex) measurements .....	42
8.1 General .....	42
8.2 Classification .....	43
8.3 Switching parameters .....	43
8.4 Test conditions .....	44
8.5 Test parameters .....	45
9. Acoustic echo control (full- or half-duplex) measurements .....	52
9.1 General .....	52
9.2 Test signals .....	53
9.3 Test conditions .....	53
9.4 Round-trip EPD .....	53
9.5 TCL—single-talk .....	54
9.6 Convergence time ( $T_C$ ) .....	54
9.7 Temporally weighted terminal coupling loss during double-talk ( $TCL_{TDT}$ ) .....	55
9.8 Receive speech attenuation during double-talk ( $A_{RDT}$ ) .....	55
9.9 Send speech attenuation during double-talk ( $A_{SDT}$ ) .....	56
9.10 Receive speech front-end clipping time during double-talk ( $T_{RFDT}$ ) .....	57

9.11 Send speech front-end clipping time during double-talk ( $T_{SFD\tau}$ ).....	57
Annex A (normative) Recommended test bed.....	58
A.1 Example implemented test hybrid .....	58
A.2 Example adaptive echo canceller.....	58
Annex B (normative) Detailed test methodology for $TCL_T$ .....	64
B.1 General.....	64
B.2 Temporally weighted terminal coupling loss ( $TCL_T$ ) .....	64
B.3 Modeling echo audibility .....	65
B.4 Expressing TCL results.....	65
Annex C (normative) $TCL_T$ test algorithm.....	68
C.1 General.....	68
C.2 $TCL_T$ algorithm.....	69
Annex D (normative) Double-talk testing .....	72
D.1 General.....	72
D.2 Canceller training prior to double-talk .....	72
D.3 Double-talk source signals.....	74
D.4 Double-talk attenuation testing .....	76
D.5 Double-talk front-end syllabic clipping testing .....	78
D.6 Double-talk terminal coupling testing .....	79
D.7 Double-talk measurement filters.....	80
Annex E (informative) Microphones.....	82
Annex F (normative) Power and amplitude summations .....	83
F.1 Power summation of a spectrum .....	83
F.2 Adding spectra on a “power” basis.....	83
F.3 Averaging spectra on a “power” basis .....	84
F.4 Adding spectra on an “amplitude” basis.....	85
Annex G (normative) Preferred listening levels .....	87
G.1 Objectives .....	87
G.2 Apparatus.....	87
G.3 Procedure .....	87
G.4 Comments about results.....	88
G.5 Acceptance of speech levels for three levels of room noise .....	88
Annex H (normative) Multiple send and receive frequency response test positions.....	90
Annex I (informative) Bibliography.....	91

# IEEE Standard Method for Measuring Transmission Performance of Speakerphones

*IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.*

*This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents." They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.*

## 1. Overview

### 1.1 General

Objective or subjective methods can be used to measure speakerphone transmission performance. This standard discusses objective procedures utilizing a sound source, laboratory microphone, and test instruments to characterize transmission performance. Subjective methods are particularly applicable for rating overall communication connections involving the real voice and real ear of human subjects. Speakerphones can be evaluated by purely objective methods provided the methods agree with the desirable performance characteristics of subjective testing.

It is a complex problem to obtain accurate and repeatable speakerphone test results. To meet these measurement goals, the reader should be aware of the nonlinear and time-variant characteristics of speakerphones. This standard describes test signals and corresponding analysis methods that can be chosen to place the speakerphone in a well-defined operating state during testing.

Execution of this standard provides a means of determining the operational characteristics of a speakerphone in conditions encountered during normal operation.

### 1.2 Scope

This standard provides techniques for objective measurement of electroacoustic and voice-switching characteristics of speakerphones that connect directly or indirectly to an analog or digital telephone network. Due to the various characteristics of speakerphones and the environments in which they operate,