

IEEE Standard for Utility Industry Metering Communication Protocol Application Layer (End Device Data Tables)

Sponsored by the

IEEE Standards Coordinating Committee 31 on
Automatic Meter Reading and Energy Management

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1377™-2012
(Revision of
IEEE Std 1377-1997)

10 August 2012

Currently in preview, click buy full version

IEEE Standard for Utility Industry Metering Communication Protocol Application Layer (End Device Data Tables)

Sponsor
IEEE Standards Coordinating Committee 31 on
Automatic Meter Reading and Energy Management

Approved 14 May 2012

IEEE-SA Standards Board

Abstract: Common structures are provided in this standard for encoding data in communication between End Devices (meters, home appliances, IEEE 1703 Nodes) and Utility enterprise collection and control systems using binary codes and Extensible Markup Language (XML) content. The Advanced Metering Infrastructure (AMI) and SmartGrid requirements are addressed as identified by the Office of Electricity Delivery and Energy Reliability of the U.S. Department of Energy and by the Smart Metering Initiative of the Ontario Ministry of Energy (Canada) and of Measurement Canada. Sets of tables are exposed that are grouped together into sections that pertain to a particular feature-set and related function such as Time-of-use, Load Profile, Security, Power Quality, and more. Each standard Table Set (Data Model) can be expanded or restricted by the Manufacturer of the IEEE 1377 Device or home appliance using XML/TDL descriptive registered syntax (XML-based Table Definition Language) and enterprise data-value management using EDL (Exchange Data Language) in a manner that is machine readable. Published jointly with NEMA and Measurement Canada, Tables are provided in support of Gas, Water, and Electric sensors and related appliances. Tables are also provided for network configuration and management by referencing its companion standard IEEE Std 1703™-2012. IEEE Std 1377-2012 is co-published as ANSI C12.19 and MC12.19.

Keywords: ANSI C12.19, End Device, IEEE 1377, Utility Tables

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2012 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 10 August 2012. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-7274-3 STD97249
Print: ISBN 978-0-7381-7380-1 STDPD97249

IEEE prohibits discrimination, harassment, and bullying. For more information, visit
<http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are unable to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or nondiscriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was originally completed, the End Device/Telemetry Interface Unit Subcommittee Working Group had the following membership:

Avygdor Moise, *Chair*
Kostas Tolios, *Vice Chair*
Michael Anderson, *Vice Chair*
Terry L. Penn, *Editor*

Edward J. Beroset
Brent Cain
David Haynes
Brad Johnson

Herman Millican
Lawrence Kotewa
Vuong Nguyen
Dan Nordell

Aaron Snyder
Richard Tucker
Michel Veillette
Virginia Zinkowski

We also wish to thank the following members of ANSI C12 SC17 WG2 for their significant contributions to the making of this standard:

Paul Aubin
Shawn Bagley
Norbert Balko
Ron Begley
William Beverly
Gregory Bray
William Buckley
Martin Burns
Kah-Fae Chan
Thomas Chen
Stuart Garland
Raymond Gaudreault

Ken Gilmer
Greg Gomez
Don Grundhauser
Mark Iacoviello
Janice Jennings
Jean Joly
Alex Lunycz
Keith Martin
Peter Martin
William Mazza
Robert McMichael
John Newbury
Jack Pazdor

Paul Purc
Bin Qiu
Wesley Ray
William Rush
Chris Schafer
Brian Seal
Kendall Smith
Richard Stetler
David Taylor
John Taylor
David Wiseman
Ted York

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Ali Al Awazi
Michael Anderson
Chris Bagge
Hugh Barrass
H. Stephen Berger
William Byrd
Brent Cain
Keith Chow
Sourav Dutta
Herbert Falk
Sergiu Goma
Randall Groves
David Halasz
David Haynes
Bernard Hoelzl

Lang Ji
Piotr Karocki
Stanley Klein
Lawrence Kotewa
Jim Kulchisky
Paul Lambert
Richard Lancaster
Greg Luri
Faramarz Maghsoodlou
Anthony Mazy
Gary Michel
Avygdor Moise
Jose Morales
Michael S. Newman
Satoshi Obara

Chris Osterloh
Amit Patel
Terry L. Penn
Charles Petras
Michael Rush
Bartien Sayogo
Gil Shultz
James Smith
Jerry Smith
Aaron Snyder
James St. Clair
David Tepen
Richard Tucker
Scott Weikel
Paul Work

When the IEEE-SA Standards Board approved this standard on 14 May 2012, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert Grow, *Past Chair*

Satish Aggarwal
Masayuki Ariyoshi
Peter Balma
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure

Alexander Gelman
Paul Houzé
Jim Hughes
Young Kyun Kim
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling

Oleg Logvinov
Ted Olsen
Gary Robinson
Jon Walter Rosdahl
Mike Seavey
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Catherine Berger
IEEE Standards Program Manager, Document Development

Matthew J. Ceglia
IEEE Client Services Manager, Professional Services

Introduction

This introduction is not part of IEEE Std 1377-2012, IEEE Standard for Utility Industry Metering Communication Protocol Application Layer (End Device Data Tables).

The body of this standard was developed jointly with ANSI C12.19 and MC12.19. The joint agreement calls for the standards and regulatory organizations IEEE, ANSI, and MC to maintain the body of this standard in step and congruent as they publish versions and revisions of the standard. A number of editorial errors and error of omission were discovered since the publication of ANSI C12.19-2008, just before the acceptance of IEEE Std 1377-2012. These errors are listed in Annex N, “(normative) Listing of editorial errors and errors of omission in ANSI C12.19-2008”. All reported errors were identified in the body of this standard and highlighted to indicate that the text was in error and was corrected. Errors of omission were corrected in the body of this document and similarly highlighted. Other minor editorial changes have been made to this standard, but they have not been highlighted.

The second version of this standard was developed under the auspices of the secretariat of ANSI ASC 12 SC17 WG2. For that reason, the document contains references to ANSI standards, which in a number of them are cross published by the IEEE. These standard references can be interchangeably replaced with the corresponding IEEE standards (or MC reference numbers) as follows:

ANSI Standard	IEEE Standard	MC Reference
ANSI C12.18	IEEE Std 1701™	MC12.18
ANSI C12.19	IEEE Std 1377™	MC12.19
ANSI C12.21	IEEE Std 1702™	MC12.21
ANSI C12.22	IEEE Std 1703™	MC12.22

All communications to Measurement Canada (MC) in regard to MC referenced Standard should be directed to:

Measurement Canada
Standards Building #1
151 Tunney's Pasture Driveway
Ottawa, ON K1A 0C9 Canada

IEEE Std 1377-2012 provides a common data structure for use in transferring data to and from utility End Devices, typically meters. It has been approved after considerable cooperative effort among utilities, meter manufacturers, automated meter reading service companies, ANSI, Measurement Canada (for Industry Canada), NEMA, IEEE, Utilimetrics, and other interested parties.

The standard data structure is defined as sets of tables. The tables are grouped together into sections called decades. Each decade pertains to a particular feature-set and related function such as Time-of-use, Load Profile, and so on. Table data is transferred from or to the End Device by reading from or writing to a particular table or portion of a table. Specific actions may be requested to be executed by the End Device through Procedure invocations.

The second release of the standard represents a philosophical departure from the first release in 1997. This release of the standard is intended to accommodate the concept of an advanced metering infrastructure such as that identified

by the Office of Electricity Delivery and Energy Reliability of the U.S. Department of Energy; the Smart Metering Initiative of the Ontario Ministry of Energy (Canada); and the stated requirements of Measurement Canada for the approval of a metering device for use in Canada.

This standard covers a broader range of functionality relative to its previous version; however, it does not follow that implementations of this broader range of functionality need to be large or complex. Implementers are encouraged to choose an appropriate subset that is suitable for their needs. Therefore, it is very unlikely for any one End Device to embed all tables or even the majority of the tables described herein. Implementers are encouraged to deploy their desired functionalities using complete and consistent suites of standard tables from standard decades to the largest extent practical.

Readers who are acquainted with IEEE Std 1377-1997 will discover that the new version contains many changes. The changes may be categorized as follows:

- Additions of new features or new functionality through the introduction of new tables, decades, or syntax.
- Extensions or improvements to preexisting functionality in support of contemporary and anticipated industry needs.
- Corrections of errors and provision of clarifications that address known deficiencies and documentation of the accepted or anticipated industry practice.
- Introduction of XML-based table description language (TDL/EDL) and documentation of services supporting the needs expressed by initiatives such as Smart Metering, Advanced Metering Infrastructure, and the like.
- Removal of features that were found undesirable.
- Provision of guidelines for implementers of this standard and developers of future versions of the standard on backward compatibility and planned phase-out of obsolete features.

Some of the many new features introduced in this revision of the standard include:

- Addition of new data types in support of high-precision sub-second time stamps, such as HTIME_DATE and HTIME.
- Creation of new syntax for the aggregation of transmitted characters into strings, STRING.
- Creation of new syntax for the aggregation of transmitted Octets into opaque blobs, BINARY.
- Addition of new Decade 9, Telephone tables. This Decade imports and supersedes the tables and syntax defined in ANSI C12.21/MC12.21/IEEE 1702.
- Creation of new Decade 11, Load Control and Pricing Tables. This Decade provides for demand-side management capabilities, including load control, demand response, prepayment, and direct customer billing functions.
- Creation of Decade 14, Extended User-defined Tables. This Decade provides capability for transmitting and receiving a contiguous stream of element and subelement data. The data are referenced methodically to the legitimate and formal IEEE 1377 data element.
- Creation of Decade 15, Quality-of-service Tables. This Decade provides control, capture, and logging of high-precision Quality-of-service performance indicators, such as power quality, and the inclusion of detailed waveforms, power spectra, and related information.
- Creation of Decade 16, One-way Devices Tables. This Decade provides control and management tables in support of one-way (talk-only) End Devices.

Some extensions or improvements to preexisting functionality include:

- Table 0, General Configuration Table, retains its original form and it is backward compatible with IEEE Std 1377-1997. However, a few notable control elements were modified:
 - 1) Extended CHAR_FORMAT to support UTF-8.
 - 2) Replaced MANUFACTURER element with DEVICE_CLASS element to facilitate a more dynamic End Device data model recognition.
 - 3) Extended TM_FORMAT in support of high-precision, sub-second, time stamps.
- Changed all data source selections in all tables (e.g., Table 22) from UINT8 to SOURCE_SELECT_RCD. This form is backward and forward compatible with IEEE Std 1377-1997 when MODEL_SELECT is 0.
- Table 3, End Device Mode Status Table, incorporates the changes proposed in ANSI C12.21/MC12.21/IEEE 1702.
- Table 7, Procedure Initiate Table, and Table 8, Procedure Response Table, were updated and extended to provide procedures in support of new functionality that is needed by:
 - 1) Decade 7, History and Event Log Tables.
 - 2) Decade 9, Telephone Control Tables.
 - 3) Decade 11, Load Control and Pricing Tables.
 - 4) Decade 12, Network Control Tables.
 - 5) Decade 15 Quality-of-service Tables.
- Table 12, Unit of Measure Entry table, was expanded with new Units of Measure (UOMs).
- Table 17, Transformer Loss Compensation, was added to Decade 1.
- Extended the event log tables to provide a new capability to manage and detect program changes through the life of the End Device.
- Extended the event log tables to provide a new capability to manage, authenticate, and verify the integrity of data read from an End Device service point by any receiving client application that may reside across any communication system.
- Extended the table type that can be transmitted to include up to 2040 Extended-user-defined tables via TABLE_IDA_BFLD. Also introduced a new Decade 14, Extended User-defined Tables, to manage the collation of table elements, down to the bit level, into extended-user-defined tables.

Corrections of errors and clarifications include:

- Section 7.0, Compliance, was updated to reduce variations in the implementation of the standard.
- Section 8.0, Table Transportation Issues, was updated to include the “Errata to ANSI Standard C12.19-1997, Utility Industry Data Tables” published in 2001. It also was updated to harmonize this standard with ANSI C12.18/MC12.18/IEEE 1701, ANSI C12.21/MC12.21/IEEE 1702, and ANSI C12.22/MC12.22/IEEE 1703.
- Table 7, Procedure Initiate Table, and Table 8, Procedure Response Table, indices calculations were completely rewritten to eliminate a fatal error in the production of unique indices for procedure parameters when using index/count access methods.

Removal of features that were considered undesirable:

- Section 5.0, Syntax, no longer supports two-dimensional arrays. Appropriate corrections were applied wherever this syntax was used. This does not impact the offset/count data access methods.

The reader is encouraged to review the descriptive text as it brings significant clarifications and examples of use where appropriate.

Contents

1	Overview	1
1.1	Scope	1
1.2	Purpose	1
2	Normative references	2
3	Definitions	4
4	General	13
4.1	Standard Tables	13
4.2	Manufacturer Tables	15
4.3	Packed Record, Bit Field, and Element properties	17
4.4	Extended User-defined Tables properties	17
5	Syntax	18
5.1	Descriptive syntax	18
6	Special data types	19
6.1	Character set selection	19
6.2	Noninteger formats	19
6.3	Date and time formats	21
6.4	Common table or procedure identifier formats	29
7	Compliance and compatibility	33
7.1	Compliance	33
7.2	Backward and forward compatibility	34
8	Table transportation issues	35
8.1	Minimum services and parameters	35
8.2	Pending Event description	40
8.3	List management description	44
9	Tables	46
9.1	Decade 0: General Configuration Tables	46
9.2	Decade 1: Data Source Tables	98
9.3	Decade 2: Register Tables	126
9.4	Decade 3: Local Display Tables	141
9.5	Decade 4: Security Tables	150
9.6	Decade 5: Time and Time-of-Use Tables	160
9.7	Decade 6: Load Profile Tables	181
9.8	Decade 7: History Log and Event Log Tables	210
9.9	Decade 8: User-defined Tables	238
9.10	Decade 9: Telephone Control Tables	252
9.11	Decade 10: Unassigned	273
9.12	Decade 11: Load Control and Pricing Tables	274
9.13	Decade 12: Reserved	295
9.14	Decade 13: Reserved	295
9.15	Decade 14: Extended User-defined Tables	296
9.16	Decade 15: Quality-of-service	308
9.17	Decade 16: One-way Devices	357

Annex A	(informative) Reserved Device Classes for meter equipment manufacturers implementing ANSI C12.19-1997 devices.....	372
Annex B	(normative) History and event log codes.....	373
Annex C	(normative) Default Sets for Decade Tables.....	383
Annex D	(normative) Indices for partial table read/write access.....	389
Annex E	(informative) Event Logger implementation.....	391
Annex F	(informative) Transformer losses compensation.....	394
Annex G	(normative) Document-form descriptive syntax.....	397
Annex H	(informative) Date-time elements conversion algorithm (TM_FORMAT=3 and TM_FORMAT=4).....	433
Annex I	(normative) XML file format of TDL and EDL files.....	435
Annex J	(normative) Universal Identifier.....	511
Annex K	(informative) Algorithms for the conversion of Table Element values to engineering units.....	512
Annex L	(informative) Registering or updating DEVICE CLASS OID.....	522
Annex M	(informative) Bibliography.....	540
Annex N	(normative) Listing of editorial errors and errors of omission in ANSI C12.19-2008.....	541

IEEE Standard for Utility Industry Metering Communication Protocol Application Layer (End Device Data Tables)

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1 Overview

1.1 Scope

This standard defines a Table structure for utility application data to be passed between an End Device and any other device. It neither defines device design criteria nor specifies the language or protocol used to transport that data. The Tables defined in this standard represent a data structure that shall be used to transport the data, not necessarily the data storage format used inside the End Device.

1.2 Purpose

The Utility Industry has a need for a standard that provides an interoperable “plug-and-play” environment for field metering devices. The purpose of this standard is to define the framework and data structures for transporting Utility End Device data to and from End Devices and for use by enterprise systems.

This standard is intended to accommodate the concept of an advanced metering infrastructure such as that identified by the Office of Electricity Delivery and Energy Reliability of the U.S. Department of Energy; the Smart Metering Initiative of the Ontario Ministry of Energy (Canada); and the stated requirements of Measurement Canada for the approval of a metering device for use in Canada.

This standard is to provide a uniform, structured, and adaptive data model, such that Utility End Devices and ancillary devices (e.g., home appliances and communication technology) can operate in a “plug-and-play” and multisource enterprise **Advanced Metering Infrastructure (AMI)** environment.

This standard extends the definitions provided by IEEE Std 1377-1997 to include provisions for enterprise-level asset management, data management, and uniform data exchange capability, through the use of common and managed **Extensible Markup Language (XML)/Table Definition Language (TDL) and XML/Exchange Data Language (EDL)** End Device Class models.