



IEEE Standard for A Smart Transducer Interface for Sensors and Actuators— Transducers to Radio Frequency Identification (RFID) Systems Communication Protocols and Transducer Electronic Data Sheet Formats

IEEE Instrumentation and Measurement Society

Sponsored by the
TC9 Sensor Technology (IM/ST) Committee

IEEE
3 Park Avenue
New York, NY 10016-5997, USA

26 June 2010

IEEE Std 1451.7™-2010

Currently in preview, click buy full version

IEEE Standard for Smart Transducer Interface for Sensors and Actuators— Transducers to Radio Frequency Identification (RFID) Systems Communication Protocols and Transducer Electronic Data Sheet Formats

Sponsor

TC9 Sensor Technology (IM/ST) Committee

of the

IEEE Instrumentation and Measurement Society

Approved 25 March 2010

IEEE-SA Standards Board

Abstract: Data formats designed to facilitate communications between radio frequency identification (RFID) systems and smart RFID tags with integral transducers (sensors and actuators) are introduced in this standard. New transducer electronic data sheet (TEDS) formats for smart RFID tags, based on the IEEE 1451 family of standards, are defined. Also, a comprehensive command set for smart RFID tags is defined.

Keywords: network capable application processor (NCAP), radio frequency identification (RFID) tag, sensor command, sensor integration, sensor interface, sensor standard, smart RFID tags, transducer electronic data sheet (TEDS), transducer interface module (TIM)

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 26 June 2010. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, incorporated.

PDF: ISBN 978-0-7381-6245-4 STD96058
Print: ISBN 978-0-7381-6246-1 STDPD96058

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretation is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretation, should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1451.7-2010, IEEE Standard for Smart Transducer Interface for Sensors and Actuators—Transducers to Radio Frequency Identification (RFID) Systems Communication Protocols and Transducer Electronic Data Sheet Formats.

This standard describes communication methods and data formats, and it provides a transducer electronic data sheet (TEDS) for sensors working in cooperation with radio frequency identification (RFID) systems. This document does not outline, recommend, or prescribe any specific air-interface protocol. This document is intended to be air-interface agnostic.

This standard is the seventh member of the IEEE 1451 family of standards. In the IEEE 1451 family, transducers (sensors or actuators) are connected to a transducer interface module (TIM), which is connected to a network capable application processor (NCAP) to allow network access of transducer data. IEEE Std 1451.0™-2007 [B1]^a defined a set of common functionality, commands, and TEDS for the family of IEEE 1451 smart transducer standards. IEEE Std 1451.1™-1999 [B2] defined a smart transducer object model and communication methods to facilitate the access of smart transducer in a network. IEEE Std 1451.2™-1997 [B3] defined serial interfaces for connecting transducer modules to a network processor. IEEE Std 1451.3 [B4] defined a transducer interface for distributed multidrop systems. IEEE Std 1451.4™-2004 [B5] defined a mixed-mode transducer interface that allows the transfer of digital transducer electronic data sheet and analog sensor signals on the same wires. IEEE Std 1451.5™-2007 [B6] defined a wireless communication interface for connecting transducers using various wireless communication protocols.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private use. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

^aThe numbers in brackets correspond to those of the bibliography in Annex F.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was completed, the Sensor and RFID Integration (IM/ST/RFID) Working Group had the following membership:

Curtis L. Rozeboom, *Chair*
Kang Lee, *Vice Chair*

Paul Chartier
Farron Dacus
Randy Drago

Steve Fick
Craig K. Harmon
Bill Hoffman

Dan Kimball
Alfonso Rodriguez-Herrera
Darold Wobschall

The following members of the balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Royce Beacom
Martin J. Bishop
Keith Chow
Ryon Coleman
Thomas Dineen
Carlo Donati
Randy Drago
David Droste
Lee Eccles
Sergiu Goma
Randall Groves
Werner Hoelzl
Piotr Karocki

James Kemerling
Chad Kiger
Jeremy Landt
Kang Lee
G. Luri
Gary Michel
Jeffrey Moore
Jay Nemeth-Johannes
Michael S. Newman
Ulrich Pohl
Josef Preishuber-Pfluegl
Robert Robinson
Alfonso Rodriguez

Curtis L. Rozeboom
Bartien Salgado
James S. Smith
Matthew Smith
Joseph Stanco
René Struik
Walter Struppler
Mark Sturza
David Tepen
Jonathan Tucker
Stephen Webb
Oren Yuen
Janusz Zalewski

When the IEEE-SA Standards Board approved this amendment on 25 March 2010, it had the following membership:

Robert M. Grow, *Chair*
Richard H. Hulett, *Vice Chair*
Steve M. Mills, *Past Chair*
Judith Gorman, *Secretary*

Karen Bartleson
Victor Berman
Ted Burse
Clint Chaplin
Andy Drozd
Alexander Gelman
Jim Hughes

Young Kyun Kim
Joseph L. Koepfinger*
John Kulick
David J. Law
Hung Ling
Oleg Logvinov
Ted Olsen

Ronald C. Petersen
Thomas Prevost
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Curtis Siller
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Kathryn Bennett
IEEE Standards Program Manager, Technical Program Development

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations	2
3.1 Definitions	2
3.2 Acronyms and abbreviations	2
3.3 Conformance	3
3.4 Word usage.....	3
4. Transducer and RFID system interface specification	4
5. Air interface applicability [RFID and real-time locating system (RTLS)].....	5
6. Sensor security and data structures.....	6
6.1 Overview	6
6.2 Sensor security system basic operation.....	6
6.3 Sensor identifier.....	9
6.4 Sensor characteristics TEDS (Type 1).....	10
6.5 Sample and Configuration Record.....	23
6.6 Event Administration Record	31
6.7 Event records	34
7. Command overview.....	36
7.1 Read-Sensor-Identifier.....	39
7.2 Read-Primary-Characteristics—TEDS.....	40
7.3 Write-Sample-and-Configuration	41
7.4 Read-Sample-and-Configuration.....	43
7.5 Read-Alarm-Status	45
7.6 Read-Single-Memory-Record.....	46
7.7 Read-Event-Administration-Record	48
7.8 Read-Event-Record-Segments.....	51
7.9 Read-Partial-Event-Record-Segment.....	53
7.10 Write-Event-Administration-Field-7	54
7.11 Read-Any-Field.....	56
7.12 Erase-Event-Administration Record.....	57
7.13 Erase-Event-Records	58
7.14 Erase-Sample-and-Configuration Record	60
7.15 Begin-End-Mission.....	61
7.16 Challenge.....	63
7.17 Reader-Authenticate	65
7.18 ReadWriteLock-Keys	68
7.19 Request-RN	70
7.20 Encryption-ON-OFF	71
7.21 Close-Secure-Session	73
8. RFID communications.....	75
8.1 Support for commands.....	75
8.2 Addressing and subaddressing of sensors.....	75

Annex A (normative) Sensor types	77
Annex B (normative) Extension codes	78
Annex C (informative) Physical interfaces.....	79
Annex D (informative) Integration of IEEE 1451.7 transducers with other IEEE 1451 devices	81
Annex E (informative) Sensor authentication and encryption.....	83
Annex F (informative) Bibliography	86

IEEE Standard for Smart Transducer Interface for Sensors and Actuators— Transducers to Radio Frequency Identification (RFID) Systems Communication Protocols and Transducer Electronic Data Sheet Formats

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard defines data formats to facilitate communications between radio frequency identification (RFID) systems and smart RFID tags with integral transducers (sensors and actuators). The standard defines new transducer electronic data sheet (TEDS) formats based on the IEEE 1451 family of standards. This standard also defines a command structure and specifies the communication methods with which the command structure is designed to be compatible.