

IEEE Recommended Practice for the Selection, Field Testing, and Life Expectancy of Molded-Case Circuit Breakers for Industrial Applications

IEEE Industry Applications Society

Sponsored by the
Petroleum and Chemical Industry Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1458™-2017
(Revision of
IEEE Std 1458-2005)

IEEE Recommended Practice for the Selection, Field Testing, and Life Expectancy of Molded-Case Circuit Breakers for Industrial Applications

Sponsor

**Petroleum and Chemical Industry Committee
of the
IEEE Industry Applications Society**

Approved 28 September 2017

IEEE-SA Standards Board

Abstract: A recommended procedure for the selection, application, and determination of the remaining life in molded-case circuit breaker is provided.

Keywords: available fault values, circuit breaker testing, IEEE 1458, insulated-case circuit breakers, molded-case circuit breakers, molded-case circuit breakers basics, molded-case circuit breakers life, safety

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2018 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 2 February 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-4268-8 STD22745
Print: ISBN 978-1-5044-4269-5 STDPD22745

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, conferences, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Explore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE recommended practice was completed, the IEEE 1458 Recommended Practice for the Selection, Field Testing, and Life Expectancy of Molded-Case Circuit Breakers for Industrial Applications Working Group had the following membership:

Gary L. Donner, *Chair*
Jeremy D. Smith, *Vice Chair*
Jessica J. Maldonado, *Secretary*

Steven Dittmann
Paul Dobrowsky
David Durocher
Timothy Gauthier
John Hempstead
Ed Larsen

Cuong Le
Kevin Lippert
Daleep Mohla
Dennis K. Neitzel
Tom Papallo
Christopher Pavese

Rahul Rajvanshi
Kenneth Rempe
Vincent Saporita
Todd Sauve
Arthur J. Smith III
Marcelo E. Valdes

The following members of the balloting committee voted on this recommended practice. Balloters may have voted for approval, disapproval, or abstention.

Dwight Alexander
Robert Arno
Thomas Bishop
Chris Brooks
Bill Brown
Demetrio Bucaneg Jr.
Edward Byaliy
Paul Cardinal
Michael Chirico
Daryld Crow
Glenn Davis
Davide De Luca
Paul Dobrowsky
Gary L. Donner
Neal Dowling
Robert Durham
Keith Flowers
Timothy Gauthier
Lou Grahor
J. Travis Griffith
Randall Groves

Paul Guidry
John Hempstead
Lee Herron
Scott Hietpas
Werner Hoelzl
Richard Holub
Yuri Khersonsky
Royce King
Jim Kulchisky
Mikhail Lagoda
James Lagree
Ed Lorenz
Steven Maggio
Kevin Lippert
William Lockley
Jessica J. Maldonado
Hugo Marroquin
John Mcalhaney Jr.
William McBride
Daleep Mohla
Paul Myers
Warren Naylor

Daniel Neeser
Dennis Neitzel
Arthur Neubauer
Lorraine Padden
Thomas Papallo
Antony Parsons
Christopher Petrola
Iulian Profir
Kenneth Rempe
Ryandi Ryandi
Vincent Saporita
Todd Sauve
Bartien Sayogo
Xu She
Arthur J. Smith III
Jeremy D. Smith
Jerry Smith
Wayne Stec
Gregory Steinman
Marcelo E. Valdes
Kenneth White

When the IEEE-SA Standards Board approved this recommended practice on 28 September 2017, it had the following membership:

John Kulick, *Chair*
David J. Law, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Peter Balma
Farooq Bari
Ted Burse
Stephen Dukes
Jean-Philippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Koepfinger*
Oleg Logvinov
Ron Petersen

Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 1458-2017, IEEE Recommended Practice for the Selection, Field Testing, and Life Expectancy of Molded-Case Circuit Breakers for Industrial Applications.

This recommended practice provides in one document the information necessary to select, apply, and estimate the remaining life of molded-case circuit breakers. This standard is intended to be used by para-professionals and is not a high-level engineering document.

The 2017 revision of this document includes several additions from the original 2005 publication, including:

- Inspection and testing procedures for insulated-case circuit breakers
- Guidelines on re-use of low-voltage circuit breakers
- Application of molded-case breakers on dc power systems
- Application of molded-case breakers on ac power systems with frequencies above 60 Hz
- Fault characteristics of static converters and the impact on circuit breaker interruption rating

Contents

1. Overview.....	14
1.1 Scope.....	14
1.2 Purpose.....	14
1.3 The installation code in the United States is the National Electrical Code® (NEC®).....	14
2. Normative references	15
3. Molded-case circuit breaker basics	15
3.1 Overview.....	15
3.2 Introduction.....	15
3.3 Circuit breakers in general.....	16
3.4 Circuit breaker standards.....	17
3.5 Contacts open and close.....	17
3.6 Means to open and close contacts.....	17
3.7 Means to extinguish an arc	18
3.8 Means to respond to overcurrents/commands.....	20
3.9 Method for enclosing circuit breaker components.....	21
3.10 Method for mounting circuit breaker.....	22
3.11 Molded-case circuit breaker components	24
3.12 Thermal conditions.....	25
3.13 Short-circuit conditions.....	26
3.14 Ground fault conditions.....	26
3.15 Types of trip units	27
3.16 Circuit breaker selectivity.....	31
4. Molded-case circuit breaker safety considerations.....	33
5. Selection of molded-case circuit breakers	33
5.1 Introductions	33
5.2 Standard rated molded-case circuit breakers.....	34
5.3 100-percent rated molded-case circuit breakers	35
5.4 Voltage rating selection.....	35
5.5 Current ratings.....	36
5.6 Current rating selection	37
5.7 Selection of circuit breaker current rating.....	38
5.8 Interrupting rating.....	39
6. Estimated available fault current at transformer secondary.....	40
7. Simplified method to calculate available fault current at transformer secondary	41
7.1 Introduction	41
7.2 Method 1: Simple approximation	42
7.3 Method 2: Accounting for cable between transformer and molded-case circuit breaker	44
8. Procedures for field testing and determining the remaining life of molded-case circuit breakers.....	49
8.1 Introduction.....	49
8.2 Rated current hold in test.....	56
8.3 Exposed face and lug temperature check	56
8.4 Mechanical operation tests	57
8.5 Insulation resistance test.....	57
8.6 Individual pole resistance test (millivolt drop)	58
8.7 Inverse-time overcurrent trip test.....	59
8.8 Instantaneous overcurrent trip test.....	62

8.9	Accessory devices.....	63
8.10	Electronic trip unit check.....	64
8.11	Electronic trip unit secondary injection test.....	64
8.12	ICCB inspection and test procedures.....	65
Annex A (Informative) Guidelines on re-use of low-voltage circuit breakers		67
Annex B (Informative) Molded-case circuit breakers for dc voltage and frequencies above 60 Hz		69
Annex C (Informative) Static converter feeder circuit breaker applications.....		80
Annex D (Informative) Bibliography		87

List of Figures

Figure 1—A broad range of circuit breakers.....	16
Figure 2—Arc extinguishers	20
Figure 3—Trip unit.....	21
Figure 4—Molded insulating material type.....	22
Figure 5—Fixed mounted	23
Figure 6—Removable	23
Figure 7—Drawout mounted.....	24
Figure 8—Cut-away view of molded-case circuit breaker	25
Figure 9—Overload time-current curves.....	26
Figure 10—Short-circuit time-current curves	26
Figure 11—Thermal trip portion	28
Figure 12—Typical time-current curve for a 100 A thermal element of a breaker	28
Figure 13—Magnetic trip portion	29
Figure 14—Magnetic time-current curves	29
Figure 15—Putting it all together	30
Figure 16—Circuit breaker selectivity	32
Figure 17—The effect of ambient temperature on the continuous current-carrying ability of a 25 °C rated molded-case circuit breaker.....	36
Figure 18—Molded-case circuit breaker with a cracked and burned case	51
Figure 19—Molded-case circuit breaker with a cracked and burned case	51
Figure 20—Molded-case circuit breaker showing overheating	51
Figure 21—Molded-case circuit breaker with a blistered case	52
Figure 22—Molded-case circuit breaker with melted and burned arc chute vents	52
Figure 23—Molded-case breaker that has been damaged by burned leads.....	53
Figure 24—Molded-case circuit breaker with a broken operating handle	53
Figure 25—Modified circuit breaker.....	54
Figure 26—A circuit breaker that was submerged under water	54
Figure 27—Results of water infiltration into enclosure.....	55
Figure 28—Improper wire connections.....	55
Figure 29—Improperly sealed enclosure	55

Figure 30—Typical time-current curve for a 15 A to 150 A molded-case thermal-magnetic circuit breaker (a 100 A breaker curve is shown)	60
Figure 31—Typical time-current curve for an adjusted trip, 400 A to 1000 A molded-case circuit breaker with an electronic trip unit	61
Figure B.1—Direct current and voltage	69
Figure B.2—Alternating current and voltage	70
Figure B.3—Typical dc connection arrangements	71
Figure B.4—Typical examples of arc runner assembly	72
Figure B.5—Typical reverse loop contact design	72
Figure B.6—Typical slot motor	73
Figure B.7—Typical system time constant	74
Figure B.8—Typical dc time constant definition	74
Figure B.9—Typical magnetic trip characteristic shift when applied in dc systems	76
Figure B.10—Typical examples of mix-use with ac and dc systems	77
Figure B.11—Typical thermal derating curve used on 400 Hz systems	78
Figure B.12—Various frequencies—typical magnetic trip multiplier	78
Figure C.1—Controlled rectifier	81
Figure C.2—Non-controlled rectifier	81
Figure C.3—Single diode failure in a diode front end (DFE)	83
Figure C.4—Initial fault current path for diode I_a failure	84
Figure C.5—Arc-back short circuit	85

List of Tables

Table 1—Wire and cable size by ampere rating ^a	34
Table 2—Three-phase transformers—208 V ac secondary	40
Table 3—Three-phase transformers—480 V ac secondary	41
Table 4—Three-phase transformers—600 V ac secondary	41
Table 5—Instantaneous trip tolerances for field testing of circuit breakers	63

IEEE Recommended Practice for the Selection, Field Testing, and Life Expectancy of Molded-Case Circuit Breakers for Industrial Applications

1. Overview

1.1 Scope

This document provides a recommended practice for the selection, application, and determination of the remaining life in molded-case circuit breakers used in industrial applications.

1.2 Purpose

Molded-case circuit breakers are one of the most widely used circuit protection devices in low-voltage (less than 1000 V [ac], 1500 V [dc]) applications. In spite of their wide use in industry, the average person specifying, installing, operating, and maintaining these devices has less than a complete understanding of them. The purpose of this document is to provide people who purchase or maintain molded-case circuit breakers with a single document that includes the following information:

- How molded-case circuit breakers operate
- How to correctly size and select molded-case circuit breakers
- How to safely maintain molded-case circuit breakers
- How to determine when a molded-case circuit breaker must be replaced

1.3 The installation code in the United States is the National Electrical Code® (NEC®)

For simplicity this recommended practice will refer to requirements in the NEC.^{1,2}

¹The NEC is published by the National Fire Protection Association (<http://www.nfpa.org/>). Copies are also available from The Institute of Electrical and Electronics Engineers (<http://standards.ieee.org/>).

²National Electrical Code, NEC, and NFPA 70 are registered trademarks of the National Fire Protection Association.