

IEEE Guide for Selection and Application of Terminations for Shielded AC Power Cable Rated 5 kV to 46 kV

IEEE Power and Energy Society

Developed by the
Insulated Conductors Committee

IEEE Std 1637™ 2020
(Revision of
IEEE Std 1637-2010)

Currently in preview, click buy full version

IEEE Guide for Selection and Application of Terminations for Shielded AC Power Cable Rated 5 kV to 46 kV

Developed by the

**Insulated Conductors Committee
of the
IEEE Power and Energy Society**

Approved 24 September 2020

IEEE SA Standards Board

Currently in preview, click buy full version

Abstract: A step-by-step process for selecting an appropriate termination that is commensurate with a particular shielded power cable design is provided in this guide. Over the years, shielded power cables have been developed that employ many different insulating materials and many different shielding systems, such that, there are numerous issues to consider when selecting a termination for a particular cable design. Over the same period of time, many different termination methods and designs have been developed that serve the same purpose, but employ different application methodologies. No attempt is made in this guide to cover every cable and termination design, and it is generally restricted to single conductor underground residential distribution (URD) and shielded power cable that have a voltage rating from 5 kV to 46 kV, which includes some industrial cables. By nature, the terminations referred to in this guide are considered to be “live front,” in that the terminations comprise a transition from a shielded power cable system to an energized component or bus that is either bare or simply covered.

Keywords: IEEE 1637™, power cable, shielded, termination

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2021 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 5 February 2021. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Safety Code and NESC are both registered trademarks and service marks of The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-7110-7 STD24435
Print: ISBN 978-1-5044-7111-4 STDPD24435

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PURCHASE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include being used, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Currently in preview, click buy full versi

Participants

At the time this IEEE guide was completed, the B10W Working Group had the following membership:

William Taylor, *Chair*
Ankur Gupta, *Vice Chair*

Brian Ayers
Gary Betts
Thomas Campbell

David Crotty
Mike Dyer
David Hughes
Mike Jackson

Vinod Lad
Glenn Luzzi
Aaron Norris

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

John Ainscough
Saleman Alibhay
Thomas Barnes
Earle Bascom III
Manfred Bawart
Kenneth Bow
Kent Brown
William Byrd
Thomas Campbell
John Cancelosi
Yunxiang Chen
Robert Christman
Randy Clelland
David Crotty
Gary Donner
Donald Dunn
Todd Goyette
Steven Graham

Lee Herron
Lauri Hiivala
Werner Hoelzl
Boris Kogan
Jim Kulchisky
Mikhail Lagoda
Chung-Yiu Lam
Glenn Luzzi
Arturo Maldonado
William McBride
Rachel Mosier
Arthur Neubauer
Aaron Norris
Lorraine Padden
Bansi Patel
Howard Penrose
Christopher Piccola

Allan Powers
Benjamin Quirk
Ion Radu
Eric Rasch
Laksman Raut
Johannes Rickmann
Steven Sayogo
P. Sivaraman
Jerry Smith
John Smith III
Gary Smullin
Paul Sullivan
David Tepen
Nijam Uddin
John Vergis
Lanyi Wang
Jared Weitzel
Kenneth White

When the IEEE SA Standards Board approved this guide on 24 September 2020, it had the following membership:

Gary Hoffman, *Chair*
Jon Walter Rosdahl, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burs
Doug Edwards
J. Travis Griffith
Trace Gu
Guido R. Hiertz
Joseph L. Koepfinger*

David J. Law
Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel
Dorothy Stanley

Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 1637-2020, IEEE Guide for Selection and Application of Terminations for Shielded AC Power Cable Rated 5 kV to 46 kV.

This guide was developed within the IEEE Insulated Conductors Committee of the Power and Energy Society as an introduction to the process of selecting and applying the appropriate termination for application on a particular cable design and within a particular environment. This guide is intended as an introduction to the selection process.

In its current form, this guide is general in nature and provides only a broad overview. Many factors can influence the selection and application of a particular termination for any given application, including user personal preferences. This guide is not intended to be exhaustive in covering the considerations necessary in making a termination selection. Consequently, the user should consult the expertise of knowledgeable individuals before making final choices.

Contents

1. Overview	11
1.1 Scope	11
1.2 Purpose	11
1.3 General	11
1.4 Word usage	11
2 Normative references	12
3 Definitions	12
4 Termination	13
4.1 Termination theory	13
4.2 Parts of termination	16
5 Mounting	20
5.1 General	20
5.2 Riser pole mounting	21
5.3 Structure mounting	21
5.4 Enclosures	22
5.5 Mechanical stresses	22
6 Operating environment	24
6.1 General	24
6.2 Indoor terminators	24
6.3 Outdoor terminations	25
6.4 Highly contaminated areas	25
7 Sizing	27
8 Cable preparation	27
9 Grounding	28
9.1 General	28
9.2 Shield type	28
9.3 Fault current	28
9.4 Special features	28
10 Termination types	29
10.1 General	29
10.2 Hand-taped terminations	29
10.3 Cold-shrink terminations	30
10.4 Porcelain terminations	30
10.5 Hot-shrink terminations	30
10.6 Force fit slip-on molded termination	31
10.7 Termination materials	32
10.8 Plenum-rated cable (PILC) selection considerations	33
11 Summary of selecting a termination	33
12 General information on terminations	34
12.1 Hydrophobicity	34
12.2 Silicone discoloration in terminations	34
12.3 Sealing of outer housing	35
12.4 Cable training and support	35

12.5	Cleaning and maintenance of terminations	36
12.6	Effect of altitude on dielectric strength	38
12.7	Wildlife mitigation.....	38
12.8	Wind and ice loading	38
12.9	Transient overvoltage performance	38
12.10	Shelf life and storage	39
12.11	Mounting orientation (inverted)	39
12.12	Clearance.....	39
Annex A (informative) Hydrophobicity		43
Annex B (informative) Conductor and shield terminations with zero sequence current transformer (CT) ...		48
Annex C (informative) Bibliography		52

IEEE Guide for Selection and Application of Terminations for Shielded AC Power Cable Rated 5 kV to 46 kV

1. Overview

1.1 Scope

This guide discusses the reasons why a termination is necessary on a shielded power cable. Included is a short tutorial on termination theory, a general discussion of design and materials, a selection flow chart, and an application spacing guide.

1.2 Purpose

The purpose of this project is to guide the reader in selecting and applying terminations for shielded-power cables rated 5 kV to 46 kV.

1.3 General

This guide provides the reader with guidance in selecting and applying terminations for shielded-power cables rated 5 kV to 46 kV.

1.4 Word usage

The word *shall* indicates mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (*shall* equals *is required to*).^{1, 2}

The word *should* indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required (*should* equals *is recommended that*).

The word *may* is used to indicate a course of action permissible within the limits of the standard (*may* equals *is permitted to*).

The word *can* is used for statements of possibility and capability, whether material, physical, or causal (*can* equals *is able to*).

¹The use of the word *must* is deprecated and shall not be used when stating mandatory requirements; *must* is used only to describe unavoidable situations.

²The use of *will* is deprecated and shall not be used when stating mandatory requirements; *will* is only used in statements of fact.