

IEEE Standard for Discovery, Authentication, and Authorization in Host Attachments of Storage Devices

IEEE Computer Society

Sponsored by the
Information Assurance Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1667™-2015
(Revision of
IEEE Std 1667-2009)

IEEE Std 1667™-2015

(Revision of
IEEE Std 1667-2009)

IEEE Standard for Discovery, Authentication, and Authorization in Host Attachments of Storage Devices

Sponsor

**Information Assurance Committee
of the
IEEE Computer Society**

Approved 3 September 2015
IEEE-SA Standards Board

Abstract: Discovery, authentication, and authorization protocols between hosts and storage devices over multiple transports are defined in this standard. It specifies a new Silo Type Identifier (STID) allocation process that uses the IEEE Registration Authority.

Keywords: authentication, authorization, CF, compactflash, discovery, EMMC, IEEE 1667™, password silo, probe silo, SAS, SATA, SCSI, SCTS, security, SILO, smart card transport silo, STID, storage, TCG storage transport silo, transport independent, trusted computing group, UAS, UFS, USB BOT, USB

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 22 January 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Inc.

CF+ and CompactFlash are trademarks of the CompactFlash Association.

Mac is a registered trademark in the U.S. Patent & Trademark Office, owned by Apple Incorporated.

Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Intel is a registered trademark of Intel Corporation in the U.S. and/or other countries.

Palm OS is a registered trademark in the U.S. Patent & Trademark Office, owned by Palm Trademark Holding Company, LLC.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Ltd.

Print: ISBN 978-0-7381-9869-9 STD20339
PDF: ISBN 978-0-7381-9870-5 STDPD20339

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/expel/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IOWA's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

The following is a list of participants in the IEEE 1667 Working Group.

Curtis Stevens, *Chair*
Jim Hatfield, *Vice Chair and Editor*
John Goldman, *Secretary*
Patrick Hery, *Treasurer*

David Abzarian
Daniele Balluchi
Kiran Bangalore
Leonid Baryudin
Bart Bombay
James Borden
Gary Calder
Jason Cambria
Jorge Campello
Laurent Castillo
Joseph Chen
Dan Colegrove
Jason Cox
Mike Danielson
Boris Dolgunov
Tom Friend
Michael George
Daniel Goodman
Bill Grace

Cyril Guyot
Aidan Herbert
Michael James
Greg Kazmierczak
Dave Landsman
Kelin Lee
Duoying Liu
Leo Liu
Jean Lusetti
Grigory Lyakhovitskiy
Dale McNamara
Tim Markey
Gary Moorehead
Jack Nagle
Dmitry Obukhov
Steve Olsson
Hiromichi Oribe
Teruki Orihashi

Lei Poo
Lee Prewitt
Donald Rich
Marco Sanvido
Avraham Shimor
Yoni Shternhell
Heng Tang
Jon Tanguy
Bob Thibadeau
Victor Tsai
Mike Tsang
Raj Vallyappan
Ben Vail
Yun Wang
Jim Warino
Ralph Weber
Michael Willett
Danny Ybarra
Jing Zhu

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Cadence Design Systems, Inc.
Dell
EDF
Marvell Semiconductor, Inc.
Micron Technology, Inc.

Microsoft Corporation
Nokia
Panasonic Electronics Corp.
PMC-Sierra, Inc.
SanDisk Corporation
Seagate Technology LLC

Synopsys, Inc.
TOSHIBA Corporation
ULINK Technology, Inc.
Western Digital
Corporation

When the IEEE-SA Standards Board approved this standard on 3 September 2015, it had the following membership:

John D. Kulick, *Chair*
Jon Walter Rosdahl, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Jean-Philippe Faure
J. Travis Griffith
Gary Hoffman
Michael Janezic

Joseph L. Koepfinger*
David J. Law
Hung Ling
Andrew Myles
T. W. Olsen
Glenn Parsons
Ronald C. Petersen
Annette D. Reilly

Stephen J. Shellhammer
Adrian P. Stephens
Yatin Trivedi
Phillip Winston
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 1667™-2015, IEEE Standard for Discovery, Authentication, and Authorization in Host Attachments of Storage Devices.

The following are included in this document:

- Front matter
- 12 clauses
- 11 annexes

This is the third published version of IEEE Std 1667, as follows:

- IEEE Std 1667-2006 (superseded by IEEE Std 1667-2009)
- IEEE Std 1667-2009 (superseded by IEEE Std 1667-2015)
- IEEE Std 1667-2015

This standard provides the following:

- Device-type independent protocol for discovering and using multiple interfaces
- Support for multiple applications (silos)
- A mechanism and ground rules for externally defined functional modules

Principal changes from IEEE Std 1667-2009 are as follows:

- Support for the Password, Smart Card Transport, and JTAG Storage Transport silos
- Obsoleted support for the Certificate Authentication Silo
- Additional Probe Silo functionality
- General clarifications
- Support for interface transports: Serial ATA, USB BOT, UAS, CompactFlash, eMMC, and UFS.

Contents

1.	Overview.....	1
1.1	Scope.....	1
1.2	Purpose.....	1
1.3	Conventions.....	1
2.	Normative references.....	8
3.	Definitions.....	10
4.	Special terms, acronyms, and abbreviations.....	11
4.1	Special terms.....	11
4.2	Acronyms and abbreviations.....	15
5.	Model.....	16
5.1	How to use this standard.....	16
5.2	Stack.....	17
5.3	Silo Type Identifier (STID).....	18
5.4	Silo interactions.....	19
5.5	Provisioning.....	20
5.6	Authentication.....	20
5.7	Authorization.....	20
6.	Host requirements.....	22
6.1	Overview.....	22
6.2	Host requirements for the Probe Silo.....	22
6.3	Host requirements for the Password Silo.....	22
6.4	Host requirements for the Smart Card Transport Silo.....	22
6.5	Host requirements for the TCG Storage Transport Silo.....	22
7.	Addressable Command Target requirements.....	23
7.1	General ACT requirements.....	23
7.2	IEEE 1667 Resets.....	23
8.	Status Codes.....	25
8.1	Common Status Codes.....	25
8.2	Success.....	26
8.3	Failure.....	26
8.4	Invalid Parameter Combination.....	26
8.5	Invalid Parameter Length.....	26
8.6	Inconsistent Payload Content Length.....	26
8.7	Invalid Silo.....	26
8.8	Incomplete Command Received.....	26
8.9	Invalid Parameter.....	26
8.10	No Probe.....	26
8.11	Silo Interactions Error.....	27
8.12	P_OUT/P_IN Sequence Rejection.....	27
8.13	Invalid Command ID.....	27

9.	Password Silo.....	28
	9.1 Overview.....	28
	9.2 Model.....	28
	9.3 Status Codes.....	52
	9.4 IEEE 1667 Reset responses.....	57
	9.5 Commands.....	57
10.	Probe Silo.....	75
	10.1 Overview.....	75
	10.2 Model.....	75
	10.3 Status Codes.....	76
	10.4 IEEE 1667 Reset responses.....	76
	10.5 Commands.....	76
11.	Smart Card Transport Silo.....	78
	11.1 Overview.....	78
	11.2 Model.....	78
	11.3 Status Codes.....	81
	11.4 IEEE 1667 Reset responses.....	81
	11.5 Commands.....	86
12.	TCG Storage Transport Silo.....	88
	12.1 Overview.....	88
	12.2 Model.....	88
	12.3 Status Codes.....	90
	12.4 IEEE 1667 Reset responses.....	91
	12.5 Commands.....	91
	Annex A (informative) Bibliography.....	94
	Annex B (normative) IEEE 1667 over SCSI and ATA devices.....	95
	Annex C (normative) SAS transport.....	173
	Annex D (normative) ATA transport.....	177
	Annex E (normative) USB BOT transport.....	181
	Annex F (normative) USB UASP transport.....	185
	Annex G (normative) CompactFlash transport.....	190
	Annex H (normative) e•MMC transport.....	191
	Annex I (normative) UFS transport.....	195
	Annex J (informative) SCTS usage notes and examples of exchanges.....	199
	Annex K (informative) TCG Storage Transport Silo examples.....	208

List of tables

Table 1—HEX ASCII conversion	3
Table 2—Acronyms and abbreviations	15
Table 3—Distribution of requirements in this standard	16
Table 4—STID values defined in this standard	18
Table 5—PROBE command interaction pool numbers	19
Table 6—High-level IEEE 1667 reset types	24
Table 7—Common Status Codes	25
Table 8—Password Silo commands	28
Table 9—SHA-256 digest calculation example	32
Table 10—PS commands in state B1: Not PS Blocked	40
Table 11—PS commands in state B2: User PS Blocked	42
Table 12—PS commands in state B3: Admin PS Blocked	43
Table 13—PS commands in state B4: Fully PS Blocked	44
Table 14—PS commands in state S2: Not Provisioned	46
Table 15—PS commands in state S3: Not Authorized	47
Table 16—PS commands in state S4: Authorized	49
Table 17—PS commands in state S5: Failed	49
Table 18—Variable field data format	50
Table 19— FIELD IDENTIFIER values	51
Table 20—Password Silo Status Codes	52
Table 21—Mutual authentication requirements for PS functions	57
Table 22—Reset PS Administrator Authentication Failure Count behavior	61
Table 23— PS USER AUTHENTICATION FAILURE TRACKING field values and behaviors	62
Table 24—ITMS subcommands	67
Table 25— SILO STATE field values	69
Table 26—Probe Silo commands	75
Table 27—Probe Silo Status Codes	76
Table 28—Smart Card Transport Silo commands	78
Table 29—SCTS Status Codes	81
Table 31—SCTS Explicit Reset commands	82
Table 30—Additional SCTS response for IEEE 1667 resets	82
Table 32—APDU command message format	84
Table 33—APDU response message format	85
Table 34—GET SCTS TRANSPORT MODE DESCRIPTION response parameters	86
Table 35—TCG Storage Transport Silo commands	88
Table 36—TCG Storage Transport Silo specific Status Codes	90
Table 37—TCG-SIIS error translations	91
Table 38—TCG Storage Transport Silo reset responses	91
Table B.1—P_IN/P_OUT transports	96
Table B.2—IEEE 1667 major and minor version reporting	100
Table B.3—Common IEEE 1667 Silo Status Code values	101
Table B.4—Common P_OUT payload	102
Table B.5—Common P_IN payload	103
Table B.6—Silo and transport power management interactions	104
Table B.7—Silo and transport reset interactions	105
Table B.8—Password Silo COMMAND ID field values	106
Table B.9—Password Silo Status Codes	106
Table B.10—AUTHORIZE FOR ACT ACCESS command P_OUT payload	108
Table B.11—CHANGE PASSWORD command P_OUT payload	109
Table B.12—CHANGE PASSWORD command P_IN payload	110
Table B.13—CONFIGURE PS ADMINISTRATOR command P_OUT payload	111

Table B.14—CONFIGURE PS ADMINISTRATOR command P_IN payload	112
Table B.15—CREATE PS USER command P_OUT payload.....	113
Table B.16—CREATE PS USER command P_IN payload.....	114
Table B.17—DELETE PS USER command P_OUT payload	115
Table B.18—DELETE PS USER command P_IN payload	115
Table B.19—INITIALIZE PS USER PASSWORD command P_OUT payload	116
Table B.20—INITIALIZE PS USER PASSWORD command P_IN payload	117
Table B.21—ITMS command P_OUT payload	117
Table B.22—ITMS command P_IN payload	118
Table B.23—MUTUAL AUTHENTICATION command P_OUT payload	118
Table B.24—MUTUAL AUTHENTICATION command P_IN payload	119
Table B.25—QUERY PASSWORD SILO INFORMATION command P_OUT payload	119
Table B.26—QUERY PASSWORD SILO INFORMATION command P_IN payload	120
Table B.27—REQUEST MUTUAL CHALLENGE command P_OUT payload.....	122
Table B.28—REQUEST MUTUAL CHALLENGE command P_IN payload.....	122
Table B.29—UNAUTHORIZE FOR ACT ACCESS command P_OUT payload	123
Table B.30—UNAUTHORIZE FOR ACT ACCESS command P_IN payload	123
Table B.31—Probe Silo COMMAND ID field values	124
Table B.32—Probe Silo STATUS CODE field values	124
Table B.33—CONFIGURE SILOS command P_OUT payload.....	125
Table B.34— SILO UPDATE ELEMENT FIELD	126
Table B.35—CONFIGURE SILOS command P_IN payload	127
Table B.36—PROBE command P_OUT payload.....	128
Table B.37— HOST OS field values.....	129
Table B.38— HOST OS SPEFICATION field for Microsoft Windows OS	130
Table B.39—PROBE command P_IN payload	131
Table B.40— SILO LIST ELEMENT field	132
Table B.41—SCTS COMMAND ID field values	134
Table B.42—SCTS STATUS CODE field values	134
Table B.43—SCTS Common P_IN Header for SCTS commands with variable length parameters	136
Table B.44—Command still processing P_IN payload.....	137
Table B.45—SCTS Transport Mode Identifiers.....	137
Table B.46—GET RESULTS command P_OUT payload.....	142
Table B.47—GET RESULTS command P_IN payload (SCTS Command Finished)	143
Table B.48—GET SILO CAPABILITIES command P_OUT payload	144
Table B.49—GET SILO CAPABILITIES command P_IN payload	145
Table B.50—GET SCTS TRANSPORT MODE DESCRIPTION command P_OUT payload	146
Table B.51—GET SCTS TRANSPORT MODE DESCRIPTION command P_IN payload	147
Table B.52—SCTS Transport Mode Description.....	147
Table B.53—CCID Transport Mode Description.....	148
Table B.54—ICCD Transport Mode Description.....	149
Table B.55—MESSAGE EXCHANGE command P_OUT payload	150
Table B.56—MESSAGE EXCHANGE command P_IN payload	151
Table B.57—SCTS RESET command P_OUT payload	152
Table B.58—SCTS RESET command P_IN payload	153
Table B.59—SET SCTS TRANSPORT MODE command P_OUT payload	154
Table B.60—SET SCTS TRANSPORT MODE command P_IN payload	154
Table B.61—TCG Storage Transport Silo COMMAND ID field values.....	155
Table B.62—TCG Storage Transport Silo Status Code Values	155
Table B.63—GET SILO CAPABILITIES command P_OUT payload	158
Table B.64—GET SILO CAPABILITIES command P_IN payload	159
Table B.65—GET TRANSFER RESULTS command P_OUT payload	161
Table C.66—GET TRANSFER RESULTS command P_IN payload	162
Table B.67—STACK RESET command P_OUT payload	164

Table B.68—STACK RESET command P_IN payload	164
Table B.69—TPER RESET command P_OUT payload	166
Table B.70—TPER RESET command P_IN payload	166
Table B.71—TRANSFER command P_OUT payload	168
Table B.72—TRANSFER command P_IN payload	169
Table C.1—SCSI power management transition interactions	174
Table C.2—SAS events mapped to IEEE 1667 Resets	174
Table C.3—IEEE 1667 P_IN and P_OUT CDBs.....	175
Table D.1—ATA power management transition interactions	178
Table D.2—ATA events mapped to IEEE 1667 Resets	178
Table D.3—ATA P_IN/P_OUT command	179
Table E.1—USB events mapped to IEEE 1667 Resets	182
Table E.2—IEEE 1667 P_IN and P_OUT CDBs.....	183
Table F.1—UAS events mapped to IEEE 1667 Resets	187
Table F.2—IEEE 1667 P_IN and P_OUT CDBs	188
Table H.1— <i>e</i> •MMC power management transition interactions	192
Table H.2— <i>e</i> •MMC events mapped to IEEE 1667 Resets	192
Table H.3— <i>e</i> •MMC CMD23 command block.....	193
Table H.4— <i>e</i> •MMC CMD54 and CMD53 structure.....	194
Table I.1—UFS power management transition interactions	196
Table I.2—UFS events mapped to IEEE 1667 resets	197
Table I.3—IEEE 1667 P_IN and P_OUT CDBs.....	198

List of figures

Figure 1—State diagram convention	6
Figure 2—Sequence figure notation	7
Figure 3—Example of layer relationships for IEEE 1667	17
Figure 4—IEEE 1667 ACT structure(s)	23
Figure 5—Challenge validation flow	34
Figure 6—Digest validation flow	35
Figure 7—Mutual authentication state diagram	37
Figure 8—PS Blocked state transition diagram	39
Figure 9—Password Silo authorization for media access state diagram	45
Figure 10—Examples of Smart Card Transport Silos	79
Figure 11—Examples of TCG Storage Transport Silo configurations	89
Figure B.1—P_OUT/P_IN Command pairing state diagram	98
Figure B.2—SCTS long processing commands state diagram	139
Figure J.1—Example of an SCTS CCID startup sequence	201
Figure J.2—Example of an SCTS APDU startup sequence	203
Figure J.3—Long silo commands P_OUT/P_IN flow (Host)	204
Figure J.4—GET RESULTS fragmentation scheme	205
Figure J.5—Example of a MESSAGE EXCHANGE with a long processing silo command	206
Figure K.1—Example of a typical TRANSFER and GET TRANSFER RESULTS sequence	208
Figure K.2—Example of a long-running command	210
Figure K.3—Example of a P_LENGTH shorter than available results	212
Figure K.4—Example of an error on a TRANSFER command	213

IEEE Standard for Discovery, Authentication, and Authorization in Host Attachments of Storage Devices

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard defines discovery, authentication, and authorization protocols between hosts and storage devices over multiple transports. This standard specifies a new Silo Type Identifier (STID) allocation process that uses the IEEE Registration Authority.

1.2 Purpose

This document does not contain a Purpose statement.

1.3 Conventions

1.3.1 Precedence

If a conflict arises among text, tables, or figures, the order of precedence to resolve the conflicts is first the tables, then the text, and finally the figures.

1.3.2 Keywords

1.3.2.1 may

A keyword that indicates flexibility of choice with no implied preference.