



IEEE Standard for IP-XACT, Standard Structure for Packaging, Integrating, and Reusing IP within Tool Flows

**IEEE Computer Society
and the
IEEE Standards Association Corporate Advisory Group**

Sponsored by the
Design Automation Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997, USA

18 February 2010

IEEE Std 1685™-2009

Currently in preview, click buy full version

IEEE Standard for IP-XACT, Standard Structure for Packaging, Integrating, and Reusing IP within Tool Flows

Sponsor

Design Automation Standards Committee

of the

IEEE Computer Society

and the

IEEE Standards Association Corporate Advisory Group

Approved 9 December 2009

IEEE SA-Standards Board

Grateful acknowledgment is made to The SPIRIT Consortium, Inc., for permission to use the following source material:

IP-XACT 1.2 and IP-XACT 1.5

Abstract: Conformance checks for eXtensible Markup Language (XML) data designed to describe electronic systems are formulated by this standard. The meta-data forms that are standardized include: components, systems, bus interfaces and connections, abstractions of those buses, and details of the components including address maps, register and field descriptions, and the set descriptions for use in automating design, verification, documentation, and use flows for electronic systems. A set of XML schemas of the form described by the World Wide Web Consortium (W3C®) and a set of semantic consistency rules (SCRs) are included. A generator interface that is portable across tool environments is provided. The specified combination of methodology-independent meta-data and the tool-independent mechanism for accessing that data provides for portability of design data, design methodologies, and environment implementations.

Keywords: abstraction definitions, address space specification, bus definitions, design environment, EDA, electronic design automation, electronic system level, ESL, implementation constraints, IP-XACT, register transfer level, RTL, SCRs, semantic consistency rules, TGI, tight generator interface, tool and data interoperability, use model, XML design meta-data, XML schema

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997 USA

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 18 February 2010. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

AMBA is a registered trademark of ARM Limited.

Design Compiler and VCS are registered trademarks of Synopsys, Inc.

SystemC is a registered trademark of Open SystemC Initiative, Inc. in the United States and other countries.

Verilog is a registered trademark of Cadence Design Systems, Inc. in the United States and/or other jurisdictions.

W3C is a registered trademark of the World Wide Web Consortium.

XML copy is a registered trademark of Altova GmbH in the U.S., the European Union and/or other countries.

PDF: ISBN 978-0-7381-6159-4 STD96015
Print: ISBN 978-0-7381-6160-0 STDPD96015

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. If a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretation is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1685-2009, IEEE Standard for IP-XACT, Standard Structure for Packaging, Integrating, and Reusing IP within Tool Flows.

The purpose of this standard is to provide the electronic design automation (EDA), semiconductor, electronic design intellectual property (IP) provider, and system design communities with a well-defined and unified specification for the meta-data that represents the components and designs within an electronic system. The goal of this specification is to enable delivery of compatible IP descriptions from multiple IP vendors; better enable importing and exporting complex IP bundles to, from, and between EDA tools for system on chip (SoC) design environments (DEs); better express configurable IP by using IP meta-data; and better enable provision of EDA vendor-neutral IP creation and configuration scripts (*generators*). The data and data access specification is designed to coexist and enhance the hardware description language (HDLs) presently used by designers while providing capabilities lacking in those languages.

The SPIRIT Consortium is a consortium of electronic system, IP provider, semiconductor, and EDA companies. IP-XACT enables a productivity boost in design, transfer, validation, documentation, and use of electronic IP and covers components, designs, interfaces, and details thereof. The data specified by IP-XACT is extensible in locations specified in the schema.

IP-XACT enables the use of a unified structure for the meta specification of a design, components, interfaces, documentation, and interconnection of components. This structure can be used as the basis of both manual and automatic methodologies. IP-XACT specifies the tight generator interface (TGI) for access to the data in a vendor-independent manner.

This standardization project provides electronic design engineers with a well-defined standard that meets their requirements in structured design and validation, and enables a step function increase in their productivity. This standardization project will also provide the EDA industry with a standard to which they can adhere and that they can support in order to deliver their solutions in this area.

The SPIRIT Consortium has prepared a set of bus and abstraction definitions for several common buses. It is expected, over time, that those standard groups and manufacturers who define buses will include IP-XACT eXtensible Markup Language (XML) bus and abstraction definitions in their set of deliverables. Until that time, and to cover existing useful buses, a set of bus and abstraction definitions for common buses has been created.

A set of reference bus and abstraction definitions allows many vendors who define IP using these buses to easily interconnect IP together. The SPIRIT Consortium posts these for use by its members, with no warranty of suitability, but in the hope that these will be useful. The SPIRIT Consortium will, from time-to-time, update these files and if a Standards body wishes to take over the work of definition, will transfer that work to that body.

These reference bus and abstraction definition templates (with comments and examples) are available from the public area of The SPIRIT Consortium Web site.^a

^aAvailable at <http://www.spiritconsortium.org>.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association website at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA website at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents or patent applications for which a license may be required to implement an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Participants

The SPIRIT Standardization Working Group is entity based. At the time this standard was submitted to the IEEE-SA Standards Board for approval, the SPIRIT Standardization Working Group had the following membership:

Greg Ehmann, *Chair*
Kathy Werner, *Vice Chair*
Joe Daniels, *Technical Editor*

Victor Berman
Dennis Brophy
Bill Chown
Gary Delp
Jean-Michel Fernandez

Mark Gogolewski
Serge Hustin
Prabhu Krishnamurthy
Stan Krolikoski

Mark Noll
John Swanson
Yatin Trivedi
Ralph von Vignau
Richard Weber

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Accellera Organization Inc.
Cadence Design Systems Inc.
Freescale Semiconductor Inc.

NXP Semiconductors
STMicroelectronics
Semifore, Inc.

The SPIRIT Consortium
Synopsys, Inc.
Texas Instruments Inc.

When the IEEE-SA Standards Board approved this standard on 9 December 2009, it had the following membership:

Robert M. Grow, *Chair*
Thomas Prevost, *Vice Chair*
Steve M. Mills, *Past Chair*
Judith Gorman, *Secretary*

John Barr
Karen Bartleson
Victor Berman
Ted Burse
Richard DeBlasio
Andy Drozd
Mark Epstein

Alexander Gelman
Jim Hughes
Richard H. Hulett
Young Kyun Kim
Joseph L. Koepfinger*
John Kulick

David J. Law
Ted Olsen
Glenn Parsons
Ronald C. Petersen
Narayanan Ramachandran
Jon Walter Rosdahl
Sam Sciacca

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Howard L. Wolfman, *TAB Representative*
Satish K. Aggarwal, *NRC Representative*
Michael Janezic, *NIST Representative*

Michelle Turner
IEEE Standards Program Manager; Document Development

Michael D. Kones
IEEE Standards Program Manager; Technical Program Development

Currently in preview, click buy full version

Contents

1.	Overview.....	1
1.1	Scope.....	1
1.2	Purpose.....	2
1.3	Design environment.....	2
1.4	IP-XACT Enabled implementations.....	6
1.5	Conventions used.....	7
1.6	Use of color in this standard.....	12
1.7	Contents of this standard.....	12
2.	Normative references.....	13
3.	Definitions, acronyms, and abbreviations.....	15
3.1	Definitions.....	15
3.2	Acronyms and abbreviations.....	21
4.	Interoperability use model.....	23
4.1	Roles and responsibilities.....	23
4.2	IP-XACT IP exchange flows.....	24
5.	Interface definition descriptions.....	27
5.1	Definition descriptions.....	27
5.2	Bus definition.....	27
5.3	Abstraction definition.....	30
5.4	Ports.....	31
5.5	Wire ports.....	32
5.6	Qualifiers.....	34
5.7	Wire port group.....	36
5.8	Wire port mode constraints.....	38
5.9	Wire port mirrored-mode constraints.....	39
5.10	Transactional ports.....	41
5.11	Transactional port group.....	43
5.12	Extending bus and abstraction definitions.....	44
5.13	Clock and reset handling.....	47
6.	Component descriptions.....	49
6.1	Component.....	49
6.2	Interfaces.....	52
6.3	Interface interconnections.....	52
6.4	Complex interface interconnections.....	54
6.5	Bus interfaces.....	56
6.6	Component channels.....	67
6.7	Address spaces.....	69
6.8	Memory maps.....	81
6.9	Remapping.....	97
6.10	Registers.....	102
6.11	Models.....	120
6.12	Component generators.....	151
6.13	File sets.....	153
6.14	Choices.....	165

6.15	White box elements	167
6.16	White box element reference	168
6.17	CPUs	170
7.	Design descriptions	171
7.1	Design	171
7.2	Design component instances.....	173
7.3	Design interconnections.....	175
7.4	Active, monitored, and monitor interfaces	176
7.5	Design ad hoc connections	178
7.6	Design hierarchical connections	180
8.	Abstractor descriptions	183
8.1	Abstractor.....	183
8.2	Abstractor interfaces	185
8.3	Abstractor models	187
8.4	Abstractor views	189
8.5	Abstractor ports.....	191
8.6	Abstractor wire ports	193
8.7	Abstractor generators	195
9.	Generator chain descriptions	199
9.1	generatorChain.....	199
9.2	generatorChainSelector.....	201
9.3	generatorChain component selector.....	202
9.4	generatorChain generator.....	203
10.	Design configuration descriptions	207
10.1	Design configuration.....	207
10.2	designConfiguration.....	207
10.3	generatorChainConfiguration	209
10.4	interconnectionConfiguration	211
11.	Addressing and data visibility.....	213
11.1	Calculating the bit address of a bit in a memory map	213
11.2	Calculating the bus address at the slave bus interface	214
11.3	Address modifications of an interconnection	214
11.4	Address modifications of a channel.....	215
11.5	Addressing in the master.....	216
11.6	Visibility of bits	216
11.7	Address translation in a bridge	218
	Annex A (informative) Bibliography.....	219
	Annex B (normative) Semantic consistency rules	221
	Annex C (normative) Common elements and concepts.....	245
	Annex D (normative) Types.....	263
	Annex E (normative) Dependency XPATH.....	267

Annex F (informative) External bus with an internal/digital interface	271
Annex G (normative) Tight generator interface.....	273
Annex H (informative) Bridges and channels.....	351

IEEE Standard for IP-XACT, Standard Structure for Packaging, Integrating, and Reusing IP within Tool Flows

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection in all circumstances. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

This clause explains the scope and purpose of this standard; gives an overview of the basic concepts, major semantic components, and conventions used in this standard; and summarizes its contents.

1.1 Scope

This standard describes an eXtensible Markup Language (XML) schema¹ for meta-data documenting *intellectual property* (IP) used in the development, implementation, and verification of electronic systems and an *application programming interface* (API) to provide tool access to the meta-data. This schema provides a standard method to document IP that is compatible with automated integration techniques. The API provides a standard method for linking tools into a *system development* framework, enabling a more flexible, optimized development environment. Tools compliant with this standard will be able to interpret, configure, integrate, and manipulate IP blocks that comply with the IP meta-data description. The standard is based on version 1.4 IP-XACT of The SPIRIT Consortium. The standard is independent of any specific design processes. It does not cover those behavioral characteristics of the IP that are not relevant to integration.

¹Information on references can be found in [Clause 2](#).