



IEEE Standard for Rechargeable Batteries for Cellular Telephones

IEEE Power Engineering Society

Sponsored by the
Stationary Batteries Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
U.S.A.

IEEE Std 1725™-2011
(Revision of
IEEE Std 1725-2006)

10 June 2011

Currently in preview, click buy full version

IEEE Standard for Rechargeable Batteries for Cellular Telephones

Sponsor

Stationary Batteries Committee
of the
IEEE Power & Energy Society

Approved 16 May 2011

IEEE-SA Standards Board

Approved 16 April 2012

American National Standards Institute

Abstract: Criteria for design analysis for qualification, quality, and reliability of rechargeable lithium ion and lithium ion polymer batteries for cellular telephone applications are established. Also included are: battery pack electrical and mechanical construction, packaging technologies, pack and cell level charge and discharge controls, and overall system considerations.

Keywords: cellular telephones, IEEE 1725, lithium ion batteries

The IEEE acknowledges and thanks Sanyo Electric Co., Ltd., for permission to reprint parts (a) and (b) of Figure 2; Sony Corporation for permission to reprint part (c) of Figure 2; Amperex Technology Limited for permission to reprint part (d) of Figure 2; Battery Association of Japan for permission to reprint Figure 3; Celgard Inc. for permission to reprint part (a) of Figure 4; Asahi Kasei Chemical Corporation for permission to reprint part (b) of Figure 4; Automobile Engineering in Japan for permission to reprint Figures E.1, E.2, and E.3.

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2011 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 10 June 2011. 2nd Printing, 12 July 2011, corrections to page ix. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-6714-5 STD97142
Print: ISBN 978-0-7381-6715-2 STDPD97142

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretation is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretation, should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1725-2011, IEEE Standard for Rechargeable Batteries for Cellular Telephones.

The Working Group was formed to provide a platform based on the experience of industry leaders in cell, battery pack, and systems management leading to design approaches for mobile phones. The focus of the standard is on design approaches for reliable operation of mobile phones and similar rechargeable battery operated systems. This standard may be relevant to other devices, but these were not expressly considered in the development of this standard.

Figure A presents the need for an approach involving all subsystems of the system, including the user and environment, to arrive at a satisfactory user experience. It is necessary to examine all design margins in combination to understand the true effect of a multiple fault response on the mobile phone. This standard addresses such questions as follows: What are the critical operational parameters, and how do these parameters change with time and environment? What are the effects of extremes in temperature, pressure, and impact? A total system view is required to protect the design margins in the various components. The goal of reliability and positive user experience requires that design margins be maintained as user patterns, profiles, and duty cycles change.




Figure A—Conceptual diagram of a mobile phone and its user (examples of functions for each subsystem component are shown)

This standard applies to all types of rechargeable lithium-ion (Li-Ion) and lithium-ion polymer (Li-Ion polymer) batteries and battery packs for use in mobile phones. This standard is limited to battery packs consisting of a single Li-Ion cell or battery packs with multiple Li-Ion cells connected in parallel. Battery packs with cells connected in series are outside the scope of this standard. Because of the nature of the interactions between the battery and the host device, a system approach must be used in developing an

appropriate operating envelope for the system. The provisions of this standard are intended to provide considerations for design analyses to minimize the occurrence of failures leading to hazards.

This standard is a *system level standard* as depicted in Figure A. Overall compliance is dependent on conformity to each and every subclause of the standard. Compliance with the standard cannot be achieved by any particular mobile phone or subsystem alone without considering the conformity of all subsystems within the system as well as the user. It is incumbent on the manufacturers/suppliers of the host device, battery pack, and cell to review, thoroughly, their designs alone and in conjunction with other subsystems to identify faults that could propagate hazards. Once it has been ascertained that the cell, battery pack, and host device all conform to all their particular subclause requirements, the overall system compliance is not complete until the manufacturer/supplier completes a thorough design analysis, for example, design failure mode and effects analysis (DFMEA), to ensure their particular design prevents hazards from occurring during intended use and reasonable and foreseeable misuse.

At the end of this standard, there are five informative annexes. Annex A summarizes tests that may be used in conjunction with design verification for reliable performance of cells, battery packs, and host devices. Annex B briefly describes the failure mode and effects analysis (FMEA) process through a series of examples. Annex C provides guidance and background information related to two-fault-tolerant system analysis. Annex D provides an option to implement validation of the requirements contained within this standard to include both product testing and process/system auditing to qualify or certify components and products for use in mobile phones. Annex E reports thermal environmental considerations encountered in automobiles. Annex F is a bibliography of references useful for understanding and implementing this standard.

The Working Group suggests that this standard be updated in two years, in view of the rapidity that new technology is introduced to the market.

CAUTION

Compliance with the provisions of this standard does not imply compliance to the regulatory requirements that are applicable to cell, battery packs, and systems. Care must be used to observe and refer to the applicable regulatory requirements, as part of the intended design analyses, for this standard does not assure protection or safety. This standard sets forth recommendations for design analyses and certain testing procedures. The level of assurance for protection and safety resulting from applying this standard depends on the implementation by the manufacturer/supplier and the actions of the end user. Compliance with the standard does not guarantee safety in all circumstance.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the Cell Phone Battery Working Group had the following membership:

Jason N. Howard, *Chair*
Lou LaMedica, *Vice Chair*

Asahi Kasei Chemicals
Corporation
AT&T
Battery Association of Japan
CTIA
Hitachi, Ltd.

Kyocera Corporation
Mobile Power Solutions
Motorola Mobility
Nokia
Panasonic Corporation
PCTEST Engineering
Laboratory, Inc.

Qualcomm Incorporated
Research In Motion Limited
Sony Corporation
Underwriters Laboratories Inc
Verizon Wireless

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Amperex Technology Limited
(ATL)
Asahi Kasei Chemicals
Corporation
AT&T
CTIA

Fulton Innovation LLC
Hitachi, Ltd.
Motorola Mobility
Nokia
Panasonic Corporation
PCTEST Engineering
Laboratory, Inc.

Qualcomm Incorporated
Research In Motion Limited
Samsung
Sony Corporation
Verizon

The Working Group gratefully acknowledges the contributions of the following organizations and participants. Without their assistance and dedication, this standard would not have been completed.

<i>Organization</i>	<i>Participant</i>
Amperex Technology Limited (ATL).....	Anthony Wong
Artin Engineering	Eddie Forouzan
Asahi Kasei Chemicals Corporation	Akira Takahashi
	Toshiyuki Furuyama
	Kentaro Sako
AT&T	Glen Scales
Battery Association of Japan	Kuniharu Iizuka
	Akio Furukawa
Bourms, Inc.	Kelly Case
Celgard.....	John Zhang
CTIA	Mark S. Green
	Eddie Forouzan
	William Lightfoot
Hitachi, Ltd.	Hirotaka Shima
	Miroyuki Omoto
	Hirokazu Nomura
	Hiroyuki Yumiba
	Ismat Jahan
IQ Laboratories	Masayoshi Nakajima
Kyocera Corporation	Koichi Takahashi
	C. K. Li
Mobile Power Solutions.....	Andrew Tipton
Morlab	YanJun Hau
Motorola Mobility.....	Jason Howard
	John Copeland
	Wayne Penney
	Yogesh Vasudev
	Carl Seaburg
Motorola Solutions	Christopher Paul
Nokia	Frank Borngräber
	Mary Mhlanga
Panasonic Corporation	Charles Monahan
	Takehiro Ito
Sanyo	Toru Amazutsumi
	Kazuyuki Kawakami
	Tomohito Okamoto
PCTEST Engineering Laboratory, Inc.....	Jae Sik Chung
	James Park
	Randy Ortanez
	Steven Coston
Qualcomm	Thomas Guminski
	Gordon P. Lee
	Jim Tomcik
Research In Motion Limited.....	Wenhua (William) Liu
	Shawn LiTingTun
	Jonathan Brubacher
Samsung.....	Min Kim
	Derek Dao
SGS	Jody Leber
	Terence Hsieh
Sony	Koji Sekai
Sony Ericsson	Steven Coston
Underwriters Laboratories Inc.	Laurie Florence
	Thomas Skowern
Verizon Wireless.....	Louis LaMedica
	George Zysman
	Mitch Reidinger
	Ilias Zervou

When the IEEE-SA Standards Board approved this standard on 16 May 2011, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert M. Grow, *Past Chair*
Judith Gorman, *Secretary*

Masayuki Ariyoshi
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure
Alexander Gelman
Paul Houzé

Jim Hughes
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling
Oleg Logvinov
Ted Olsen

Gary Robinson
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Curtis Siller
Phil Winston
Howard L. Wolfman
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Soo H. Kim
IEEE Standards Program Manager, Technical Program Development

Noelle D. Humenick
IEEE Standards Senior Manager, Professional Services

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
1.3 Introduction	1
2. Normative references.....	2
3. Definitions.....	3
3.1 Special terms.....	6
4. System integration considerations	6
4.1 Introduction	6
4.2 Subsystem requirements	8
4.3 Additional subsystem standards	8
5. Cell considerations	8
5.1 Introduction	8
5.2 Design process.....	9
5.3 General manufacturing considerations	14
5.4 Cell core assembly.....	16
5.5 Assembly precautions.....	17
5.6 Critical testing practices	19
6. Battery pack considerations	21
6.1 Introduction	21
6.2 Marking the battery pack	21
6.3 Battery pack considerations.....	22
6.4 External short-circuit considerations	23
6.5 Thermal protection	23
6.6 Overcharge considerations.....	24
6.7 Overdischarge considerations.....	25
6.8 Overcurrent considerations.....	25
6.9 Mechanical considerations.....	25
6.10 Connector/terminal considerations	27
6.11 Assembly considerations	27
6.12 Pack component care	28
6.13 Considerations for cells connected in parallel to form a battery pack	29
6.14 Critical testing practices	29
7. Host device considerations	31
7.1 Introduction	31
7.2 DC input voltage and current to the host device.....	32
7.3 Charging subsystem considerations	33
7.4 Multi-pack systems.....	34
7.5 Electrostatic discharge.....	35
7.6 Temperature specification	35
7.7 Battery pack qualification.....	35
7.8 Electrical and mechanical connections between host and battery.....	35
7.9 Critical testing practices	37

8. Adapter considerations	37
8.1 Introduction	37
8.2 Adapter requirements	37
8.3 Charger considerations ac/dc charger, dc/dc charger (provides charge control directly to battery) ..	40
8.4 Critical testing practices	40
9. Total system reliability considerations	40
9.1 Introduction	40
9.2 User interactions and responsibilities	41
9.3 User alerts	42
9.4 Recommended communication to user	42
9.5 Marking and labeling.....	42
10. System security considerations.....	42
10.1 Introduction	42
10.2 Method of authentication	42
10.3 Purpose of authentication	43
10.4 Supply chain security.....	43
11. Validation	44
11.1 Introduction	44
11.2 Method.....	44
11.3 Design requirements	45
11.4 Quality system requirements	45
11.5 Process capability and process control requirements.....	45
Annex A (informative) Test methods for design verification.....	47
Annex B (informative) Failure mode and effects analysis techniques	60
Annex C (informative) System analysis considering two faults.....	62
Annex D (informative) Compliance validation process example.....	67
Annex E (informative) Environmental considerations	74
Annex F (informative) Bibliography	76

IEEE Standard for Rechargeable Batteries for Cellular Telephones

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard establishes criteria for design analysis for qualification, quality, and reliability of rechargeable lithium-ion (Li-Ion) and lithium-ion polymer (Li-Ion polymer) batteries for cellular telephone applications. Also included in the standard are: battery pack electrical and mechanical construction, packaging technologies, and pack and cell level charge and discharge controls and overall system considerations.

1.2 Purpose

The purpose of this standard is to ensure reliable user experience and operation of cell phone batteries. The battery and cellular telephone industries need standardized criteria for design and qualification of rechargeable battery systems and for verifying the quality and reliability of those batteries.

1.3 Introduction

This standard guides manufacturers/suppliers in planning and implementing the controls for the design and manufacture of Li-Ion and Li-Ion polymer rechargeable battery packs used for mobile phones.