

IEEE Recommended Practice for Overvoltage and Insulation Coordination of Transmission Systems at 1000 kV AC and Above

IEEE-SA Board of Governors and IEEE Power and Energy Society

Sponsored by the
Corporate Advisory Group
IEEE Substations Committee
IEEE Switchgear Committee
IEEE Transformers Committee

Currently in preview, click buy full version

IEEE Recommended Practice for Overvoltage and Insulation Coordination of Transmission Systems at 1000 kV AC and Above

Sponsor

Corporate Advisory Group
of the
IEEE Board of Governors
and
IEEE Substations Committee
IEEE Switchgear Committee
IEEE Transformers Committee
of the
IEEE Power and Energy Society

Approved 15 May 2014

IEEE-SA Standards Board

Abstract: The procedure for selection of insulation levels of UHV ac transmission lines and substations are specified. Also specified are reliability criterion under switching overvoltage and lightning overvoltage. Calculation methods of insulation coordination design are suggested. According to the characteristics of UHV ac systems, overvoltage mitigation measures are recommended. Some examples of insulation coordination are presented.

Keywords: atmospheric correction factor, basic lightning impulse insulation level (BIL), basic switching impulse insulation level (BSL), clearance, crest value, ground fault factor, IEEE 1862™, insulation coordination, insulation design, overvoltage, phase-to-ground insulation configuration, phase-to-phase insulation configuration, protective margin, protective ratio, shielding failures, standard withstand voltages, ultra-high voltage (UHV), voltage stresses

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2014 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 18 July 2014. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Safety Code and NESC are both registered trademarks and service marks of The Institute of Electrical and Electronics Engineers, Inc.

The NESC is available from The Institute of Electrical and Electronics Engineers at <http://standards.ieee.org/>.

PDF: ISBN 978-0-7381-9157-7 STD98683
Print: ISBN 978-0-7381-9158-4 STDPD98683

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory, not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comment or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standards are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE recommended practice was completed, the third sub-working group of the Ultra-High Voltage Working Group had the following membership:

Weijiang Chen, *Chair*
Dong Ge, *Secretary*

Raj Ahuja
Hans Candia
Xiujuan Chen
Min Dai
Yujian Ding
Shuchun Du
Denis Dufournet
Ken Edwards
Francois Gallon
Dingxie Gu
Hiroyuki Hama

Bin Han
Huiwen He
Yoshihiro Ishizaki
Hiroki Ito
Hermann Koch
Edelhard Kynast
Guofu Li
Liuling Li
Jiming Lin
Makoto Miyashita

Masatomo Ono
Yukiyasu Shirasaka
Kyoichi Uehara
Xiaogang Wang
Zutao Xiang
Xinzhe Yu
Cuixia Zhang
Liuchun Zhang
Yuanyuan Zhang
Jun Zhou
Peihong Zhou

The following entities submitted technical contributions or commented on the draft standard at various stages of the project development.

Alstom Grid
Bonneville Power Administration
Electric Power Research Institute, Inc. (EPRI)
Hitachi, Ltd.
Japan AE Power Systems Corporation
Mitsubishi Electric Corporation

Quanta Technology, LLC
Siemens Corporation
State Grid Corporation of China (SGCC)
Toshiba Corporation
Waukesha Electric Systems, Inc.

The following members of the entity balloting committee voted on this recommended practice. Balloters may have voted for approval, disapproval or abstention.

ABB, Inc.
Alstom
BII Group Holdings Ltd
Bonneville Power
Administration
China Datang Corporation

Electric Power Research
Institute, Inc. (EPRI)
Marvell Semiconductor, Inc.
Mitsubishi Electric Corporation
Quanta Technology, LLC

Siemens Corporation
Southwest Jiaotong University
State Grid Corporation of China
(SGCC)
Toshiba Corporation
Waukesha Electric Systems, Inc.

When the IEEE-SA Standards Board approved this recommended practice on 15 May 2014, it had the following membership:

John Kulick, *Chair*
Jon Walter Rosdahl, *Vice-chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Peter Balma
Farooq Bari
Ted Burse
Clint Chaplain
Stephen Dukes
Jean-Philippe Faure
Gary Hoffman

Michael Janezic
Jeffrey Katz
Joseph L. Koepfinger*
David Law
Hung Ling
Oleg Logvinov
Ted Olsen
Glenn Parsons

Ron Peterson
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Don Wright
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE-SA Content Publishing

Soo H. Kim
IEEE-SA Standards Technical Community

Introduction

This introduction is not part of IEEE Std 1862-2014, IEEE Recommended Practice for Overvoltage and Insulation Coordination of Transmission Systems at 1000 kV AC and Above.

In order to resolve the prominent problem of the inverse distribution between energy resources and power demands, the ultra-high voltage (UHV) ac transmission, which is advantaged over long distance and large capacity, is required.

There are specifics on overvoltage and insulation coordination of UHV ac systems, such as switching overvoltages (SOV), very fast front overvoltage (VFFO), lightning overvoltage, etc. Time-to-crest of SOV on UHV lines is much longer than that of standard switching impulse (SI). For air clearance of UHV transmission lines, the switching impulse flashover voltage is non-linearly related to the distance of the clearance. Flashover voltage presents its saturation feature as clearance increase. In order to improve the economy of an UHV transmission line, air clearance test data of longer time-to-crest SI can be used for insulation coordination. In UHV ac systems, the ratio of the basic lightning impulse insulation level (BIL) to the system voltage is lower than that of EHV system, so VFFO may become the main electric stress to be limited. Since UHV towers are higher than EHV ones, lightning overvoltage in UHV systems needs special attention.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations	2
3.1 Definitions	2
3.2 Acronyms and abbreviations	3
4. Overvoltage and mitigation measures	3
4.1 Temporary overvoltages	4
4.2 Switching overvoltages.....	5
4.3 Lightning overvoltages	7
4.4 Very fast front overvoltages (VFFO).....	8
5. Insulation strength	9
6. Performance reliability criterion.....	9
7. Insulation coordination design.....	10
7.1 Design procedures for continuous power frequency voltage and temporary overvoltages.....	10
7.2 Design procedures for switching overvoltages	12
7.3 Design procedures for lightning overvoltages	13
7.4 Design procedures for very fast front overvoltages	14
7.5 Final selection.....	15
Annex A (informative) Examples of insulation coordination design	17
A.1 The 1000 kV Changzhi (Jindongnan)-Nanyang-Jingmen demonstration project in China	17
A.2 1100 kV project in Japan [B8], [B10].....	26
Annex B (informative) Altitude correction for flashover voltage or withstand voltage of clearances	30
B.1 General.....	30
Annex C (informative) The flashover voltage test results for air clearances of UHV ac system	32
C.1 Test results for air clearances of single-circuit line towers	32
C.2 Test results for air clearances of double-circuit line tower	37
C.3 Test results for air clearances in substations	44
Annex D (informative) Dimensioning of contamination for external insulations	50
D.1 Contamination withstand method	50
D.2 Specific creepage distance method	53
Annex E (informative) Bibliography.....	54

IEEE Recommended Practice for Overvoltage and Insulation Coordination of Transmission Systems at 1000 kV AC and Above

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This recommended practice applies to transmission system at 1000 kV ac and above. It defines standard insulation levels and specifies procedures for selecting insulation levels of ac transmission lines and substations. It also specifies reliability criteria under switching and lightning overvoltages. Suggestions on insulation coordination design are described. Overvoltage mitigation measures are recommended according to the characteristics of such ac systems. Some examples of insulation coordination are also presented.

1.2 Purpose

Ultra-high voltage (UHV) ac power transmission system is an effective approach to achieve efficient allocation of energy resources utilizing the advantages of large capacity with long distance, and low loss. Some countries have already carried out research on UHV technologies, and several UHV ac projects have been constructed and put into operation. This recommended practice is formulated specifically for the design and application of insulation coordination for transmission systems at 1000 kV ac and above.