

IEEE Standard for Ubiquitous Green Community Control Network Protocol

IEEE-SA Board of Governors

Sponsored by the
Corporate Advisory Group

IEEE
3 Park Avenue
New York, NY 10016-5997
U.S.A.

IEEE Std 1888™-2011

13 April 2011

Currently in preview, click buy full version

IEEE Standard for Ubiquitous Green Community Control Network Protocol

Sponsor

Corporate Advisory Group
of the
IEEE-SA Board of Governors

Approved 2 February 2011

IEEE-SA Standards Board

Approved 28 June 2011

American National Standards Institute

Abstract: The standard describes remote control architecture of digital community, intelligent building groups, and digital metropolitan networks; specifies interactive data format between devices and systems; and gives a standardized generalization of equipment, data communication interface, and interactive message in this digital community network. The digital community remote control network opens interfaces for public administration, public service, property management service, and individual service, which enables intelligent interconnection, collaboration service, remote surveillance, and central management to be feasible.

Keywords: access interface, actuator, application (APP), communication protocol, component, data structure, energy management, energy saving, facility networking, gateway (GW), IEEE 1888, point, registry, remote control, sensor, SOAP, storage

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA
Copyright © 2011 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 13 April 2011. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

W3C is a registered trademark of the World Wide Web Consortium; marks of W3C are registered and held by its host institutions MIT, ERCIM, and Keio.

PDF: ISBN 978-0-7381-6553-0 **STD97078**
Print: ISBN 978-0-7381-6554-7 **STDPD97078**

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1888-2011, IEEE Standard for Ubiquitous Green Community Control Network Protocol.

This standard describes a remote control architecture of digital community, intelligent building groups, and digital metropolitan networks; specifies interactive data format between devices and systems; and gives a standardized generalization of equipment, data communication interface, and interactive message in this digital community network. The digital community remote control network opens interfaces for public administration, public service, property management service, and individual service, which enables intelligent interconnection, collaboration service, remote surveillance, and central management to be feasible.

Facility networking in buildings, houses, and factories is now considered to be a promising tool for energy-management or energy-saving, and networking of facilities with TCP/IP protocols has certainly enabled building-scale or city-wide energy management. However, most of the systems are proprietarily and independently developed, deployed, and operated, which made the installation and running costs quite high.

Traditionally, in order to extend access reachability to sensors and actuators at field bus level via the Internet, gateway design has been introduced. However, recent applications of facility networking for such scales are required beyond just a simple access to devices. In most of the practical implementation, they have (1) a large storage to archive the history of sensor readings, (2) user interface for interactive operation, (3) reporting systems, and (4) data analyzer.

Collaboration of these system components is mandatory, especially in energy-aware facility networking. However, they cannot simply collaborate or interoperate with each other without unpreferred analysis, integration, and operation of systems, because these system components have been independently developed and proprietarily integrated.

Interoperability of these system components by a common communication protocol certainly increases the efficiency of facility networking deployment. It reduces the cost of system integration and interoperability management, allowing installation of them in small- and medium-sized buildings and even houses. For vendors, their developed components can be sold worldwide without any customized implementation, sometimes resulting in mass production with a reasonable cost.

Targeting at building-scale and city-wide energy management, the IEEE P1888 working group initiates the project named Ubiquitous Green Community Control Network (UGCCNet), which specifies remote control architecture of facility networking. The scope and purpose of this project is to establish facility networking infrastructure over the Internet by specifying an interoperable communication protocol among the common (building-scale) facility networking components (i.e., device access gateways, data storages, and application units). This standard specifies UGCCNet in order to allow interoperability and open development of those facility networking components. First, the standard generalizes all the facility networking components by a simple component model. Then, the standard defines communication protocol among them. The standard also introduces registry mechanism to support autonomous collaboration of these components.

It is a communication infrastructure that aims to construct a new network for the renewal of the facilities, next generation's facility management, and the energy conservation including small- and medium-sized facilities. The aspect is expanded from a past facility management to the operation management that targets energy conservation and the integration of the management platform, monitoring and controlling by using an open and common protocol. This infrastructure will be used for some system-level collaborations in addition to the energy conservation.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the UGCCNet Working Group had the following membership:

Beijing Jiaotong University
Beijing University of Posts and
Telecommunications

BII Group Holdings Ltd.
China Telecommunications
Corporation

Intel Corporation
Tsinghua University
The University of Tokyo

The P1888 Working Group gratefully acknowledges the contributions of the following participants. Without their assistance and dedication, this standard would not have been completed.

Dong Liu, Chair

Chen Gu
Deyun Gao
Guoquan Tan
Hideya Ochiai
Hiroshi Esaki
Hongke Zhang
Huiling Zhao

Jun Zhang
Keiichi Hirose
Masahiro Isiyama
Ming Fei
Momonori Toyoshi
Ning Gou
Noriki Fujiwara

Qianchuan Zhao
Rixin Bu
Wenjie Li
Xiaohong Huang
Yan Ma
Yoshiaki Fukami
Zhisheng Niu

The following members of the ballot committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Beijing Jiaotong University
Beijing University of Posts and
Telecommunications

BII Group Holdings
China Telecom
LSI Corporation

Nokia State Grid Corp. of China
Tsinghua University
The University of Tokyo

When the IEEE-SA Standards Board approved this standard on 2 February 2011, it had the following membership:

Robert M. Grow, Chair
Richard H. Hulett, Vice Chair
Steve M. Mills, Past Chair
Judith Gorman, Secretary

Karen Bartleson
Victor Berman
Ted Burse
Clint Chaplin
Andy Drozd
Alexander Gelman
Jim Hughes

Young Kyun Kim
Joseph L. Koepfinger*
John Kulick
David J. Law
Hung Ling
Oleg Logvinov
Ted Olsen

Ronald C. Petersen
Thomas Prevost
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Curtis Siller
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons.

Satish Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Bill Ash
IEEE Standards Program Manager, Technical Program Development

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions, abbreviations, and acronyms	2
3.1 Definitions	2
3.2 Abbreviations and acronyms used in this standard.....	3
4. Architecture	4
4.1 UGCCNet networking architecture	4
4.2 Typical sequence	5
4.3 Concerns of UGCCNet network design.....	6
4.4 System model and deployment	7
4.5 Point.....	9
5. Common communication protocol	10
5.1 General	10
5.2 Component-to-component communication protocol	11
5.3 Component-to-registry communication protocol.....	14
6. Application programming interfaces (APIs).....	15
6.1 General	15
6.2 Transport data structure	16
6.3 Component access interface	17
6.4 Registry access interface.....	20
7. Data and query model.....	23
7.1 General	23
7.2 Point management with PointSet tree.....	24
7.3 Query model for PointSet tree	25
8. Data structure	26
8.1 General	26
8.2 Naming rules between object-class names and XML-element names.....	26
8.3 Data structure for component-to-component communication protocol	26
8.4 Data structure for component-to-registry communication protocol.....	34
9. Protocol binding	41
10. Security considerations.....	41
Annex A (informative) A typical sequence of UGCCNet communication	42
Annex B (informative) A typical facility networking system implementation.....	45
Annex C (informative) Tutorial of query and data method	47

IEEE Standard for Ubiquitous Green Community Control Network Protocol

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

The standard describes a remote control architecture of digital community, intelligent building groups, and digital metropolitan networks; specifies interactive data formats between devices and systems; and gives a standardized definition of equipment, service services, signals, and interactive messages in this digital community network.

The digital community remote control network opens application interfaces for public administration, public services, property management services, and individual service services, which enables intelligent interconnection, collaboration service, remote surveillance, and central management to be feasible. Surveillance networks, consumer electronics, remote service systems, public administration systems, security linkage systems, and emergency reaction systems will be integrated into the community network seamlessly.

Based on TCP/IP open systems, the network architecture adopts active and emerging technologies, supporting diverse access technologies in the physical layer, supporting IPv4/v6 in the network layer, and integrating well with the next generation converged networks.