

IEEE Standard for Medium Frequency (less than 12 MHz) Power Line Communications for Smart Grid Applications

IEEE Communications Society

Sponsored by the
Power Line Communication Standards Committee

IEEE Standard for Medium Frequency (less than 12 MHz) Power Line Communications for Smart Grid Applications

Sponsor

**Power Line Communication Standards Committee
of the
IEEE Communications Society**

Approved 7 May 2018

IEEE-Standards Board

Currently in preview, click buy full version

Abstract: Physical (PHY) and media access control (MAC) layers of the medium frequency band (less than 12 MHz) broadband power line communication technology for smart grid applications (SGPLC) based on orthogonal frequency division multiplexing (OFDM) are specified in this standard. The necessary security requirements that assure communication privacy and allow use for mission critical and security sensitive services and applications are addressed in this standard. The coexistence with other technologies based on IEEE Std 1901™-2010 also are addressed. The approach that is geared towards achieving an extended communication range with medium speeds in comparison with the existing power line communication technologies operating in similar frequency bands is defined in this standard.

Keywords: BPL, broadband power line, coexistence, FFT, IEEE 1901™, IEEE 1901.1™, IEEE 1901.2™, MAC, medium frequency, OFDM, orthogonal frequency division multiplexing, PHY, PLC, power line communication, security, smart grid

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2018 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 14 May 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-4820-8 STD23080
Print: ISBN 978-1-5044-4821-5 STDPD23080

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, conferences, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 U.S.A.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. A current IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Explore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the IEEE P1901.1 Working Group had the following membership:

Oleg Logvinov, *Chair*

Scott Willy, *Vice Chair*

Liheng Chen
Peijin Cong
Shuo Dai
Wei Dai
Xu Dechao
Haitao Dong
Lingqiang Fan
Wei Gao
Pan Guo
Yue Han
Dai Hongguang
Zhang Hongxing
Jianqiang Hou
Xudong Hou
Jeng-Shiann Jiang
Li JianQi
Xin Jin
Zou Keshu
Ferris Lee
Xiuyan Li

Jiaofeng Li
Chunyan Li
Xiangru Lin
Li-Cheng Lin
Qingyang Liu
Dan Liu
Lei Liu
Yixuan Lv
Eugen Mayer
MengHsin Ou
Bingbing Peng
Tomasz Piasecki
Yi Qu
Davide Righini
Markus Rindchen
David Ruiz
Garba Sanusi
Ernst Siegler
Kuichao Song
Yu Sun
Andrea Tonello

Harris Tzou
Xiaohui Wang
Xueliang Wang
Jing Xiangkun
Hu Xiaojing
Shuang Xiong
Guan Yan
Sunny Yang
Bucai Ye
Wu Yifan
Xu Yonghui
Hui Yu
Zhongyong Zhang
Nauhan Ahmad Zaffar
Hongxing Zhang
Hailong Zhang
Bo Zhao
Ming Zhao
Yunlong Zhong
Jia Zhou

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

James D. Allen
Niranth Amogh
Demetrio Bucaneg Jr.
William Byrd
Xin Chang
De Chen
Shan Chen
Peijin Cong
Shuo Dai
Wei Dai
Lingqiang Fan
Randall Groves
Pan Guo
Yue Han

Werner Hoelzl
Noriyuki Ikeuchi
Li Jiaofeng
Xiangkun Jing
Thomas Kurihara
Benjamin Lanz
Ferris Lee
Xiuyan Li
Dan Liu
Qingyang Liu
Xiaohui Liu
Oleg Logvinov
Yixuan Lv
Eugen Mayer
Tomasz Piasecki

Markus Rindchen
Charles Rogers
Benjamin Rolfe
Daniel Sabin
Yu Sun
Jun Wang
Xueliang Wang
Lisa Ward
Scott Willy
Yifan Wu
Hongxing Zhang
Bo Zhao
Yunlong Zhong
Jia Zhou

When the IEEE-Standards Board approved this standard on 11 May 2018, it had the following membership:

Jean-Philippe Faure, *Chair*
Gary Hoffman, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Guido R. Hiertz
Christel Hunter
Joseph L. Koepfinger*
Thomas Koshy
Hung Ling
Dong Liu

Xiaohui Liu
Kevin Lu
Daleep Mohla
Andrew Myles
Paul Nikolich
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Mehmet Ulema
Phil Wennblom
Philip Winston
Howard Wolfman
Jingyi Zhou

*Member Emeritus

Currently in preview, click buy full version

Introduction

This introduction is not part of IEEE Std 1901.1-2018, IEEE Standard for Medium Frequency (less than 12 MHz) Power Line Communications for Smart Grid Applications.

This standard specifies physical (PHY) and media access control (MAC) layers of the medium frequency band (less than 12 MHz) broadband power line communication technology for smart grid applications (SGPLC) based on orthogonal frequency division multiplexing (OFDM). The standard addresses the necessary security requirements that assure communication privacy and allow use for mission critical and security sensitive services and applications. It also addresses the coexistence with other technologies based on IEEE Std 1901™. This standard also defines the approach that is geared towards achieving an extended communication range with medium speeds in comparison with the existing power line communication technologies operating in similar frequency bands.

Contents

| | |
|---|-----|
| 1. Scope..... | 20 |
| 2. Normative references | 20 |
| 3. Definitions, acronyms, and abbreviations | 21 |
| 3.1 Definitions..... | 21 |
| 3.2 Acronyms and abbreviations | 21 |
| 4. General description | 24 |
| 4.1 Introduction..... | 24 |
| 4.2 Device roles..... | 24 |
| 4.3 Network topology..... | 25 |
| 4.4 Reference model..... | 26 |
| 5. Network management sub-layer..... | 27 |
| 5.1 Management packet format | 27 |
| 5.2 Single network..... | 60 |
| 5.3 Multi-network | 64 |
| 5.4 Network maintenance..... | 64 |
| 6. MAC sub-layer..... | 70 |
| 6.1 Frame format..... | 70 |
| 6.2 MAC sub-layer functions | 93 |
| 7. Data link layer service..... | 112 |
| 7.1 Overview..... | 112 |
| 7.2 Data transmission service at the data link layer | 113 |
| 7.3 Data management service at the data link layer | 114 |
| 8. Physical layer | 119 |
| 8.1 General requirements and definitions | 119 |
| 8.2 Physical layer services..... | 150 |
| 9. PHY requirements..... | 153 |
| 9.1 Transmitter electrical specifications | 153 |
| 9.2 Performance requirements | 153 |
| 9.3 Amplitude map | 154 |
| 10. Security | 155 |
| 10.1 Framework | 155 |
| 10.2 Security methods | 155 |
| 10.3 Device-based security network (DSN) data confidentiality protocol..... | 155 |
| 10.4 Shared key DSNA..... | 158 |
| 10.5 Key provisioning..... | 160 |
| 10.6 Generation of AES encryption keys and nonces | 162 |
| 11. Coexistence | 162 |
| 11.1 Multi-network coexistence and coordination..... | 162 |
| 11.2 Coexistence between non-interoperable protocols | 167 |
| Annex A (informative) Whitelist management..... | 182 |
| Annex B (informative) Testing frame..... | 183 |

| | |
|--|-----|
| Annex C (informative) Bridging behavior | 184 |
| Annex D (informative) Adaptation of IPv4/IPv6..... | 185 |
| Annex E (informative) EMC mitigation toolkit..... | 188 |
| Annex F (informative) Bibliography..... | 190 |

List of Figures

| | |
|---|-----|
| Figure 1—Example of broadband carrier communication network topology | 25 |
| Figure 2—Example of a topology for multiple broadband carrier communication networks..... | 25 |
| Figure 3—Protocol stack for a broadband carrier communication network | 26 |
| Figure 4—Exchange of management packets | 63 |
| Figure 5—MMeAssocGatherInd packet | 64 |
| Figure 6—Network topology | 67 |
| Figure 7—Format of a MAC frame | 71 |
| Figure 8—Format of an MPDU..... | 74 |
| Figure 9—Single-frame transmission with no SACK frame | 79 |
| Figure 10—Single-frame transmission with a SACK frame | 79 |
| Figure 11—PB format for an MPDU..... | 83 |
| Figure 12—PB format for a beacon MPDU | 85 |
| Figure 13—Timeslot allocation..... | 93 |
| Figure 14—Beacon timeslot allocation..... | 95 |
| Figure 15—TDMA timeslot allocation | 96 |
| Figure 16—CSMA timeslot allocation | 96 |
| Figure 17—Timeslot allocation..... | 98 |
| Figure 18—BIFS..... | 100 |
| Figure 19—CIFS (1) | 101 |
| Figure 20—CIFS (2) | 101 |
| Figure 21—RIFS..... | 101 |
| Figure 22—EIFS | 102 |
| Figure 23—Inter-frame space measurement | 102 |
| Figure 24—Inter-frame space measurement for RTS/CTS frames..... | 103 |
| Figure 25—Format of a MAC frame | 104 |
| Figure 26—Long MPDU generation..... | 105 |
| Figure 27—Short MPDU generation..... | 105 |
| Figure 28—MAC frame reassembly | 106 |
| Figure 29—Packet filtering | 107 |

| | |
|--|-----|
| Figure 30—Unicast SOF transmission | 108 |
| Figure 31—SOF frame broadcast locally | 109 |
| Figure 32—SOF frame broadcast on the entire network by proxy | 110 |
| Figure 33—SOF frame transmit on the branch..... | 111 |
| Figure 34—Data link layer services | 112 |
| Figure 35—Physical layer architecture | 120 |
| Figure 36—Physical layer frame format | 120 |
| Figure 37—OFDM symbol timing..... | 121 |
| Figure 38—Frame control FEC processing..... | 121 |
| Figure 39—Payload FEC processing | 123 |
| Figure 40—Architecture of the turbo convolutional encoder..... | 124 |
| Figure 41—ENC1/ENC2 encoding architecture..... | 125 |
| Figure 42—Scrambling process | 128 |
| Figure 43—ROBO interleaving parameters..... | 131 |
| Figure 44—ROBO outputting..... | 135 |
| Figure 45—Preamble data format | 137 |
| Figure 46—Illustration of pilot symbol insertion | 143 |
| Figure 47—Physical layer service reference model | 150 |
| Figure 48—MAC frame fragmentation and MPDU generation | 157 |
| Figure 49—MAC DSNA CBC mode encryption process..... | 157 |
| Figure 50—MAC DSNA CBC mode decryption process..... | 158 |
| Figure 51—NMK provisioning procedure | 160 |
| Figure 52—NEK provisioning procedure | 161 |
| Figure 53—NEK re-provisioning procedure..... | 161 |
| Figure 54—NEK update missing, NEK re-provisioning..... | 162 |
| Figure 55—Multi-network bandwidth coordination | 164 |
| Figure 56—Bandwidth negotiation request..... | 164 |
| Figure 57—Bandwidth negotiation principle 1 | 165 |
| Figure 58—Bandwidth negotiation principle 2 | 165 |
| Figure 59—Bandwidth negotiation principle 3 | 166 |
| Figure 60—Timing of the ISP signal | 168 |

| | |
|---|-----|
| Figure 61—Sync points (single-phase ac main) | 172 |
| Figure 62—Sync points (three-phase ac main)..... | 172 |
| Figure 63—ISP time window and ISP fields concept | 173 |
| Figure 64—Periodicity of ISP windows | 174 |
| Figure 65—ISP fields | 175 |
| Figure 66—Composition of an ISP field: ISP signal and two ISP margins (silence periods) | 177 |
| Figure 67—Leakage signal level..... | 181 |

List of Tables

| | |
|--|----|
| Table 1—Fields in the management packet header | 27 |
| Table 2—Management packet types (MMTYPE) | 27 |
| Table 3—Fields in MMeAssocReq packets | 28 |
| Table 4—Values of the Phase field | 29 |
| Table 5—Values of the Product Type field | 29 |
| Table 6—Values of the MAC Type field | 30 |
| Table 7—Subfields in the STA Version field | 30 |
| Table 8—Values of the System Start Reason field | 30 |
| Table 9—Values of the Version Date field | 31 |
| Table 10—Values of the Proxy Type field | 31 |
| Table 11—Fields in MMeAssocCnf packets | 32 |
| Table 12—Values of the Result field | 32 |
| Table 13—Values of some thresholds in the Result field | 33 |
| Table 14—Values of the TEI field | 33 |
| Table 15—Subfields in the Route Info field | 34 |
| Table 16—Subordinate STA list | 34 |
| Table 17—Fields in MMeAssocGatherInd packets | 36 |
| Table 18—Values of the Result field | 36 |
| Table 19—Subfields in the STA Information field | 37 |
| Table 20—Fields in MMeChangeProxyReq packets | 37 |
| Table 21—Values of the Proxy Type field | 38 |
| Table 22—Values of the Reason field | 38 |
| Table 23—Fields in MMeChangeProxyCnf packets | 39 |
| Table 24—Value of the Result field | 39 |
| Table 25—Subordinate STA list | 40 |
| Table 26—Fields in MMeChangeProxyBitMapCnf packets | 41 |
| Table 27—Value of the Result field | 41 |
| Table 28—Fields in MMeLeaveInd packets | 42 |
| Table 29—Values of the Reason field | 42 |

| | |
|--|----|
| Table 30—Subfields in the Leave STA MAC field | 43 |
| Table 31—Fields in MMeHeartBeatCheck packets | 43 |
| Table 32—Fields in MMeDiscoverNodeList packets | 44 |
| Table 33—Values of the Role field | 45 |
| Table 34—Subfields in the Up Route Entry Information field | 46 |
| Table 35—Values of the Route Type subfield | 46 |
| Table 36—Subfields in the Received Discovery Information field | 47 |
| Table 37—Fields in MMeSuccessRateReport packets | 47 |
| Table 38—Subfields in the Communication Rate Information field | 48 |
| Table 39—Fields in the MMeNetworkConflictReport packet | 48 |
| Table 40—Subfields in the Neighboring Network Entry field | 49 |
| Table 41—Fields in the MMeZeroCrossNTBCollectionReq packet | 49 |
| Table 42—Values of the Collection Mode field | 50 |
| Table 43—Values of the Collection Period field | 50 |
| Table 44—Fields of the MMeZeroCrossNTBReport packet | 50 |
| Table 45—Subfields of the Difference NTB Phase field | 51 |
| Table 46—Fields in MMeLBDAtCnf packets | 52 |
| Table 49—Fields of MMeSetKeyRequest | 53 |
| Table 50—Values of Key Type field | 53 |
| Table 51—Fields of MMeSetKeyConfirm | 54 |
| Table 52—Values of Result field | 54 |
| Table 53—Fields of MMeGetKeyRequest | 55 |
| Table 54—Fields of MMeGetKeyConfirm | 56 |
| Table 55—Values of Result field | 56 |
| Table 56—Fields of MMeAuthrzRequest | 56 |
| Table 57—Fields of MMeAuthrzConfirm | 57 |
| Table 58—Fields of MMeEncryptedPIInd | 58 |
| Table 59—Values of Payload Type | 58 |
| Table 60—Values of PEKS | 58 |
| Table 61—Fields in MMeSetAmpMapReq packet | 59 |
| Table 62—Fields in MMeSetAmpMapCnf packet | 60 |

| | |
|--|----|
| Table 63—Values of Response field | 60 |
| Table 64—Fields in MMeNetworkDiagnosisReport packets | 60 |
| Table 65—Definitions of the cyclic shift phase | 63 |
| Table 66—Routing entries of the CCO | 67 |
| Table 67—Routing entries of STA1 | 68 |
| Table 68—Routing entries of STA2 | 68 |
| Table 69—Period parameters | 69 |
| Table 70—Fields in a MAC frame header | 71 |
| Table 71—Values of the Version field | 71 |
| Table 72—Values of the Send Type field | 71 |
| Table 73—Values of the MSDU Type field | 72 |
| Table 74—MAC Frame Type field | 73 |
| Table 75—Subfields in the Relay Variant field | 73 |
| Table 76—Values of Proxy Main Path Flag field | 74 |
| Table 77—Values of the Broadcast Direction field | 74 |
| Table 78—Subfields in the FC field | 75 |
| Table 79—Values of the Delimiter Type field | 75 |
| Table 80—Values of the Network Type field | 75 |
| Table 81—Values of the Version field | 76 |
| Table 82—Variant fields in a beacon frame | 76 |
| Table 83—Values of the Phase Line field | 77 |
| Table 84—Variant fields in a SOF | 77 |
| Table 85—Values of the LID field | 78 |
| Table 86—Values of the Encryption Key Select field | 78 |
| Table 87—Values of the Broadcast Flag field | 79 |
| Table 88—Values of the Resend Flag field | 79 |
| Table 89—Variant fields in an SACK frame | 80 |
| Table 90—Variant fields in an inter-network coordinate frame | 81 |
| Table 91—Variant fields in an RTS/CTS frame | 82 |
| Table 92—Values of the MNBF field | 82 |
| Table 93—RTSF interpretation | 83 |

| | |
|--|-----|
| Table 94—PBH format..... | 84 |
| Table 95—Subfields in the beacon frame payload field..... | 85 |
| Table 96—Values of the BT field..... | 86 |
| Table 97—Values of the Networking Flag field..... | 86 |
| Table 98—Values of the Start Associate field | 86 |
| Table 99—Values of the Beacon Evaluation Flag field..... | 86 |
| Table 100—Subfields in the BMI field | 87 |
| Table 101—Values of the NBE field..... | 87 |
| Table 102—Values of the BEHDR field | 87 |
| Table 103—Value of the BELEN field | 88 |
| Table 104—Subfields in the STA Capability List field | 88 |
| Table 105—Timeslot allocation list..... | 89 |
| Table 106—Subfields in the Non Central Beacon Information field..... | 90 |
| Table 107—Subfields in the CSMA Slot Information field | 90 |
| Table 108—Subfields in the Bind CSMA Slot Information field..... | 91 |
| Table 109—Route parameter list..... | 91 |
| Table 110—Frequency change list | 91 |
| Table 111—VCS timer value and channel status transition | 99 |
| Table 112—Inter-frame space values | 102 |
| Table 113—Data transmission service primitives at the data link layer..... | 113 |
| Table 114—MSDU transmit primitive | 113 |
| Table 115—MSDU receive primitive..... | 113 |
| Table 116—Data management service primitives at the data link layer | 114 |
| Table 117—Network topology query primitive..... | 114 |
| Table 118—Network topology report primitive | 115 |
| Table 119—Single network topology entry report primitive | 115 |
| Table 120—Network NID query primitive..... | 115 |
| Table 121—NID report primitive..... | 116 |
| Table 122—NID configuration primitive | 116 |
| Table 123—Neighbor network query primitive..... | 116 |
| Table 124—Neighbor network report primitive | 117 |

| | |
|---|-----|
| Table 125—Single network topology entry report primitive | 117 |
| Table 126—Whitelist query primitive | 117 |
| Table 127—Whitelist report primitive | 118 |
| Table 128—Whitelist configuration primitive..... | 118 |
| Table 129—OFDM symbols | 121 |
| Table 130—Diversity copier for frame control..... | 122 |
| Table 131—Turbo interleaving parameter settings..... | 125 |
| Table 132—S lookup table for PB16 | 126 |
| Table 133—S lookup table for PB72 | 126 |
| Table 134—S lookup table for PB136 | 126 |
| Table 135—S lookup table for PB520 | 127 |
| Table 136—Puncturing model for the bit rate of 1/2..... | 127 |
| Table 137—Puncturing model for the bit rate of 16/18..... | 127 |
| Table 138—Channel interleaving parameter settings..... | 129 |
| Table 139—Nibble shift rules..... | 129 |
| Table 140—ROBO basic modes..... | 129 |
| Table 141—ROBO extended modes | 130 |
| Table 142—Relation between N_{Inter} and N_{Copy} | 131 |
| Table 143—Modulation capacity | 136 |
| Table 144—Constellation point mapping table | 136 |
| Table 145—Bit-to-I/Q mapping table..... | 137 |
| Table 147—Power normalization factors..... | 137 |
| Table 146—Phase angle reference values for frame control and payload mapping..... | 138 |
| Table 149—Value of the PilotStepSize field..... | 143 |
| Table 148—Preamble phase table | 145 |
| Table 150—Communication frequency bands | 150 |
| Table 151—Relative power of the preamble, frame control, and payload | 150 |
| Table 152—Signal transmission start state primitive | 151 |
| Table 153—Signal transmission completion state primitive | 151 |
| Table 154—Signal receiving start state primitive..... | 151 |
| Table 155—Frame control receiving completion primitive..... | 151 |

| | |
|---|-----|
| Table 156—Payload receiving completion primitive | 152 |
| Table 157—Noise power primitive | 152 |
| Table 158—Signal attenuation primitive..... | 152 |
| Table 159—SNR/Average SNR primitive..... | 152 |
| Table 160—Estimated clock deviation primitive | 153 |
| Table 161—SNR requirements for basic TMI modes..... | 154 |
| Table 162—Power reduction for the amplitude map entry | 154 |
| Table 163—Fields of the IV | 156 |
| Table 164—Parameters of ISP signal | 169 |
| Table 165—ISP signal carrier frequencies | 170 |
| Table 166—ISP signal phase vector reference..... | 171 |
| Table 167—ISP signal phase vector offsets..... | 171 |
| Table 168—Meaning of the IEEE 1901.1 ISP window fields..... | 175 |
| Table 169—Meaning of the IH-C1 window fields..... | 175 |
| Table 170—Meaning of the IH-C2 window fields..... | 176 |
| Table 171—Meaning of the IH-G window fields | 176 |
| Table D.1—Selection from IETF RFC 6282 [B8] | 186 |

IEEE Standard for Medium Frequency (less than 12 MHz) Power Line Communications for Smart Grid Applications

1. Scope

This standard specifies physical (PHY) and media access control (MAC) layers of the medium frequency band (less than 12 MHz) broadband power line communication technology for smart grid applications (SGPLC) based on orthogonal frequency division multiplexing (OFDM) (e.g., FTT and/or wavelet OFDM). This standard coexists with IEEE Std 1901™-2010, IEEE Std 1901.2™-2013 [B1], and IEEE Std 1901.2a™-2015 [B2].^{1,2} The standard addresses the necessary security requirements that assure communication privacy and allow use for mission critical and security sensitive services and applications. This standard also defines the approach that is geared towards achieving an extended communication range in comparison with the existing power line communication technologies operating in similar frequency bands.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

FIPS 197, Advanced Encryption Standard (AES), 2001.³

IEEE Std 802™-2001, IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture.^{4,5}

IEEE Std 1901™-2010, IEEE Standard for Broadband over Power Line Networks: Medium Access Control and Physical Layer Specifications.

¹Information on references can be found in [Clause 2](#).

²The numbers in brackets correspond to those of the bibliography in [Annex F](#).

³FIPS publications are available from the National Technical Information Service, U.S. Department of Commerce (<http://www.ntis.org/>).

⁴The IEEE standards or products referred to in [Clause 2](#) are trademarks owned by the Institute of Electrical and Electronics Engineers, Incorporated.

⁵IEEE publications are available from the Institute of Electrical and Electronics Engineers (<http://standards.ieee.org/>).