

IEEE Standard for a Convergent Digital Home Network for Heterogeneous Technologies

IEEE Communications Society

Sponsored by the
Power Line Communications Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1905.1™-2013

12 April 2013

Currently in preview, click buy full version

IEEE Standard for a Convergent Digital Home Network for Heterogeneous Technologies

Sponsor

Power Line Communications Standards Committee
of the
IEEE Communications Society

Approved 6 March 2013

IEEE-SA Standards Board

Abstract: An abstraction layer for multiple home networking technologies that provides a common interface to widely deployed home networking technologies is defined in this standard: IEEE 1901 over power lines, IEEE 802.11 for wireless, Ethernet over twisted pair cable, and MoCA 1.1 over coax. Connectivity selection for transmission of packets arriving from any interface or application is supported by the 1905.1 abstraction layer. Modification to the underlying home networking technologies is not required by the 1905.1 layer, and hence it does not change the behavior or implementation of existing home networking technologies. Introduced by the 1905.1 specification is a layer between layers 2 and 3 that abstracts the individual details of each interface, aggregates available bandwidth, and facilitates seamless integration. The 1905.1 also facilitates end-to-end quality of service (QoS) while simplifying the introduction of new devices to the network, establishing secure connections, extending network coverage, and facilitating advanced network management features including discovery, path selection, autoconfiguration, and quality of service (QoS) negotiation.

Keywords: abstraction layer, access point (AP) autoconfiguration, data models, fragmentation, and reassembly, IEEE 802.1 bridge discovery, IEEE 802.11™, IEEE 1901™, IEEE 1905.1™, MoCA, pairwise master key, push button, registration, security, topology discovery protocol, wireless fidelity (Wi-Fi)

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 12 April 2013. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Inc.

MoCA is a registered trademark in the U.S. Patent & Trademark Office, owned by the Multimedia over Coax Alliance.

Wi-Fi and WPA are registered trademarks in the U.S. Patent & Trademark Office, owned by the Wi-Fi Alliance.

PDF: ISBN 978-0-7381-8297-1 STD98173
Print: ISBN 978-0-7381-8298-8 STDPD98173

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. If a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At conferences, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any response to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the P1905.1 Working Group had the following membership:

Paul Houzé, *Chair*
Purva Rajkotia, *Vice Chair*
C. Scott Willy, *Editor*

The Working Group gratefully acknowledges the contributions of the following entities and participants. Without their assistance and dedication, this standard would not have been completed.

The following entities submitted technical contributions or commented on the standard at various stages of the project development.

Broadcom	HD-PLC Alliance	Panasonic Corporation
Celero	HomePlug Powerline Alliance	Qualcomm / Atheros
Cisco	HomePNA Alliance	Ralink
Cortina Systems	Ikanos Communications, Inc.	SAGEMCOM SAS
devolo AG	Intel Corporation	Siemens Corporation
EchoStar	Lantiq	Sigma Designs
Entropic Communications	Marvell Semiconductor, Inc.	Sony Corporation
Ericsson Inc.	MediaTek	STMicroelectronics
France Telecom	MoCA	Toshiba Corporation
GE	MStar	Verizon
HGI	NTT Advanced Technology Corp.	Vixs Systems, Inc.
HomeGrid Forum		ZTE Corporation

The following individuals submitted technical contributions or commented on the standard at various stages of the project development.

Sundeep Ahluwalia	Jean Grappy	Jordan Nicol
Jim Allen	Duncan Ho	Barry O'Mahony
Avner Aloush	Paul Houzé	Txema Ogara
Todd Antes	David Hume	Stephen Palm
Mitch Aramaki	Aref Sharif	Andrea Pecciccione
Gilles Barberi	Riccardo	Martin Renard
Michael Bahr	Gina Macalne	Purva Rajkotia
Frederic Bard	Georgios Kalogridis	Rob Ranck
David Barr	William Keasler	Antonio Salas
Duncan Bees	Patrick Keliher	Roger Samy
Ivar Beljaars	Joon Bae Kim	Vincenzo Scarpa
Edith Berard	Neal King	Sid Schrum
Peter Caldera	Philippe Klein	Andreas Schwager
William Carney	Avi Kliger	Kevin Sievert
Regis Cattenoz	Michael Koch	Nir Shapira
Bruce Chang	Yoshihiro Kondo	Lydi Smaini
Joseph Chong	Gary Langille	Matt Theall
Philippe Christ	Rick Li	Rami Verbin
Patrick Clement	Qiongwen (Jodie) Liang	Chao-Chun Wang
Alan Cohen	Oleg Logvinov	James Wang
Oleg Corcoro-Brana	Rahul Malik	Lin Wang
James Doyle	Jianli Mao	C. Scott Willy
Jeff Drake	Marcos MartinezEric Masera	Michael Wilson
John Egan	Anil Mengi	James Yee
Tim Farnham	Cimarron Mittelsteadt	Chiawei Yen
Jean-Philippe Faure	Parag Mogre	Abdel Younes
Norm Finn	Bibha Mohanty	Boshan Zhang
Randy Gellens	Richard Nesin	Dezhi (James) Zhang
Navid Ghazisaidi	Lup Ng	Junjian Zhan

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Alcatel–Lucent Technologies	HomePlug Powerline Alliance	Power Plus Communications AG
Broadcom	HomePNA Alliance	Qualcomm Incorporated
Cortina Systems	Intel Corporation	SAGEMCOM SAS
devolo AG	Marvell Semiconductor, Inc.	Schneider Electric
Duke Energy Corporation	Maxim Integrated Products	Siemens Corporation
Entropic Communications	Mitsubishi Electric Corporation	Sony Corporation
FiberHome Technologies Group	Motorola Mobility	STMicroelectronics
France Telecom	MoCA	Toshiba Corporation
Freescale Semiconductor, Inc.	Nokia	Vixs Systems, Inc.
HD-PLC Alliance	NXP Semiconductors	ZTE Corporation
	Panasonic Corporation	

When the IEEE-SA Standards Board approved this standard on 6 March 2013, it had the following membership:

John Kulick, Chair
David J. Law, Vice Chair
Richard H. Hulett, Past Chair
Konstantinos Karachalios, Secretary

Masayuki Ariyoshi
Peter Balma
Farooq Bari
Ted Burse
Wael William Diab
Stephen Dukes
Jean-Philippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Koepfinger
Oleg Logvinov

Ron Petersen
Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Soo H. Kim
IEEE Client Services Manager, Professional Services

Introduction

This introduction is not part of IEEE Std 1905.1-2013, IEEE Standard for a Convergent Digital Home Network for Heterogeneous Technologies.

Among the home networking technologies, wireless networks offer mobility and wired technologies offer extensive bandwidth or outlet ubiquity for data communications. Wired and wireless technologies complement each other to provide full home coverage.

To address the wide variety of applications, regions, environments, and topologies, multiple connectivity technologies are needed. Each of these different technologies has a unique interface to higher layer entities, thus, leading to software and hardware design complexities in multiconnectivity devices. This complexity must be reduced and new features/functions must be enabled that can take advantage of the multiple paths available between devices.

IEEE Std 1905.1 addresses these requirements by defining an abstraction layer for multiple home networking technologies that provides a common interface to widely deployed home networking technologies: IEEE Std 1901™-2010 over power lines, IEEE Std 802.11™-2012 for wireless Ethernet over twisted pair cable, and MoCA® 1.1 over coax.^{a,b}

^a Information on references can be found in Clause 2.

^b MoCA is a registered trademark in the U.S. Patent & Trademark Office, owned by the Multimedia over Coax Alliance.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations	3
3.1 Definitions	3
3.2 Acronyms and abbreviations	5
4. General description.....	6
4.1 Introduction	6
4.2 IEEE Std 1905.1 overview	6
4.3 IEEE 1905.1 architecture.....	8
4.4 Abstraction layer	9
5. IEEE 1905.1 abstraction layer management entity.....	9
5.1 AL management specific service (ALME-SAP)	10
5.2 AL data (MSDU) services (informative).....	25
5.3 Informaion elements	26
6. Interabstraction layer message formats	27
6.1 IEEE 802.1 bridge discovery message (neighbor multicast) format.....	27
6.2 1905.1 CMDU	28
6.3 1905.1 message formats	31
6.4 1905.1 TLVs.....	33
7. IEEE 1905.1 protocol rules/procedures	44
7.1 Fragmentation and reassembly of a control message data unit (CMDU)	44
7.2 CMDU neighbor multicast transmission procedures	44
7.3 CMDU relayed multicast transmission procedures	45
7.4 CMDU unicast transmission procedures	45
7.5 CMDU neighbor multicast reception procedures	45
7.6 CMDU relayed multicast reception procedures.....	45
7.7 CMDU unicast reception procedures.....	45
7.8 Message identifier values	46
7.9 Reserved values, fields, and bits.....	46
8. IEEE 1905.1 topology discovery protocol.....	46
8.1 IEEE 802.1 bridge discovery	46
8.2 Topology discovery protocol.....	47
9. IEEE 1905.1 security setup	49
9.1 Framework.....	49
9.2 1905.1 security setup methods.....	49
10. Protocols for IEEE 802.11 access point autoconfiguration with IEEE Std 1905.1	56
10.1 Operation of AP-autoconfiguration	56
11. Link metrics.....	59
11.1 Link metric information dissemination protocol	59

Annex A	(informative) Bibliography	60
Annex B	(normative) UCPK test vectors.....	61
Annex C	(informative) IEEE 1905.1 data models	63

Figures

Figure 4-1—Overview of IEEE Std 1905.1	6
Figure 4-2—1905.1 abstraction layer model	8
Figure 4-3—1905.1 network	9
Figure 5-1—Abstraction layer management model.....	10
Figure 6-1—Bit ordering of an octet	28
Figure 9-1—Example of 1905.1 push button event notification and 1905.1 push button configuration.....	51
Figure 9-2—Push button event notification handling.....	53
Figure 9-3—NFCNK device overview	55
Figure 10-1—1905.1 CMDU exchange for initial setup of an AP with two unconfigured interfaces.....	57
Figure 10-2—1905.1 CMDU exchange to renew configuration of an AP with two interfaces	58
Figure C-1—Hierarchy of the data model object in the Device:2 data model structure.....	63

Tables

Table 5-1—ALME-GET-INTF-LIST.response parameters.....	11
Table 5-2—intfDescriptor elements	11
Table 5-3—ALME-SET-INTF-PWR-STATE.request parameters	12
Table 5-4—Power state to power state field.....	12
Table 5-5—ALME-SET-INTF-PWR-STATE.confirm parameters	13
Table 5-6—ALME-GET-INTF-PWR-STATE.request parameters.....	14
Table 5-7—ALME-GET-INTF-PWR-STATE.response parameters	15
Table 5-8—ALME-SET-FWD-RULE.request parameters.....	16
Table 5-9—ClassificationSet elements.....	16
Table 5-10—ALME-SET-FWD-RULE.confirm parameters	17
Table 5-11—ALME-GET-FWD-RULES.response parameters	18
Table 5-12—fwdRuleList elements.....	19
Table 5-13—ALME-MODIFY-FWD-RULE.request parameters.....	20
Table 5-14—ALME-MODIFY-FWD-RULE.confirm parameters.....	21
Table 5-15—ALME-REMOVE-FWD-RULE.request parameters.....	21
Table 5-16—ALME-REMOVE-FWD-RULE.confirm parameters.....	22
Table 5-17—ALME-GET-METRIC.response parameters	24
Table 5-18—metricDescriptor	24
Table 5-19—Encoding of reasonCode to reasonCode field values	25
Table 5-20—VendorSpecificInfo information element	27
Table 6-1—Ethernet frame header information.....	27
Table 6-2—Ethernet frame header information.....	29
Table 6-3—1905.1 CMDU	29
Table 6-4—Message type	30
Table 6-5—Link metric response TLVs	32
Table 6-6—End of message TLV	33
Table 6-7—Vendor specific TLV.....	34
Table 6-8—1905.1 AL MAC address type TLV	34
Table 6-9—MAC address type TLV.....	34
Table 6-10—1905.1 device information type TLV.....	35
Table 6-11—Device bridging capability TLV	35
Table 6-12—Media type (intfType).....	36
Table 6-13—IEEE 802.11 specific information	37
Table 6-14—Non-1905 neighbor device list TLV	37
Table 6-15—1905.1 neighbor device TLV	38
Table 6-16—Link metric query TLV	38
Table 6-17—1905.1 transmitter link metric TLV	39
Table 6-18—1905.1 transmitter link metrics.....	40
Table 6-19—1905.1 receiver link metric TLV.....	41
Table 6-20—1905.1 receiver link metrics	41
Table 6-21—1905.1 link metric result code TLV	41
Table 6-22—SearchedRole TLV.....	42
Table 6-23—AutoconfigFreqBand TLV	42
Table 6-24—SupportedRole TLV.....	42
Table 6-25—SupportedFreqBand TLV.....	42
Table 6-26—WSC TLV	43
Table 6-27—Push_Button_Event notification TLV	43
Table 6-28—Push_Button_Join notification TLV	44
Table 9-1—InterfaceType message_array	50
Table 9-2—Near-field communication data exchange format (NDEF) record payload of NFCC network key record.....	56

Table 10-1—IEEE 802.11 settings (ConfigData) in M2 frame	58
Table C-1—Data types	64
Table C-2—X_84D32A_Device:2.5 data model.....	65
Table C-3—Forced inform parameters for a 1905.1 device	74
Table C-4—Forced active notification parameters for a 1905.1 device	74
Table C-5—Profile requirements.....	74
Table C-6—Baseline profile definition for 19051Device:1.....	74
Table C-7—X_84D32A_IEEE1905Power:1	75
Table C-8—X_84D32A_IEEE1905InterfaceSelection:1 profile.....	75
Table C-9—X_84D32A_IEEE1905LinkMetric:1 profile	76
Table C-10—X_84D32A_IEEE1905NetworkTopology:1 profile	77

IEEE Standard for a Convergent Digital Home Network for Heterogeneous Technologies

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard defines an abstraction layer for multiple home network technologies. The abstraction layer provides a common data and control service access point to the heterogeneous home network technologies described in the following specifications: IEEE Std 1901™-2010, IEEE Std 802.11™-2012, IEEE Std 802.3™-2008, and MoCA® 1.1.^{1,2} This standard is extensible to work with other home network technologies.

The abstraction layer supports a dynamic interface selection for transmission of packets arriving from any interface (upper protocol layers or underlying network technologies). End-to-end quality of service (QoS) is enabled in an IEEE 1905.1 network.

Also specified are procedures, protocols, and guidelines to provide a simplified user experience to add devices to the network, to set up encryption keys, to extend the network coverage, and to provide network management features to address issues related to neighbor discovery, topology discovery, interface selection, QoS negotiation, and network control and management.

¹ Information on references can be found in Clause 2.

² MoCA is a registered trademark in the U.S. Patent & Trademark Office, owned by the Multimedia over Coax Alliance.