

IEEE Standard for Sensor Performance Parameter Definitions

IEEE Electron Devices Society

Sponsored by the
Microelectromechanical Systems Standards Development Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 2700™-2017
(Revision of IEEE Std 2700-2014)

IEEE Standard for Sensor Performance Parameter Definitions

Sponsor

**Microelectromechanical Systems Standards Development Committee
of the
IEEE Electron Devices Society**

Approved 15 June 2017

IEEE-SA Standards Board

Currently in preview, click buy full versi

Abstract: A common framework for sensor performance specification terminology, units, conditions, and limits is provided. Specifically, the accelerometer, magnetometer, gyrometer/gyroscope, accelerometer/magnetometer/gyroscope combination sensors, barometer/pressure sensors, hygrometer/humidity sensors, temperature sensors, light sensors (ambient and RGB), and proximity sensors are discussed.

Keywords: accelerometer, ambient light, barometer, combination sensor, gyroscope, humidity, IEEE 2700™, magnetometer, MEMS, microelectromechanical, pressure, proximity, sensors systems, temperature, terminology

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2018 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 31 January 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Inc.

MEMS & Sensors Industry Group is a registered trademark of MEMS & Sensors Industry Group.

PDF: ISBN 978-1-5044-4410-1 STD22842
Print: ISBN 978-1-5044-4411-8 STDPD22842

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, conferences, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 U.S.A.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Explore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA for approval, the P2700 Working Group had the following membership:

Kenneth P. Foust, *Chair*
Carlos Puig, *Vice Chair*
Michael Gaitan, *Secretary*

Marc Holbein
Karen Lightman

Rob O'Reilly
Mike Stanley

Len Sheynblat
Steve Whalley

The P2700 Working Group gratefully acknowledges the contribution of the following entities. Without the assistance and dedication, this standard would not have been completed.

Analog Devices, Inc.
Bosch Sensortec
Freescale Semiconductor
Hillcrest Laboratories, Inc.

InvenSense, Inc.
Kionix, Inc.
Maxim Integrated
Movea, Inc.

NIST
PNI Corporation
STMicroelectronics
Xsens Technologies B.V.

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Honeywell International Inc.
Intel Corporation

National Institute of Standards and
Technology (NIST)
National Ocean Technology Center

NXP Semiconductor
Siemens Corporation

When the IEEE-SA Standards Board approved this standard on 15 June 2017, it had the following membership:

Jean-Philippe Laure, *Chair*
Gary H. Chapman, *Vice Chair*
John D. Kulick, *Past Chair*
Korstinios Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Doug Edwards
J. Travis Griffith
Michael Janezic

Thomas Koshy
Joseph L. Koepfinger*
Kevin Lu
Daleep Mohla
Damir Novosel
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Adrian Stephens
Mehmet Ulema
Phil Wennblom
Howard Wolfman
Yu Yuan

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 2700-2017, IEEE Standard for Sensor Performance Parameter Definitions.

Microelectromechanical systems (MEMS) have become a key enabling technology for many of today's high-technology products, including automotive sensors, smart phones, and the new consumer market of wearable fitness devices. MEMS are also supporting new breakthroughs in areas such as green energy and portable medical diagnostic and treatment technologies. These factors make them a keystone for advanced manufacturing, jobs, and technology innovation. The MEMS & Sensors Industry Group® (MSIG) and its member companies, large and small, have recognized standardized MEMS device performance definitions as an industrial need and a pre-competitive place in the value chain where cooperation would benefit all competitors and customers.

MSIG has documented that the lack of performance definitions and testing standards contributed to increasing costs of MEMS device manufacturing. Furthermore, the most advanced devices have the highest performance testing requirements. This standard addresses the issue of non-uniformity in MEMS sensor data sheets, by defining the sensor performance parameters that are used in typical MEMS sensor technologies. Potential customers use data sheets to compare the performance of devices from multiple manufacturers and select the devices that they will design into their systems. Data sheets contain specifications of the device performance, the package design, operating temperature, input and output signals, etc. Even though the data sheets may not reflect the type of testing that goes into qualification or production test, they should not conflict with those measurements.

This standard is expected to be the first in many that will follow. The performance parameters defined in this standard will each need standard testing protocols to help ensure that device performance data measured by any party (buyer or seller) is in agreement and within a determined uncertainty.

Contents

1. Overview.....	11
1.1 Scope.....	11
1.2 Objective.....	11
1.3 Purpose.....	11
1.4 Sensors discussed in this standard.....	12
2. Normative references.....	12
3. Definitions, acronyms, and abbreviations.....	13
3.1 Definitions.....	13
3.2 Acronyms and abbreviations.....	14
4. Conventions.....	14
4.1 Symbols and equations.....	14
4.2 Measurement unit conversion table.....	17
5. Motivation.....	17
6. Interpretation guideline.....	18
7. Accelerometer.....	18
7.1 Full scale range.....	19
7.2 Digital bit depth.....	20
7.3 Zero-g offset.....	20
7.4 Zero-g offset temperature coefficient.....	20
7.5 Sensitivity.....	21
7.6 Sensitivity temperature coefficient.....	21
7.7 Root Allan variance parameters.....	21
7.8 Noise.....	23
7.9 Current Consumption.....	23
7.10 Output data rate.....	23
7.11 Filter -3 dB cutoff.....	24
7.12 Internal oscillator tolerance.....	24
7.13 Cross-axis sensitivity.....	24
7.14 Integral non-linearity.....	25
7.15 Transition time.....	25
7.16 Data ready delay.....	26
8. Magnetometer.....	26
8.1 Full scale range.....	27
8.2 Digital bit depth.....	27
8.3 Offset at zero magnetic field.....	28
8.4 Offset temperature coefficient.....	28
8.5 Sensitivity.....	29
8.6 Sensitivity temperature coefficient.....	29
8.7 Noise.....	30
8.8 Current consumption.....	30
8.9 Output data rate.....	30
8.10 Filter -3 dB cutoff.....	31
8.11 Internal oscillator tolerance.....	31
8.12 Cross-axis sensitivity.....	31
8.13 Integral non-linearity.....	32
8.14 Transition time.....	32

8.15	Acquisition time	32
8.16	Data ready delay	33
9.	Gyrometer/Gyroscope.....	33
9.1	Full scale range.....	34
9.2	Digital bit depth.....	34
9.3	Zero rate bias	35
9.4	Zero rate bias temperature coefficient.....	35
9.5	Sensitivity.....	36
9.6	Sensitivity temperature coefficient	36
9.7	Root Allan variance parameters	36
9.8	Noise	37
9.9	Current consumption	38
9.10	Output data rate	38
9.11	Filter –3 dB cutoff.....	39
9.12	Internal oscillator tolerance	39
9.13	Cross-axis sensitivity.....	39
9.14	Linear acceleration sensitivity	40
9.15	Integral non-linearity	40
9.16	State-to-state transition time.....	40
9.17	Mechanical resonance	41
9.18	Data ready delay	41
10.	Accelerometer/Magnetometer/Gyroscope Combination Sensor.....	41
10.1	Sensor to sensor axis alignment error	42
11.	Barometer/Pressure Sensor	42
11.1	Full scale range.....	43
11.2	Digital bit depth.....	43
11.3	Pressure temperature coefficient.....	43
11.4	Pressure accuracy	44
11.5	Sensitivity.....	44
11.6	Noise.....	44
11.7	Current Consumption	45
11.8	Integral non-linearity	45
11.9	Acquisition time.....	45
11.10	Transition time.....	46
11.11	Short-term stability	46
11.12	Long-term stability	46
11.13	Overpressure maximum.....	47
12.	Hygrometer/Humidity sensor.....	47
12.1	Full scale range.....	47
12.2	Digital bit depth.....	48
12.3	Relative humidity accuracy	48
12.4	Sensitivity.....	48
12.5	Noise	49
12.6	Current consumption	49
12.7	Integral non-linearity	49
12.8	Response time	50
12.9	Transition time.....	50
12.10	Long-term drift.....	50
12.11	Hysteresis	51

13. Temperature	51
13.1 Full scale range.....	51
13.2 Digital bit depth.....	52
13.3 Absolute temperature error	52
13.4 Sensitivity.....	52
13.5 Noise	53
13.6 Current consumption	53
13.7 Integral non-linearity	53
13.8 Transition time.....	54
13.9 Long-term drift.....	54
14. Light sensor (ambient and RGB).....	54
14.1 Digital bit depth.....	55
14.2 Refresh time versus maximum detection range	55
14.3 Measurement accuracy	56
14.4 Normalized spectral response.....	56
14.5 Responsivity versus angle	57
14.6 Sensitivity.....	57
14.7 Noise	58
14.8 Current consumption	58
14.9 Transition time.....	58
15. Proximity sensor.....	59
15.1 Digital bit depth.....	59
15.2 Sensitivity.....	59
15.3 Sensing current consumption	60
15.4 Transition time.....	61
Annex A (informative) Bibliography.....	62

IEEE Standard for Sensor Performance Parameter Definitions

1. Overview

1.1 Scope

This standard provides a common framework for sensor performance specification terminology, units, conditions, and limits. This standard is intended for sensor technologies with digital I/O interfaces. The specific sensors discussed in this standard are the accelerometer, magnetometer, gyrometer/gyroscope, accelerometer/magnetometer/gyroscope combination sensors, barometer/pressure sensors, hygrometer/humidity sensors, temperature sensors, light sensors (ambient and RGB), and proximity sensors.

1.2 Objective

Given the explosive adoption of sensor technologies in the consumer electronics industry and the variety of sensor types, vendors, and integration considerations, it is acknowledged that original equipment manufacturers (OEMs), independent software vendors (ISVs), and other platform providers are faced with a non-scalable integration challenge. Therefore, it is imperative that a common methodology for specifying sensor performance is adopted by the ever-expanding industry. It is intended that adoption burden be reduced and distributed while preserving product differentiation and innovation.

Additionally, as this standard strives to reflect innovations in the sensor industry, it has been revised with the following additions:

- Accelerometer Allan Variance parameter
- Accelerometer, magnetometer, and gyroscope combination sensor with a sensor to sensor axis alignment parameter
- Relative humidity (RH) sensor hysteresis parameter
- Red green blue (RGB) light sensor added to appropriate ambient light sensor (ALS) parameters

1.3 Purpose

This standard presents a standard methodology for defining sensor performance parameters with the intent to ease system integration burden and accelerate time to market (TTM). Here within, a minimum set of performance parameters are defined with required units, conditions, and distributions for each sensor. Note that these performance parameters shall be included with all other industry accepted performance parameters.