

IEEE Guide for Technology of Unified Power Flow Controller Using Modular Multilevel Converter

Part 1: Functions

IEEE Power and Energy Society

Developed by the
Transmission and Distribution Committee

IEEE Std 1745.1™-2019

IEEE Guide for Technology of Unified Power Flow Controller Using Modular Multilevel Converter

Part 1: Functions

Developed by the

**Transmission and Distribution Committee
of the
IEEE Power and Energy Society**

Approved 5 September 2019

IEEE SA Standards Board

Abstract: An approach to preparing a functional specification for a unified power flow controller (UPFC) using modular multilevel converter (MMC) is documented by this guide. This guide provides the functional requirements for UPFC project application, including UPFC system composition, function and performance requirements, primary equipment requirements, control and protection requirements, characteristic description, spares, engineering studies, testing, documentation, as well as training of UPFC projects. The intention of this document is to serve as a base specification with an informative annex provided to guide utilities, manufacturers, integrators, and other interested entities to apply a particular UPFC project.

Keywords: control and protection system, function requirements, IEEE P2745.1™, modular multilevel converter, performance requirements, primary equipment, system composition, test, unified power flow controller

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2019 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 27 November 2019. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-6155-9 STD23882
Print: ISBN 978-1-5044-6156-6 STDPD23882

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/ipr/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for IEEE standards can be accessed via <https://standards.ieee.org/standard/index.html>. Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in IEEE Xplore: <https://ieeexplore.ieee.org/browse/standards/collection/ieee/>. Users are encouraged to periodically check for errata.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE guide was completed, the Unified Power Flow Controller Working Group P2745 Series had the following membership:

Yi Yang, Chair
Georg Pilz, Vice Chair
Xia Chen, Secretary
Peng Li, P2745.1 Subgroup Leader

Ram Adapa	Xiaorong Le	Xuan Wang
Wei Bao	Dayi Li	Zhinong Wei
Hao Chen	Qun Li	Stephen Williams
Mingming Chen	Jinjiao Lin	Haiping Yu
Shu Chen	Lei Lin	Huanqiang Yu
Yong Cui	Jiankun Liu	Yue Yuan
Kai Deng	Zhengang Lu	Yong Zhan
Yunlong Dong	Hongming Mei	Cui Zhang
Kai Gao	Lei Pan	Ningyu Zhang
Lei Gao	Beibei Qi	Shuqing Zhang
Yanfeng Gong	Guangyao Qiao	Teng Zhang
Yanan Han	Daniel Sabin	Xin Zhang
Zhilong Hu	Xuhui Shen	Tao Zheng
Zhechen Huang	Yangang Shi	Bing Zhou
Zaibin Jiao	Jieying Song	Jun Zhou
Brian Johnson	Qiang Song	Qiwen Zhou
Sergey Kynev	Guoqiang Sun	Dongsheng Zhu
Xiangping Kong	Xiaogang Wang	Xinyao Zhu

The following members of the IEEE Standards Association balloting group voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

Apple, Inc.	China XD Group Corp.	North China Electric Power University
Beckhoff Automation	ChongQing University	University
Beijing Sifang Automation Co., Ltd.	Electric Power Research Institute, Inc. (EPRI)	Siemens Corporation
China Energy Engineering Group Co., Ltd.	Hohai University	Southeast University, China
China Southern Power Grid Co., Ltd.	Huazhong University of Science and Technology	State Grid Corporation of China (SGCC)
		Tsinghua University
		Xi'an Jiaotong University

When the IEEE SA Standards Board approved this guide on 5 September 2019, it had the following membership:

Gary Hoffman, *Chair*
Ted Burse, *Vice Chair*
Jean-Philippe Faure, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Stephen D. Dukes
J. Travis Griffith
Guido Hiertz
Christel Hunter
Joseph L. Koepfinger*
Thomas Koshy
John D. Kulick

David J. Law
Joseph Levy
Howard Li
Xiaohui Liu
Kevin Lu
Daleep Mohla
Andrew Myles

Annette Reilly
Dorothy Stanley
Sha Wei
Phil Wennblom
Philip Winston
Howard Wolfman
Feng Wu
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 2745.1–2019, IEEE Guide for Technology of Unified Power Flow Controller Using Modular Multilevel Converter—Part 1: Functions.

As the most flexible, powerful, and comprehensive flexible ac transmission system (FACTS) device, the unified power flow controller (UPFC) can realize the bidirectional control of power flow, flexibly control voltage and reactive power, as well as improve the steady and dynamic stability of power grids. Since the 1990s to 2004, three UPFC projects were put into operation: Inez substation of AEP, Kangjin substation of KEPCO, and Marcy substation of NYPA, all of which utilized gate turn-off thyristor (GTO) devices and three-level converter technology. With increasing development of power electronics equipment and technology, modular multilevel converter (MMC) technology with insulate-gate bipolar transistor (IGBT) has been successfully applied into UPFC, such as Tiebei substation of SGCC, Yunzaobang substation of SGCC, and Mudu substation of SGCC. Compared with the GTO device and three-level multiple technology, the MMC technology is superior in expandable structure, low output waveform deviation, easy control of capacitor voltage, and desirable fault tolerance of sub-modules. Therefore, the MMC technology is the development trend of UPFC in the future. With the decreasing cost of converters, more MMC-UPFC projects may be put into commercial operation and satisfy the requirements of power flow control and system stability.

A series of documents, named the IEEE 2745™ series, is proposed to provide guides for technology of the UPFC using MMC. This guide, IEEE Std 2745.1, is the first part of the IEEE 2745 series, focusing on functions.

The purpose of this guide is to specify the functional requirements for UPFC project application, so that utilities, integrators, manufacturers, and other interested entities can benefit from this guide. This guide can specify the application conditions and system architecture of UPFC, requirements for function, performance, primary equipment, control and protection, auxiliary system, testing, spares, and training of UPFC projects. This guide aims to provide the knowledge base, experience, and opportunities for greater utilization of UPFC.

Contents

1. Overview	14
1.1 Scope	14
1.2 Purpose	14
1.3 Application	14
1.4 Word usage	14
2. Normative references	15
3. Definitions, acronyms, and abbreviations	15
3.1 Definitions	15
3.2 Acronyms and abbreviations	15
4. UPFC system composition	19
4.1 Typical structure	19
4.2 Main equipment	19
4.3 Electricity access system	24
4.4 Basic principles	25
5. Function requirements	27
5.1 Operation modes	27
5.2 Basic control functions	30
5.3 System control	31
5.4 Fault ride-through control	33
6. Performance requirements	34
6.1 Basic requirements	34
6.2 Steady-state performance	34
6.3 Dynamic performance	37
6.4 Performance on start and stop control	39
6.5 Fault ride-through performance	39
6.6 Power quality	40
6.7 Overload	40
6.8 Power losses	40
6.9 Audible noise	41
6.10 Telephone and radio interference	41
6.11 Availability and reliability	41
7. Requirements of primary equipment	42
7.1 Converter	42
7.2 Series transformer	43
7.3 Shunt transformer	44
7.4 Fast bypass system	44
7.5 Neutral grounding equipment	45
7.6 Startup circuit	46
7.7 Resistor configuration	46
7.8 Measurement equipment	46
7.9 Auxiliary power supply	46
8. Control and protection system and its coordination requirements	47
8.1 Overall structure of control and protection system	47
8.2 Monitoring system	47
8.3 Control system	47
8.4 Protection system	47

9. UPFC project description	48
9.1 Simplified configuration	48
9.2 Electrical main characteristics of shunt converter – STATCOM mode	49
9.3 Main characteristics of series converter – SSSC mode	50
9.4 Main characteristic of UPFC	51
9.5 Main characteristic of IPFC	52
10. Scope of supply and schedule	52
10.1 Scope of supply	52
10.2 Schedule	53
11. Site and environmental data	53
12. Power system characteristics	53
13. Spares	55
13.1 Spares strategy	55
13.2 Spare parts storage	56
13.3 Spare parts accounting	56
14. Engineering studies	56
14.1 Information submitted with bid	56
14.2 Premanufacturing engineering and design verification studies	56
15. Test requirements	58
15.1 Classification	58
15.2 Factory tests	58
15.3 Field tests	60
16. Documentation	61
17. Training	62
Annex A (informative) Bibliography	64
Annex B (informative) UPFC application scenarios	66

List of Figures

Figure 1—Typical topology of UPFC	20
Figure 2—Typical topology of MMC.....	21
Figure 3—Structure of series transformer	22
Figure 4—Structure of TBS	22
Figure 5—Fast bypass system for UPFC.....	23
Figure 6—Startup circuit for UPFC	24
Figure 7—Typical topology of single-circuit UPFC	24
Figure 8—Typical topology of two-circuit UPFCs with three terminals	25
Figure 9—Typical topology of two single-circuit UPFCs with four terminals	25
Figure 10—UPFC equivalent circuit model.....	26
Figure 11—UPFC equivalent circuit vector diagram	26
Figure 12—UPFC control functions	27
Figure 13—UPFC operation mode.....	28
Figure 14—STATCOM operation mode	29
Figure 15—SSSC operation mode	29
Figure 16—IPFC operation mode	30
Figure 17—Transmission section power control.....	32
Figure 18—Protection areas of UPFC and its access system.....	48
Figure 19—V/I characteristic of shunt converter during STATCOM mode	49
Figure 20—X/I characteristic of series converter during SSSC mode.....	50
Figure 21—V/I characteristic of series converter during SSSC mode.....	51
Figure 22—Series converter reactive and active power exchange capability during UPFC mode at ac terminals	53
Figure B.1—220kV UPFC project of western Nanjing power grid	68
Figure B.2—Main circuit of 220 kV UPFC project in the western Nanjing grid	69
Figure B.3—Aerial view of Nanjing UPFC	70
Figure B.4—Converter valves.....	70
Figure B.5—Series transformer	70
Figure B.6—Control and protection.....	71
Figure B.7—Dynamic state waveform of UPFC double-circuit line control mode	73

Figure B.8—220kV UPFC project of Shanghai power grid	74
Figure B.9—Topology of 220 kV UPFC project in Shanghai	75
Figure B.10—Aerial view of Shanghai UPFC	76
Figure B.11—Converter valves.....	76
Figure B.12—Series transformer	76
Figure B.13—Control and protection.....	77
Figure B.14—Dynamic state waveform of UPFC control mode	79
Figure B.15—Dynamic state waveform of STATCOM control mode.....	79
Figure B.16—500 kV UPFC project of southern Suzhou power grid.....	80
Figure B.17—Topology of 500 kV UPFC project in southern Suzhou power grid.....	81
Figure B.18—Aerial view of 500 kV UPFC project in southern Suzhou power grid	82
Figure B.19—Converter valves.....	82
Figure B.20—Series transformer	83
Figure B.21—Thyristor bypass switch.....	83
Figure B.22—Water cooling system	83
Figure B.23—Dynamic state waveform of UPFC double circuit control mode	85

List of Tables

Table 1—Example possible audible noise measurement locations.....	41
Table 2—Requirements regarding active and reactive power exchange during UPFC mode.....	52
Table 3—Example of equipment and materials to be furnished by the supplier	52
Table 4—Example of necessary shunt-side power system characteristics.....	54
Table 5—Example of necessary series-side power system characteristics	54
Table B.1—Main parameters of UPFC project in the western Nanjing grid.....	69
Table B.2—Steady-state control deviation of UPFC project.....	72
Table B.3—Dynamic state control deviation of UPFC project.....	72
Table B.4—Main parameters of 220 kV Yunzaobang UPFC project in Shanghai	75
Table B.5—Steady-state control deviation of UPFC project.....	78
Table B.6—Dynamic state control deviation of UPFC project.....	78
Table B.7—Main parameters of 500 kV UPFC project in Suzhou power grid	81
Table B.8—Steady-state control deviation of UPFC project.....	84
Table B.9—Dynamic state control deviation of UPFC project.....	85

IEEE Guide for Technology of Unified Power Flow Controller Using Modular Multilevel Converter

Part 1: Functions

1. Overview

1.1 Scope

This guide provides the functional requirements for unified power flow controller (UPFC) deployment, including application conditions, system architecture, function requirements, performance requirements, primary equipment requirements, control and protection requirements, auxiliary system requirements, testing, spares, and training of UPFC projects, which are suitable for UPFC in transmission power grids.

1.2 Purpose

The purpose of this guide is to specify the functional requirements for UPFC project application, allowing utilities, integrators, and other interested entities to specify the application conditions and system architecture of UPFC, and define the requirements for function, performance, primary equipment, control and protection, commissioning, and testing of UPFC projects. This guide aims to provide the knowledge base, experience, and opportunities for greater utilization of UPFC.

1.3 Application

This guide should be considered a general-purpose resource and does not include all details needed for a specific application. In addition, since UPFCs are typically designed to address a specific application, not every part of this guide may be applicable. The user of this guide should evaluate how and to what extent each clause applies to the development of a specification for a specific application.

1.4 Word usage

The word *shall* indicates mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (*shall* equals *is required to*).^{1,2}

¹The use of the word *must* is deprecated and cannot be used when stating mandatory requirements, *must* is used only to describe unavoidable situations.

²The use of *will* is deprecated and cannot be used when stating mandatory requirements, *will* is only used in statements of fact.