

IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations

IEEE Power and Energy Society

Developed by the
Nuclear Power Engineering Committee

IEEE Std 308™ -2020
(Revision of IEEE Std 308-2012)

Currently in preview, click buy full version

IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations

Developed by the

Nuclear Power Engineering Committee
of the
IEEE Power and Energy Society

Approved 30 January 2020

IEEE SA Standards Board

Currently in preview, click buy full version

Abstract: Class 1E portions of ac and dc power systems and instrument and control (I&C) power systems in single-unit and multiunit nuclear power generating stations are covered in this standard. The provision of criteria for the determination of Class 1E power system design features, criteria for sharing Class 1E power systems in multiunit stations, the requirements for their testing and surveillance, and the requirements for documentation of the Class 1E power system is the intent of this standard.

Keywords: Class 1E power systems, IEEE 308™, nuclear power station design, nuclear safety

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 16 March 2020. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-6442-0 STD24053
Print: ISBN 978-1-5044-6443-7 STDPD24053

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/about/corporate/governance/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/ipr/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, conferences, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for IEEE standards can be accessed via <https://standards.ieee.org/standard/index.html>. Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources - Details section. Errata are also available in IEEE Xplore: <https://ieeexplore.ieee.org/browse/standards/collection/ieee/>. Users are encouraged to periodically check for errata.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Class 1E Power Systems Working Group had the following membership:

John Disosway, *Chair*
Evans Heacock, *Vice Chair*

Mark Bowman
Keith Bush
Dale Goodney
Ayodele Ishola-Salawu
Edvin Kozo

Gurcharan Matharu
Kenneth Miller
Sheila Ray

Greg Reimers
Neal Simmons
Thomas Solinsky
Sudhir Thakur
Tamatha Womack

The Subcommittee on Auxiliary Power (SC4) of the Nuclear Power Engineering Committee that recommended approval of this draft standard had the following membership:

Kenneth Miller, *Chair*
Mitch Staskiewicz, *Vice Chair*

Audrey Baricko
Jason Bellamy
Mark Bowman
Keith Bush
John Disosway
Nader Eldeiry
Ken Fleischer
Evans Heacock
Ayodele Ishola-Salawu
Shinji Kawanago
Yoon Kim

Robert Konnik
Thomas Koshy
Edvin Kozo
Joe Kravac
Harvey Leake
Jinsuk Lee
Tim Lensmire
Gurcharan Matharu
John Minley
Ken Netzel

Gene Poletto
Greg Reimers
Neal Simmons
Shawn Simon
Thomas Solinsky
Masashi Sugiyama
Scott Sweat
Hideki Tanaka
Sudhir Thakur
Jeff Weibelt
Tamatha Womack

At the time this draft was submitted to the IEEE SA Standards board for approval, the Nuclear Power Engineering Committee (NPEC) had the following membership:

Daryl Harmon, *Chair*
John White, *Vice Chair*

Michiaki Akiyama
Rufino Ayala
George Ballassi
John Beatty
Jason Bellamy
Mark Bowman
Keith Bush
Suresh Channarasappa
Jonathan Cornelius
Tom Crawford
David Desaulniers
John Disosway
Steve Flegler
Ken Fleischer

Robert Francis
Jason Gasque
Jim Gleason
Dale Goodney
David Herrell
Ayodele Ishola-Salawu
Gary Johnson
Wolfgang Koenig
Robert Konnik
Thomas Koshy
Scott Malcolm
Gurcharan Matharu

Kenneth Miller
Edward Mohtashemi
Warren Oddess-Gillett
Gene Poletto
Iftikhar Rana
Mitchell Staskiewicz
Rebecca Steinman
John Stevens
Marek Tengler
Sudhir Thakur
Masafumi Utsumi
Yvonne Williams
Tamatha Womack
Richard Wood

The following members of the individual Standards Association balloting group voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman	Werner Hoelzl	James Parello
S. Aggarwal	Greg Hostetter	Bansi Patel
Curtis Ashton	Piotr Karocki	Dave Pederson
Robert Beavers	Tanuj Khandelwal	Jan Pirrong
Jason Bellamy	Yuri Khersonsky	Gene Poletto
William Bloethe	Chad Kiger	Lakshman Raut
Mark Bowman	Jim Kulchisky	Gregg Reimers
Gustavo Brunello	Mikhail Lagoda	Neal Simmons
Demetrio Bucaneg Jr.	G. Lang	David Smith
Nissen Burstein	Harvey Leake	Rebecca Steinman
Robert Carruth	Jinsuk Lee	John Stevens
Ashley Chappell	Bruce Lord	Gary Stoedter
John Disosway	John MacDonald	Scott Sweat
Stephen Fleger	Arturo Maldonado	John Vergis
Dale Goodney	Jose Marrero	John Webb
Steven Graham	Omar Mazzoni	Kenneth White
Randall Groves	Andrew Nack	Yvonne Williams
Hamidreza Heidarisaifa	Michael Newman	Tarsha Tomack
David Herrell		Eric Ziedman

When the IEEE SA Standards Board approved this standard on 31 January 2020, it had the following membership:

Gary Hoffman, *Chair*
Vacant Position, *Vice Chair*
Jean-Philippe Fauriol, *Post Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse	Howard ...	Dorothy Stanley
J. Travis Griffith	Dong ...	Mehmet Ulema
Grace Gu	Kevin ...	Lei Wang
Guido R. Hertz	Paul Nikolich	Sha Wei
Joseph L. Koepfinger*	Zoranir Novosel	Philip B. Winston
John D. Kulick	Jon Walter Rosdahl	Daidi Zhong
David J. Law		Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 308-2020, IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations.

This standard presents criteria and requirements for the electrical power systems of nuclear power generating stations specifically related to providing protection for the health and safety of the public. IEEE has developed these criteria to provide guidance in the determination of the design features and the surveillance requirements and testing related to the station electric power systems. Each applicant for a construction permit or an operating license for a nuclear power generating station in the United States is required to develop these items to comply with the Title 10, Code of Federal Regulations, Part 50. Adherence to these criteria may not suffice for assuring public health and safety because it is the integrated performance of the structures, the fluid systems, the instrumentation, and the electric systems of the station that limits the consequences of accidents. Failure to meet these requirements may be an indication of system inadequacy. Each applicant has the responsibility to assure all applicable parties that this integrated performance is adequate.

Background

IEEE Std 308TM-1970^{1,2} was prepared by Subcommittee 4, Auxiliary Power Systems of the Joint Committee on Nuclear Power Standards (JCNPS) of the IEEE Nuclear Science Group and the IEEE Power Engineering Society (PES). IEEE Std 308-1971 incorporated the experience of the first edition and added multiunit considerations. IEEE Std 308-1974 was completed by Working Group 4.1 of Subcommittee 4 of JCNPS, which had become the Nuclear Power Engineering Committee (NPEC) of the PES in 1973. IEEE Std 308-1978 clarified the interface between the functional requirements of the Class 1E power system and the safety systems for elements of the safety system that are within the Class 1E power system. IEEE Std 308-1980 implemented the recommendations of the Ad Hoc IEEE 308/603 Committee regarding the scope diagram for the IEEE Std 308 and IEEE Std 603TM interface. IEEE Std 308-1991 added criteria for interfacing the Class 1E power system with IEEE Std 765TM-1983, IEEE Standard for the Preferred Power Supply for Nuclear Power Generating Stations, and IEEE Std 741TM-1990, IEEE Standard Criteria for the Protection of Class 1E Power Systems and Equipment in Nuclear Power Generating Stations. The standard was also updated to reflect the latest requirements of IEEE Std 387TM-1984, IEEE Standard Criteria for Diesel-Generator Units Applied as Standby Power Supplies for Nuclear Power Generating Stations; IEEE Std 946TM-1985, IEEE Recommended Practice for the Design of Safety-Related DC Auxiliary Power Systems for Nuclear Power Generating Stations; and the recommendations of the NPEC Ad Hoc Committee on Shared Safety Systems. These recommendations resulted in a complete rewrite of the multiunit station considerations clause.

IEEE Std 308-2001 added criteria for design and testing documentation of Class 1E power systems, including verification and validation. The standard added to the criteria for power quality to include potential effects of harmonic distortion and degraded grid conditions. A general update to correct references and to address comments since the standard was last revised was also performed.

IEEE Std 308-2012 added guidance for application to passive nuclear plant designs. Minor changes were made to relocate tables and figures, and broaden the document so that its use is compatible with both newer and older plant designs. The term “diesel generator” was replaced with “standby power supply” throughout the document to allow for prime movers other than diesel engines. The requirement to have a Class 1E ac power system was removed for passive plant designs that accomplish safety functions through the use of natural forces. Furthermore, recognizing the importance of batteries to passive reactor designs during event response with loss of offsite power, additional guidance was provided for reenergizing battery chargers prior to the end of the battery discharge cycle.

¹Information on references can be found in [Clause 2](#).

²IEEE publications are available from the Institute of Electrical and Electronics Engineers (<http://standards.ieee.org/>).

Safety function concept

A safety system, by definition, shall encompass all of the elements required to achieve a protective or safety function. Figure 1, Figure 2, and Figure 3 illustrate the systems and equipment needed to perform a typical safety function, such as post-accident heat removal. As part of the safety system, the role of the Class 1E power system is clearly that of an auxiliary supporting feature, providing electric power to other safety systems (e.g., recirculation spray system, containment spray system, etc.). In this capacity, the portions of the Class 1E power system that contribute to performing a safety function must comply with the requirements of IEEE Std 603. However, the components, equipment, and systems within the Class 1E power system that perform no direct safety function (e.g., overload devices, protective relaying, etc.) must meet the requirements in IEEE Std 603 that assure that those components, equipment, and systems do not degrade the Class 1E power system below an acceptable level.

Major role of Class 1E power system

The major role of the Class 1E power system is to provide electric power to the reactor trip system, engineered safety features, and auxiliary supporting features; therefore, the Class 1E power system is an auxiliary supporting feature.

The Class 1E power system is unique in that it extends throughout the plant, having far more complex interfaces than other auxiliary supporting features. Other auxiliary supporting features are usually limited to one area or a single process in the plant and are basically mechanical systems. One characteristic of the complex interfaces of the Class 1E power system is the fact that it is an auxiliary supporting feature. Other auxiliary features are auxiliary supporting features for it, and the Class 1E power system may provide support for nonsafety system equipment and provide the means for the execution of the safety system protective actions.

The sense and command features include equipment that produces signals (e.g., current transformer, voltage transformer, etc.), measures electric system parameters (e.g., voltage, current, watts, etc.), or functions to limit degradation effects (e.g., protective relaying, thermal overloads, undervoltage relays, etc.). The sense and command features of the Class 1E power system that directly perform a safety function shall comply with the requirements of IEEE Std 603. Sense and command features of the Class 1E power system that do not have a direct safety function must be analyzed to show that their failure will have no unacceptable effects on the Class 1E power system.

In their execute features role, some Class 1E power system equipment, switchgear, circuit breakers, power cabling, and loads (primarily motors) are not only part of the Class 1E power system, but are also integral parts of the engineering safety feature.

Current revision

The working group reviewed IEEE Std 308-2012 and determined that no significant changes were required. Several minor grammatical changes have been made, tables have been redrawn for legibility, and references have been reviewed. A review of the standard was performed to determine if any changes were required as a result of the open phase event. It was determined that this event was already covered in the standard under the power quality clause.

Contents

1. Overview.....	11
1.1 Scope.....	11
1.2 Purpose.....	11
1.3 Word usage.....	12
2. Normative references.....	12
3. Definitions.....	13
4. Principal design criteria.....	16
4.1 General.....	16
4.2 Relationship between the safety system and Class 1E power system.....	16
4.3 Design basis event effects.....	17
4.4 Design basis.....	19
4.5 Power quality.....	20
4.6 Location of indicators and control.....	20
4.7 Identification.....	21
4.8 Independence.....	21
4.9 Equipment qualification.....	21
4.10 Single-failure criterion.....	21
4.11 Connection of non-Class 1E circuits.....	22
4.12 Control of access.....	22
4.13 Circuits that penetrate containment.....	22
4.14 Protection.....	22
5. Supplementary design criteria.....	22
5.1 Class 1E power systems.....	22
5.2 AC power systems.....	23
5.3 DC power systems.....	26
5.4 I&C power systems.....	28
5.5 Execute features.....	30
5.6 Sense and command features.....	30
6. Surveillance and test requirements.....	31
6.1 Surveillance methods.....	31
6.2 Preoperational equipment tests and inspections.....	32
6.3 Preoperational system test.....	32
6.4 Periodic tests.....	33
7. Multiunit station considerations.....	33
7.1 Criteria.....	33
7.2 Standby power supply capacity.....	34
7.3 Battery supplies.....	34
8. Documentation.....	34
8.1 Design documentation records.....	34
8.2 Documentation requirements for programmable digital devices.....	35
8.3 Test records.....	35

IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations

1. Overview

1.1 Scope

This standard applies to the Class 1E portions of the following systems and equipment in single-unit and multiunit nuclear power generating stations:

- Alternating current (ac) power systems
- Direct current (dc) power systems
- Instrumentation and control (I&C) power systems

This standard does not apply to the preferred power supply; the unit generators and their buses; generator breaker; step-up, auxiliary, and start-up transformers; connections to the station switchyard; switchyard; transmission lines; and the transmission network (see [Figure 2](#) and [Figure 3](#)).

1.2 Purpose

The purpose of this standard is to provide the following:

- The principal design criteria and the design features of Class 1E power systems that enable the systems to meet their functional requirements under the conditions produced by the applicable design basis events.
- The requirement for tests and surveillance of Class 1E power systems.
- The criteria for sharing Class 1E power systems in multiunit stations.
- The requirement for documentation of Class 1E power systems.