

IEEE Standard Procedures for the Measurement of Radio Noise from Overhead Power Lines and Substations

IEEE Power and Energy Society

Sponsored by the
Transmission and Distribution Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 430™-2017
(Revision of IEEE Std 430-1986)

IEEE Standard Procedures for the Measurement of Radio Noise from Overhead Power Lines and Substations

Sponsor

**Transmission and Distribution Committee
of the
IEEE Power and Energy Society**

Approved 14 February 2017

IEEE-SA Standards Board

Abstract: Uniform procedures for the measurement of radio noise generated by corona from overhead power lines and substations are established in this standard. Measurement procedures in this standard are also valid for other power-line noise sources such as gaps and harmonics; however, most of the precautionary information, analysis, and data plotting techniques were written and developed primarily for corona discharges. The procedures are not valid for measuring transient radio noise sources that occur during breaker or disconnect switching operations. The procedures apply in the frequency range of 0.010 MHz to 1000 MHz; however, the emphasis is on the standard amplitude-modulation broadcasting (0.535 MHz to 1.605 MHz) and television broadcasting (54 MHz to 72 MHz, 76 MHz to 88 MHz, 174 MHz to 216 MHz, and 470 MHz to 698 MHz) bands. This standard is applicable to both ac and dc transmission lines and substations.

Keywords: corona, IEEE 430™, measurements, radio noise, substations, transmission lines

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 17 March 2017. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-3965-3 STD22394
Print: ISBN 978-1-5044-3696-0 STDPD22394

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher..

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit IEEE Xplore at <http://ieeexplore.ieee.org> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable terms, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Corona and Field Effects Working Group had the following membership:

Danna Liebhaber, *Chair*
Robert Schaerer, *Vice Chair*

Gordon Baker
Tony Baker
Bryan Beske
David Boudreau
John Chan
Bill Chisholm
Ross Clark
Rich Collins
Ben Cotts
Glenn Davidson
Cody Davis

James Dubay
Kevin Edmonds
Namal Fernando
Buck Fife
Bruce Freimark
Michael Garrels
Jennifer Havel
Arjan Jagtiani
Gary Johnson
Barrett Kimball
John Kuffel

Tom McCarthy
Rob Meert
Mark Patterson
Brian Reynolds
Steve Roberts
Tim Shaw
Ross Smith
Gerald Stewart
Timothy Van Remmel
Jack Varner
Mike Wernje

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Saleman Alibhay
Mauricio Aristizabal
Thomas Barnes
Jeffrey Brogdon
Gustavo Brunello
William Bush
William Byrd
Robert Christman
Benjamin Cotts
Cody Davis
Gary Donner
Gearold O. H. Eidhin
Namal Fernando
Michael Garrels
George Gela
Mietek Glinkowski
Waymon Goch
Edwin Goodwin
Randall Groves
Stuart Hanebuth

Timothy Harrington
Lee Herron
Werner Hoelzl
Randy Hopkins
Magdi Ishac
Song Jin
Lars Juhlin
Chad Kiver
James Kinney
Jim Kuchinsky
Kwong-jiu Lam
Benjamin Lanz
Michael Lauxman
Danna Liebhaber
Albert Livshitz
Lawrenc Long
William McBride
Michael Newman
Gary Nissen

Matthew Norwalk
Carl Orde
Lorraine Padden
Bansi Patel
Branimir Petosic
Percy Pool
Douglas Proctor
Iulian Profir
Jerry Reding
Thomas Rozek
Daniel Sabin
Bartien Sayogo
Robert Schaerer
Jeremy Smith
Jerry Smith
K Stump
Roger Verdolin
John Vergis
Kenneth White
David Zech

When the IEEE-SA Standards Board approved this standard on 14 February 2017, it had the following membership:

Jean-Philippe Faure, *Chair*
Vacant Position, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Doug Edwards
J. Travis Griffith
Gary Hoffman

Michael Janezic
Thomas Koshy
Joseph L. Koepfinger*
Kevin Lu
Daleep Mohla
Damir Novosel
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Adrian Stephens
Mehmet Ulema
Phil Wennblom
Howard Wolfman
Yu Yuan

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 430-2017, IEEE Standard for Procedures for the Measurement of Radio Noise from Overhead Power Lines and Substations.

The primary purpose of this standard is to establish uniform procedures for the measurement of radio noise generated by corona from overhead power lines with instrumentation that conform to ANSI C63.2:2009¹. A uniform procedure is a prerequisite to comparisons or validation, or both, of the radio noise performance of various overhead power lines and substations. Measurement procedures in this standard are also valid for other power-line noise sources such as gaps and harmonics; however, most of the precautionary information, analysis, and data plotting techniques were written and developed primarily for corona discharges. The procedures are not valid for measuring transient radio noise sources that occur during breaker or disconnect switching operations. The procedures apply in the frequency range of 0.010 MHz to 1000 MHz; however, the emphasis is on the standard amplitude-modulation broadcasting (0.535 MHz to 1.605 MHz) and television broadcasting (54 MHz to 72 MHz, 76 MHz to 88 MHz, 174 MHz to 216 MHz, and 470 MHz to 698 MHz) bands. This standard is applicable to both ac and dc transmission lines and substations.

This standard was first issued as a trial-use standard in 1972 after a period of approximately 10 years in development. It became a full standard in 1976.

For the 1986 revision, revisions were made regarding the adoption of the IEC (International Electrotechnical Commission) CISPR (International Special Committee on Radio Interference) specifications for interference measuring apparatus for the frequency range 0.15 MHz to 30 MHz by the Accredited Standards Committee on Electromagnetic Compatibility C63®. In addition, the revision included additional material on both short- and long-term measurements, both ac and dc lines, and included a trial-use guide for substation measurements.

This 2017 revision incorporates further updates regarding quasi-peak detector requirements, newer equipment, general document improvement, and an informative annex regarding how the measurements may relate to transmission line design.

¹Information on references can be found in [Clause 2](#).

Contents

1. Scope.....	10
2. Normative references	10
3. Definitions.....	11
4. Measuring instrumentation.....	11
4.1 Radio-noise and field-strength meter.....	11
4.2 Radio-noise meter calibration.....	12
4.3 Detector function selection.....	12
4.4 Units of measurements	12
4.5 Monitoring.....	12
5. Measurement of radio noise (0.010 MHz to 30 MHz) from overhead power lines.....	12
5.1 Test sites	12
5.2 Measurement procedure	13
5.3 Background data.....	16
6. Measurement of radio noise (30 MHz to 1000 MHz) from overhead power lines.....	20
6.1 Introduction	20
6.2 Test sites	20
6.3 Measurement procedure	20
7. Precautions in measurements	24
7.1 Location of personnel and equipment.....	24
7.2 Standing waves.....	24
7.3 Background noise.....	24
7.4 Weather.....	24
7.5 Selection of antennas.....	25
7.6 Additional precautions.....	26
8. Measurement of radio noise (0.010 MHz to 30 MHz) from substations	26
8.1 Test sites	26
8.2 Measurement procedure	26
8.3 Reporting of data	27
9. Measurement of radio noise (30 MHz to 1000 MHz) from substations	27
9.1 Introduction	27
9.2 Measurement procedure	27
Annex A (informative) Bibliography.....	28
Annex B (informative) Vehicle-mounted antennas	29
Annex C (informative) Application of measured signals and noise in transmission line design.....	30

IEEE Standard Procedures for the Measurement of Radio Noise from Overhead Power Lines and Substations

1. Scope

This standard establishes uniform procedures for the measurement of radio noise generated by corona from overhead power lines and substations. Measurement procedures in this standard are also valid for other power-line noise sources such as gaps and harmonics; however, most of the precautionary information, analysis, and data plotting techniques were written and developed primarily for corona discharges. The procedures are not valid for measuring transient radio noise sources that occur during breaker or disconnect switching operations. The procedures apply in the frequency range of 0.010 MHz to 1000 MHz; however, the emphasis is on the standard amplitude-modulation broadcasting (0.535 MHz to 1.605 MHz) and television broadcasting (54 MHz to 72 MHz, 76 MHz to 88 MHz, 174 MHz to 216 MHz, and 470 MHz to 698 MHz) bands. This standard is applicable to both ac and dc transmission lines and substations.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

ANSI C63.2-2009, American National Standard for Electromagnetic Noise and Field Strength Instrumentation, 10 Hz to 40 GHz Specifications.²

CISPR 16-1-1:2010, Specification for Radio Interference Measuring Apparatus and Measurement Methods—Part 1-1: Radio Disturbance and Immunity Measuring Apparatus—Measuring Apparatus.³

IEEE Std 291TM, IEEE Standard Methods for Measuring Electromagnetic Field Strength of Sinusoidal Continuous Waves, 30 Hz to 30 GHz.^{4,5}

²This publication is available from The Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://ieeexplore.ieee.org>).

³CISPR documents are available from the International Electrotechnical Commission at <https://webstore.iec.ch/>.

⁴The IEEE standards or products referred to in this clause are trademarks of The Institute of Electrical and Electronics Engineers, Inc.

⁵IEEE publications are available from The Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://ieeexplore.ieee.org>).