

IEEE Recommended Practice for Sizing Lead-Acid Batteries for Stationary Applications

IEEE Power and Energy Society

Developed by the
Energy Storage and Stationary Battery Committee

IEEE Std 485™ -2020
(Revision of IEEE Std 485-2010)

Currently in preview, click buy full version

IEEE Recommended Practice for Sizing Lead-Acid Batteries for Stationary Applications

Sponsor

**Energy Storage and Stationary Battery Committee
of the
IEEE Power and Energy Society**

Approved 6 May 2020

IEEE SA Standards Board

Currently in preview, click buy full version

Abstract: Methods for defining the dc load and for sizing a lead-acid battery to supply that load for stationary battery applications in float service are described in this recommended practice. Some factors relating to cell selection are provided for consideration. Installation, maintenance, qualification, testing procedures, and consideration of battery types other than lead-acid are beyond the scope of this recommended practice. Design of the dc system and sizing of the battery charger(s) are also beyond the scope of this recommended practice.

Keywords: battery duty cycle, cell selection, dc load, full-float operation, IEEE 485™, lead-acid batteries, rated capacity, sizing, stationary applications, valve-regulated lead-acid (VRLA) cell, vented battery, vented lead-acid (VLA)

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 5 June 2020. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-6703-2 STD24186
Print: ISBN 978-1-5044-6704-9 STDPD24186

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes policies to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy or any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or completeness of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to results and workmanlike effort. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Participants

At the time this IEEE recommended practice was completed, the Vented Lead Acid Sizing Working Group had the following membership:

James Midolo, Chair
Sepehr Mogharei, Vice Chair

Amber Aboulfaida	Rufus Lawhorn	Kenneth Sabo
Robert Beavers	Daniel Martin	Surendra Salgia
Steven Belisle	Tania Martinez Navedo	Joseph Stevens
Thomas Carpenter	Thomas Mulcahy	Richard Tressler
Ali Heidary	Volney Naranjo	Lesley Varga
Ken Hill		Jason Wallis

The following members of the individual balloting committee voted on this recommended practice. Balloters may have voted for approval, disapproval, or abstention.

Amber Aboulfaida	James Graham	Arthur Neubauer
William Ackerman	Randall Groves	Michael O'Brien
Satish Aggarwal	Hamidreza Heidarisafa	Ban Patel
Samuel Aguirre	James Houston	Christopher Petrola
Steven Alexanderson	Alan Jensen	Anthony Picagli
Edward Amato	Wayne Johnson	John Polenz
Curtis Ashton	Jim Kulchisky	Jan Reber
Gary Balash	Mikhail Lagoda	Charles Rogers
Thomas Barnes	Chung-Yiu Lam	Art Salander
Robert Beavers	Jeffrey LaMarca	Bartien Sayogo
Christopher Belcher	Daniel Lambert	Robert Schuerger
Thomas Blair	Thomas La Rose	Nikunj Shah
William Bloethe	Jon Loeliger	David Smith
Mark Bowman	Debra Longtin	Joseph Stevens
Derek Brown	John Merando	Thomas Stomerski
William Bush	Denier Martin	Richard Tressler
William Byrd	Michael May	Lesley Varga
William Cantor	William McBride	John Vergis
Thomas Carpenter	Stephen McCluer	Donald Wengerter
Randy Clelland	James McDowall	Kenneth White
Peter Demar	Larry Meisner	Hughes Wike
Robert Fletcher	John Merando	Jian Yu
John Gage Jr	Thomas Mulcahy	Luis Zambrano
	Haissam Nasrat	

When the IEEE SA Standards Board approved this recommended practice on 6 May 2020, it had the following membership:

Gary Hoffman, *Chair*
Jon Walter Rosdahl, *Vice Chair*
Jean-Philippe Faure, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
J. Travis Griffith
Grace Gu
Guido R. Hiertz
Joseph L. Koepfinger*
John D. Kulick

David J. Law
Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel
Dorothy Stanley

Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 485-2020, IEEE Recommended Practice for Sizing Lead-Acid Batteries for Stationary Applications.

The storage battery is of primary importance for the satisfactory operation of stationary applications including but not limited to generating stations, substations, telecommunications, and other stationary applications. This recommended practice is based on commonly accepted methods used to define the load and determine adequate battery capacity. The method described is applicable to all installations and battery sizes.

The installations considered herein are designed for operation with a battery charger serving to maintain the battery in a charged condition as well as to supply the normal dc load. This recommended practice does not apply to “cycling” applications. (See IEEE Std 1660™ [B7].¹)

This recommended practice was prepared by the Vented Lead Acid Sizing Working Group of the Energy Storage and Stationary Battery Committee. It may be used separately, but when combined with IEEE Std 450™² and IEEE Std 484™ (for vented lead acid batteries) or IEEE Std 1187™ and IEEE Std 1188™ (for valve-regulated lead-acid [VRLA] batteries), it provides the user with a general guide to designing, placing in service, and maintaining the applicable lead-acid battery installation.

¹The numbers in brackets correspond to those of the bibliography in [Annex H](#).

²Information on references can be found in [Clause 2](#).

Contents

1. Scope.....	12
2. Normative references	12
3. Definitions.....	13
4. Defining loads	14
4.1 General considerations	14
4.2 Load classification.....	14
5. Cell selection.....	16
6. Determining battery size	17
6.1 General	17
6.2 Number of cells	17
6.3 Additional considerations.....	18
6.4 Cell size	20
6.5 Cell sizing worksheet	23
7. Cell voltage/time profile calculation	25
Annex A (informative) Battery and cell sizing examples.....	26
Annex B (informative) Calculating cell voltage during discharge.....	32
Annex C (informative) Consideration of cell types	41
Annex D (informative) Constant power and constant resistance sizing.....	42
Annex E (informative) Development and use of battery discharge curves	50
Annex F (informative) Random loads	59
Annex G (informative) Full-size worksheet	65
Annex H (informative) Bibliography	67

List of Figures

Figure 1—Diagram of a duty cycle	16
Figure 2—Generalized duty cycle.....	21
Figure 3—Cell sizing worksheet	24
Figure A.1—Sample worksheet using K_t	27
Figure A.2—Duty cycle diagram	29
Figure A.3—Hypothetical composite rating curve for XYZ cell manufactured by ABC Company	30
Figure A.4—Sample worksheet using R , capacity factor.....	31
Figure B.1—Discharge characteristics of ABC-type cell (Fan Curve)	33
Figure B.2—Discharge characteristics of DEF-type cell (S curve)	34
Figure B.3—Calculated voltage/time profile from “fan” curves	38
Figure B.4—Calculated voltage/time profile from “S” curves	40
Figure D.1—Voltage versus time constant power load.....	42
Figure D.2—Constant power discharge characteristic curve cell type: ABC	43
Figure D.3—Typical voltage versus time curve with calculated average volts cell type: ABC	46
Figure D.4—Cell type: ABC-33 average volts to final volts—curve fit.....	47
Figure D.5—Cell type: ABC-33 average volts to final volts—final	48
Figure E.1—Typical discharge characteristic curve for AB battery.....	51
Figure E.2—Test data curve	51
Figure E.3—Typical discharge characteristics to 1.75 V	53
Figure E.4—Coup de fouet at various discharge rates for cell type ABC-33	54
Figure E.6—Time lines	55
Figure E.7—Completed discharge characteristic curve	56
Figure E.8—One hour sizing calculation	57
Figure E.9—100 A/positive plate load calculation	57
Figure E.10—Sizing calculation 3	58
Figure F.1—Random load in last hour.....	59
Figure F.2—Battery sizing for random load in last hour.....	60
Figure F.3—Random load in first minute	61
Figure F.4—Random load at end of first hour.....	62
Figure F.5—Battery sizing for random load in first minute	63
Figure F.6—Battery sizing for random load at end of first hour.....	64

List of Tables

Table 1—Cell size correction factors for temperature for vented and VRLA cells	19
Table A.1—Sample cell sizing data	28
Table B.1—Cell voltage over time using “fan” curve.....	37
Table B.2—Cell voltage over time using “S” curve	39
Table C.1—Representative battery types	41
Table D.1—Sample sizing chart—values shown in kW per cell.....	44
Table D.2—7 h discharge data.....	45
Table E.1—Preliminary test data.....	52
Table E.2—Initial voltage points.....	53

IEEE Recommended Practice for Sizing Lead-Acid Batteries for Stationary Applications

1. Scope

Methods are described for defining the dc load and for sizing a lead-acid battery to supply that load for stationary battery applications in float service. Some factors relating to cell selection are provided for consideration. Installation, maintenance, qualification, testing procedures, and consideration of battery types other than lead acid are beyond the scope of this recommended practice. The design of the dc system and sizing of the battery charger(s) are also beyond the scope of this recommended practice.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they shall be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEEE Std 450TM, IEEE Recommended Practice for Maintenance, Testing, and Replacement of Vented Lead-Acid Batteries for Stationary Applications.^{3,4}

IEEE Std 484TM, IEEE Recommended Practice for Installation Design and Installation of Vented Lead-Acid Batteries for Stationary Applications.

IEEE Std 1184TM-2006, IEEE Guide for Batteries for Uninterruptible Power Supply Systems.

IEEE Std 1187TM, IEEE Recommended Practice for Installation Design and Installation of Valve-Regulated Lead-Acid Storage Batteries for Stationary Applications.

IEEE Std 1188TM, IEEE Recommended Practice for Maintenance, Testing, and Replacement of Valve-Regulated Lead-Acid (VRLA) Batteries for Stationary Applications.

IEEE Std 1881TM, IEEE Standard Glossary of Stationary Battery Terminology.

³This publication is available from the Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org/>)

⁴The IEEE standards or products referred to in this clause are trademarks owned by the Institute of Electrical and Electronics Engineers, Incorporated.