



IEEE Standard for Calculating the Current-Temperature of Bare Overhead Conductors

IEEE Power Engineering Society

Sponsored by the
Transmission and Distribution Committee

IEEE
3 Park Avenue
New York, NY 10016-5997, USA
30 January 2007

IEEE Std 738™-2006
(Revision of
IEEE Std 738-1993)

Currently in preview, click buy full version

IEEE Std 738™-2006

(Revision of
IEEE Std 738-1993)

IEEE Standard for Calculating the Current-Temperature of Bare Overhead Conductors

Sponsor

**Transmission and Distribution Committee
of the
IEEE Power Engineering Society**

Approved 16 November 2006

IEEE-SA Standards Board

Abstract: A method of calculating the current-temperature relationship of bare overhead lines, given the weather conditions, is presented. Along with a mathematical method, sources of the values to be used in the calculation are indicated. This standard does not undertake to list actual temperature-ampacity relationships for a large number of conductors, but rather provides a standard method of doing such calculations.

Keywords: bare overhead lines, current-temperature relationship

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2007 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 30 January 2007. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 0-7381-5270-6 SH95591
PDF: ISBN 0-7381-5271-4 SS95591

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied **“AS IS.”**

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 738-2006, IEEE Standard for Calculating the Current-Temperature of Bare Overhead Conductors.

In 1986, IEEE Std 738-1993, IEEE Standard for Calculation of Bare Overhead Conductor Temperature and Ampacity Under Steady-State Conditions, was first published. The standard was developed “so that a practical, sound, and uniform method (of calculation) might be utilized and referenced.” As part of the revision in 1993, the Working Group on the Calculation of Bare Overhead Conductor Temperatures, which was responsible for the revision of this standard, decided to address fault current and transient ratings and include their calculation in this standard.

In the present revision, SI units were added throughout, the solar heating calculation was extensively revised, and many editorial changes were made.

Consistent with IEEE guidelines for standards such as this, SI units are used exclusively in the main body. “English” units are used in Annex A since they are widely utilized by power transmission line design engineers in North America.

This standard includes a computer program listing to serve as a basis for program development. The working group has made every effort to ensure that the program yields accurate results. The user is cautioned that there may be values of rating parameters for which the method is not appropriate.

Many persons have contributed to the preparation, analysis, and review of this standard. We would like to recognize the contribution of the late B.S. Howington, who served as chair of the working group for many years and was responsible for developing the original standard. Richard E. Kennon, James Larkey, Jerry Reding, and Dale Douglass (Task Force Chairman) did most of the revisions in the latest version of the standard. Many of the other Working Group members contributed their time and thought. Catherine Berger, an IEEE staff editor, was immensely helpful in getting the standard completed in an acceptable format.

Notice to users

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretation

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents or patent applications for which a license may be required to implement an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Participants

At the time this standard was approved, the Working Group on Conductors had the following members:

Craig Pon, Chair

Franco Albi
Tom Alderton
John Alexiou
Jean-Marie Asselin
Gerald Baker
Gordon Baker
Katherine Beaman
Michael Becker
Mike Beehler
Yair Berenstein
W. Z. Black
Brian Booker
Gary Bowles
Doug Brasell
Dave Bryant
Bill Calhoun
John Chan
Peter Chan
Neil Chapman
Jerry Cheeks
William Chisholm
Rob Christman
Patrick Clark
Ross Clark
Michael Clodfelder
Louis Cloutier
Randy Cole
Richard Collins
Len Consalvo
Ben Crutcher
Len Custer
Glenn Davidson
Michael Della Vecchia
Frank Denbrock
Nicholas DeSantis
Herve Deve
Sean Dinslore
Doug Dodson
Dale Douglass
Leslie Duke
Sanjib Dutta
Bill Eisinger
Steve Face
Jeff Eric
Masoud Farzeneh
Jim Flood
Bruce Freimark
Matthew Garner
Dimitri Georgopolous

Paul Gerber
Erich Gnadit
Waymon Goch
Anand Goel
Joe Graziano
Tom Grisham
Juan Gutierrez Jr.
David Hamilton
Claude Hardy
Douglas Harms
Ibrahim Hathout
Dave Havard
Gary Heilkema
Sven Hoffmann
Randy Hopkins
Jim Hunt
Hyun-Joo Hwang
Javier Iglesias
Magdi F. Ishac
Barry Johnson
Dave Johnson
Doug Johnson
Teruaki Kawaguchi
Dale King
Robert Kluge
Don Koonce
Martin Krajco
Hong-to Lam
Herb Lee
Dennis Legeron
Louis Lilien
Vito Longo
Dennis Lowe
Otto Lynch
Yutaka Matsuzaki
Ray McCoy
Colin McCullough
Robert Millies
May Millies
Jack Molodak
Bill Myers
Andy Na
Shan Nandi
Neil Nilakantan
George Niles
Kim Nuckles
Steven Nutt
John Olenik
Carl Orde

Hyun-Ho Park
Sung-Yul Park
Menelaos Pavlou
Robert Peters
Eric Peyrot
Douglas Proctor
Rich Proshold
LaWana Quayle
Ron Raczkausk
Ron Randle
Chuck Rawlins
Jerry Reeling
Brian Reed
Joe Penow
Rodger Reulwick
Paul Richards
Mike Riddle
John Ritter
Lowell Rogers
Jack Roughan
Rudy Ruge
Tapani Seppa
David Shaffner
Douglas Shannon
Doug Sherman
Biela Shomer
Tarlochan Singh
Paul Springer
Ron Stelmak
Andy Stewart
George Stranovski
Dave Sunkle
Mano Tad
Carl Tamm
Brian Thiry
Ridley Thrash
Jack Varner
Chanh Viglione
Lynn Vines
George Waidelich
Jeff Wang
Bob Whapham
Dale Williams
Ned Wisich
Chuck Wozniak
Prasad Yenumula
Koichi Yonezawa

At the time the revision to this guide was completed, the Task Force on the Revision of IEEE Std 738 had the following membership:

Dale Douglass, *Chair*
Jerry Reding, *Vice Chair*

Jim Applequist
Gordon Baker
William Black
Richard Bush
Pat Callahan
Len Consalvo

Glenn Davidson
Dennis Doss
Richard Kennon
Vito Longo
Andrew McCulloch
Vic Morgan

Yakov Motlis
Shanatu Nandi
Neil Schmidt
Tapani Seppa
Ridley Thrash
William Zollars

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Roy Alexander
Kraig Bader
Edward Bertolini
Enrique Betancourt
James Christensen
Robert Christman
Michael Clodfelder
F. Leonard Consalvo
Tommy Cooper
Luis Coronado
Guru Dutt Dhingra
Jose Daconti
John Dagenhart
R. Daubert
Byron Davenport
Dennis Decosta
Nicholas Desantis
Randall Dotson
Dale Douglass

Amir El-Sheikh
Lowell Fink
Ajit Gwal
Manuel Gonzalez
Charles W Grose
Randall Groves
Erik Guillot
Edward Horgan Jr.
Magdi Ishac
David Jackson
George Karady
Stephen R. Lambert
Gene Lindholm
Gregory Luri
Keith Malmgren
Frank Mayle
Jose Carlos Mendes
Gary Michel
Kari Rajdelkoski
Shanatu Nandi

T. W. Olsen
Carlos Peixoto
Robert Peters
Pauline Payne
Thomas Pearek
Francis Peverly
Percy Pool
Douglas Proctor
Patrick Quinn
Joe Renowden
Johannes Rickmann
Stephen Rodick
Thomas Rozek
James Ruggieri
Devki Sharma
James Smith
Allan St. Peter
Joseph Tumidajski
Daniel Ward
James Wilson
Luis Zambrano

When the IEEE-SA Standards Board approved this standard on 16 November 2006, it had the following membership:

Steve M. Mills, *Chair*
Richard H. Hulett, *Vice Chair*
Don Wright, *Past Chair*
Judith Gorman, *Secretary*

Mark D. Bowman
Dennis B. Brophy
William R. Goldbach
Arnold M. Greenspan
Robert M. Grow
Joanna N. Guenin
Julian Forster*
Mark S. Halpin
Kenneth S. Hanus

William B. Hopf
Joseph L. Koepfinger*
David J. Law
Daleep C. Mohla
T. W. Olsen
Glenn Parsons
Ronald C. Petersen
Tom A. Prevost

Greg Ratta
Robby Robson
Anne-Marie Sahazizian
Virginia C. Sulzberger
Malcolm V. Thaden
Richard L. Townsend
Walter Weigel
Howard L. Williams

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Alan H. Cookson, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Matthew Ceglia
IEEE Standards Program Manager, Technical Program Development

Contents

1.	Overview.....	1
1.1	Scope.....	1
1.2	Disclaimer.....	2
2.	Definitions.....	2
3.	Temperature calculation methods.....	3
3.1	Steady-state calculations.....	4
3.2	Transient calculations.....	5
3.3	Units and identification of letter symbols.....	6
3.4	Formulas.....	8
3.5	Equations for air properties, solar angles, and solar heat flux.....	11
3.6	Sample calculations.....	16
4.	Input data.....	22
4.1	Introduction.....	22
4.2	Wind and ambient temperature.....	22
4.3	Air density, viscosity, and conductivity.....	23
4.4	Emissivity and absorptivity.....	23
4.5	Solar heat gain.....	24
4.6	Conductor heat capacity.....	24
4.7	Maximum allowable conductor temperature.....	25
4.8	Time step.....	25
	Annex A (informative) English unit equivalents to SI units used in this standard.....	26
	Annex B (informative) Listing of the “K” IEEE program for steady-state and transient calculations of temperature and thermal rating for bare overhead conductors.....	39
	Annex C (informative) Sample calculations of steady-state conductor temperature.....	51
	Annex D (informative) Sample calculation of steady-state thermal rating.....	52
	Annex E (informative) Sample calculation of transient conductor temperature with a step increase in current.....	53
	Annex F (informative) Sample calculation of transient thermal rating.....	55
	Annex G (informative) Thermal time constant.....	56
	Annex H (informative) Bibliography.....	58

IEEE Standard for Calculating the Current-Temperature of Bare Overhead Conductors

1. Overview

1.1 Scope

The purpose of this standard is to present a method of calculating the current-temperature relationship of bare overhead conductors.

Conductor surface temperatures are a function of the following:

- a) Conductor material properties
- b) Conductor diameter
- c) Conductor surface conditions
- d) Ambient weather conditions
- e) Conductor electrical current

The first two of these properties are specific chemical and physical properties. The third may vary with time and be dependent upon ambient atmospheric conditions other than weather. The fourth, weather, varies greatly with the hour and season. The fifth, conductor electrical current, may be constant or may vary with power system loading, generation dispatch, and other factors.

The equations relating electrical current to conductor temperature may be used in either of the following two ways:

- To calculate the conductor temperature when the electrical current is known
- To calculate the current that yields a given maximum allowable conductor temperature