

WITHDRAWN

IEEE Std 929™-2000 (Withdrawn 2006)

(Revision of IEEE Std 929-1988)

IEEE Recommended Practice for Utility Interface of Photovoltaic (PV) Systems

Sponsor

**IEEE Standards Coordinating Committee 21
on Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage**

Withdrawn 3 February 2006

IEEE-SA Standards Board

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10017-5997, USA

Copyright © 2000 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 3 April 2000. Printed in the United States of America.

Print: ISBN 0-7381-1935-2 SH94811
PDF: ISBN 0-7381-1935-0 SS94811

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

“Withdrawn” standards are standards that are no longer useful or contain significant obsolete or erroneous information. All amendments or corrigenda associated with this standard have also been withdrawn.

WARNING: You are cautioned to USE AT YOUR OWN RISK, as the technology contained herein may no longer be accurate, or may have been superseded since the date of withdrawal.
--

Information on withdrawn standards is available in the IEEE-SA Standards Board Operations Manual
<<http://standards.ieee.org/guides/opman/index.html>>.

WITHDRAWN

Abstract: This recommended practice contains guidance regarding equipment and functions necessary to ensure compatible operation of photovoltaic (PV) systems that are connected in parallel with the electric utility. This includes factors relating to personnel safety, equipment protection, power quality, and utility system operation. This recommended practice also contains information regarding islanding of PV systems when the utility is not connected to control voltage and frequency, as well as techniques to avoid islanding of distributed resources.

Keywords: islanding, nonislanding inverter, photovoltaic, utility interconnection

Currently in preview, click buy full version

WITHDRAWN

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. Members of the committees serve voluntarily and without compensation. They are not necessarily members of the Institute. The standards developed within IEEE represent a consensus of the broad expertise on the subject within the Institute as well as those activities outside of IEEE that have expressed an interest in participating in the development of the standard.

Use of an IEEE Standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE standards represent a consensus of all concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08854-1331
USA

Note: Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; (978) 750-8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

WITHDRAWN

Introduction

[This introduction is not a part of IEEE Std 929-2000, IEEE Recommended Practice for Utility Interface of Photovoltaic (PV) Systems.]

This revision of IEEE Std 929 is in response to the maturation of the photovoltaic industry. That maturation has identified the critical need to have the interconnection of photovoltaic (PV) systems to the utility grid be covered under a comprehensive document that includes specific recommendations rather than general guidance. The intent of this document is to define the technical requirements of PV system interconnection in a manner that can be adopted as a PV system technical interconnection standard by individual utilities. This document also includes several annexes for tutorial and clarification purposes.

A significant effort has been made to coordinate this document with Underwriters Laboratories in the production of UL 1741, a test procedure that can be performed by an independent body to verify that an inverter intended for use with a utility-interconnected PV system meets the recommendations described in this recommended practice. The safety test procedure put forth by the Underwriters Laboratories will, among other things, test the inverter for proper response, as detailed in this recommended practice (including Annex A), to loss of utility or “out of bounds” utility conditions. One aspect of this testing is to ascertain that the inverter will not operate as a utility-independent island.

Participants

At the time this recommended practice was completed, Standards Coordinating Committee 21, on Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage, had the following membership:

R. DeBlasio, Chair

S. Chalmers, Vice Chair

A. J. Anderson, Secretary

R. Addiss
G. Atmaram
M. Azzam
T. Basso
M. Behnke
R. Bonn
W. Bottenberg
W. Bower
B. Brooks
P. Butler
J. Bzura
J. Call
P. Capps
R. Cary
J. Chamberlin
J. Chen
D. Conover
G. Corey
V. D’Aiello
D. Dawson
J. Drizos
T. Duffy
J. Dunlop
J. Emming
B. Farmer
W. Feero
M. Flis
C. Freitas

D. Garrett
P. Gromorawski
R. Hammond
J. Hecht
S. Hester
R. Hoffman
J. Hoffner
S. Hogan
B. Hornberger
T. Hund
M. Jackson
T. Jester
S. Jochums
B. Jones
W. Kanzer
W. Kaszeta
G. Kelly
G. Kern
J. Koepfinger
B. Kroposki
S. Kurtz
L. Libby
D. Loweberg
S. Macera
K. MacKamul
N. Magnani
A. Mikonowicz
J. Moriarty

D. Myers
C. Napikoski
A. Nilsson
U. Ortabasi
C. Osterwald
P. Overholt
J. Posbic
R. Rider
T. Ruhlmann
M. Russell
P. Russell
K. Sanders
R. Schmit
J. Smyth
J. Stevens
C. Sun
J. Sutherland
M. Thomas
J. Turner
J. Tuttle
S. Vechy
J. Ventre
C. Whitaker
K. Whitfield
J. Wiles
R. Wills
J. Wohlgemuth
T. Zgonena

WITHDRAWN

At the time this recommended practice was completed, the Utility Working Group of Standards Coordinating Committee 21, on Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage, had the following membership who participated in the preparation of this recommended practice:

John Stevens, Chair

Miles Russell, Secretary

Michael Behnke
Bill Brooks
John Bzura
Steve Chalmers
Joe Chau
Doug Dawson
Richard DeBlasio
Tom Duffy
Chris Freitas

D. Lane Garrett
Steve Hester
John Hoffner
Barry Hornberger
Bob Jones
Greg Kern
Leslie Libby
Don Loweberg
Tron Melzl

John Moriarty
Chester Napikoski
Jean Posbic
Jodi Smyth
Chase Sun
Rick West
Chuck Whitaker
Robert Will
Tim Zgonen

The following members of the balloting committee voted on this recommended practice:

Mike Behnke
John Bzura
Steve Chalmers
Jay Chamberlin
Doug Dawson
Richard DeBlasio
Tom Duffy

Bill Feero
D. Lane Garrett
Bob Hammond
John Hoffner
Stephen Hogan
Bob Jones
Greg Kern
Tron Melzl

John Moriarty
Miles Russell
John Stevens
Chase Sun
Chuck Whitaker
John Wiles
Robert Wills

When the IEEE-SA Standards Board approved this standard on 30 January 2000, it had the following membership:

Richard Holleman, Chair

Donald L. Heirman, Vice Chair

Judith Gorman, Secretary

Satish K. Aggarwal
Dennis Bodson
Mark D. Bowma
James T. Carlo
Gary R. Engmann
Harold F. Stein
Jay Forster*
Ruben D. Harzon

James H. Gurney
Lowell G. Johnson
Robert J. Kennelly
E. G. "Al" Kiener
Joseph L. Koepfinger*
L. Bruce McClung
Daleep C. Mohla
Robert F. Munzner

Louis-François Pau
Ronald C. Petersen
Gerald H. Peterson
John B. Posey
Gary S. Robinson
Akio Tojo
Hans E. Weinrich
Donald W. Zipse

Member Emeritus

Also included is the following nonvoting IEEE-SA Standards Board liaison:

Robert E. Hebner

Jennifer McClain Longman
IEEE Standards Project Editor

WITHDRAWN

Contents

1. Overview.....	1
1.1 Scope.....	1
1.2 Purpose.....	2
2. References.....	2
3. Definitions.....	3
4. Power quality	4
4.1 Normal voltage operating range.....	5
4.2 Voltage flicker	5
4.3 Frequency.....	6
4.4 Waveform distortion	6
4.5 Power factor.....	6
5. Safety and protection functions	7
5.1 Response to abnormal utility conditions.....	7
5.2 Direct-current injection.....	9
5.3 Grounding	9
5.4 Utility-interface disconnect switch	9
Annex A (normative) Minimum test procedure for a non-islanding PV inverter	11
Annex B (informative) Bibliography	15
Annex C (informative) PV inverters and the utility interface.....	16
Annex D (informative) Disconnect switch and utility procedures.....	19
Annex E (informative) Islanding as it applies to PV systems.....	20
Annex F (informative) The PV inverter under utility fault conditions.....	22
Annex G (informative) Dedicated distributed transformer	25

WITHDRAWN

Currently in preview, click buy full version

IEEE Recommended Practice for Utility Interface of Photovoltaic (PV) Systems

1. Overview

This recommended practice contains guidance regarding equipment and functions necessary to ensure compatible operation of photovoltaic (PV) systems that are connected in parallel with the electric utility. This guidance includes factors relating to personnel safety, equipment protection, power quality, and utility system operation.

The document also includes seven annexes

- Annex A, Minimum test procedure for a non-islanding PV inverter
- Annex B, PV inverters and the utility interface
- Annex C, Disconnect switches and utility procedures
- Annex D, Islanding as it applies to PV systems
- Annex E, The PV inverter under utility fault conditions
- Annex F, Dedicated distribution transformers
- Annex G, Bibliography

1.1 Scope

This recommended practice applies to utility-interconnected PV power systems operating in parallel with the utility and utilizing static (solid-state) inverters for the conversion of direct current (dc) to alternating current (ac). (This recommended practice does not apply to systems utilizing rotating inverters.)

This recommended practice describes specific recommendations for “small” systems, rated at 10 kW or less, such as may be utilized on individual residences. These recommendations will provide greater standardization for these smaller systems, thereby reducing the engineering and design burden on both the PV system installer and the interconnecting utility.

“Intermediate” applications, ranging from over 10 kW up to 500 kW, follow the same general guidelines as small systems. Options to have adjustable setpoints or other custom features may be required by the inter-

connecting utility, depending on the impact of the PV system on the portion of the utility system to which it is interconnected.

“Large” systems, greater than 500 kW, may combine various standardized features as well as custom requirements, depending on the impact of the PV system on the portion of the utility system to which it is interconnected. A greater degree of custom engineering of the utility interface is to be expected as the size of the PV system grows in relation to utility system capacity.

1.2 Purpose

This recommended practice will provide value to a wide spectrum of personnel involved with utility-interconnected PV systems, including utility engineers, PV system designers and installers, and PV system owners. The standardized interconnection recommendations included in this recommended practice will minimize custom engineering of many aspects of the interconnection. This document is focused on providing recommended practice for utility interconnection of PV systems in a manner that will allow the PV systems to perform as expected and be installed at a reasonable cost while not compromising safety or operational issues.

Small utility-interconnected PV systems should use standardized, listed inverters listed to test standards, such as UL 1741-1999¹, which include the testing requirements described in Article A.7. The listing process assures that the inverter incorporates fixed voltage and frequency trip settings and incorporates an integral anti-islanding scheme. It is the intent of this recommended practice that small systems designed and installed in accordance with this document and other applicable standards such as the National Electrical Code[®] (NEC[®]) (NFPA 70-1999), will require no additional protection equipment.

2. References

This recommended practice shall be used in conjunction with the following publications. When the following standards are superseded by an approved revision, the revision shall apply.

Accredited Standards Committee C2-1997, National Electrical Safety Code[®] (NESC[®]).²

ANSI C84.1-1995, American National Standard for Electric Power Systems and Equipment—Voltage Ratings (60 Hertz).³

IEEE Std 519-1992, IEEE Recommended Practices and Requirements for Harmonic Control in Electrical Power Systems.

NFPA 70-1999, National Electrical Code[®] (NEC[®]).⁴

UL 1741-1999, Standard for Static Inverters and Charge Controllers for Use in Photovoltaic Power Systems.⁵

¹Information on references can be found in Clause 2.

²The NESC is available from the Institute of Electrical and Electronics Engineers, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, USA (<http://standards.ieee.org/>).

³ANSI publications are available from the Sales Department, American National Standards Institute, 11 West 42nd Street, 13th Floor, New York, NY 10036, USA (<http://www.ansi.org/>).

⁴NFPA publications are available from Publications Sales, National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101, USA.

⁵UL standards are available from Global Engineering Documents, 15 Inverness Way East, Englewood, Colorado 80112, USA (<http://global.ihs.com/>).