

IEEE Standard for AC High Voltage Circuit Switchers Rated 15.5 kV through 245 kV

IEEE Power and Energy Society

Sponsored by the
Switchgear Committee

IEEE Standard for AC High Voltage Circuit Switchers Rated 15.5 kV through 245 kV

Sponsor

Switchgear Committee
of the
IEEE Power and Energy Society

Approved 5 December 2018

IEEE-SA Standards Board

Abstract: This standard is applicable to ac circuit switchers designed for outdoor installation and for rated power frequencies of 50 Hz and 60 Hz and rated maximum voltages of 15.5 kV through 245 kV. It is applicable only to three-pole circuit switchers for use in three-phase systems. This standard is also applicable to the operating devices of circuit switchers and to their auxiliary equipment. Included in this document are the normal and special service conditions under which the ratings are based and requirements for design and construction, which include those for interrupting media, stored energy systems, operating characteristics, mechanical loading and operation capabilities, electrical insulation, and auxiliary devices. The rating structure establishes the basis for all assigned ratings, including continuous current, dielectric withstand voltages, primary-bus fault breaking current, transformer-limited fault breaking current, short-circuit making current, transient recovery voltages, and capacitor switching, plus associated capabilities such as mechanical endurance and operation under high- and low-temperature environmental extremes. Routine (production) tests are defined and requirements for their execution documented.

Keywords: circuit switcher, coordinated disconnect, design tests, IEEE C37.016, interrupter, operating mechanism, primary-bus fault, production tests, ratings, service conditions, stored energy, transformer-limited fault, transient recovery voltage

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2019 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 14 February 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-5445-2 STD23490
Print: ISBN 978-1-5044-5446-9 STDPD23490

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standards are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available to IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the C37.016 Working Group had the following membership:

Peter Meyer, Chair

Anne Bosma
Michael Colesanti
Patrick Di Lillo
Raymond Frazier
Victor Hermosillo
Roy Hutchins
Todd Irwin
Joseph Jasinski
Joe Kausek

Amir Khosravi
Scott Lanning
Wangpei Li
Hua Ying Liu
Neil McCord
Thomas Pellerito
Alan Peterson
John Phouminh
Brian Roberts

Jon Rogers
Carl Schuetz
Devki Sharma
Robert Smith
Don Steigerwalt
Jean-Marc Torres
Vernon Toups
Wei Zhang

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Roy Alexander
Saleman Alibhay
Thomas Barnes
W.J. (Bill) Bergman
Frank Blalock
Anne Bosma
Kenneth Bow
Gustavo Brunello
Demetrio Bucaneg, Jr
Arben Bufi
Eldridge Byron
Paul Cardinal
Michael Chirico
Michael Christian
Kurt Clemente
Stephen Conrad
David Crotty
Randall Cunico
Glenn Davis
David E. De Luca
Gary Donner
Denis Dufournet
Edgar Dullni
Clay Fellers
Jorge Fernandez Daher
Rostyslaw Fofak
Raymond Frazier III
Jean Sebastien Gagnon
Matek Cankowski
Waymon Goch
J. Gohari
Edwin Goodwin
James Graham
Stephen Grier
Randall Groves
John Harley

Werner Hoelzl
Robert Hoerauf
Philip Hopkinson
William Hurst
Todd Irwin
Richard Jackson
Peter Kelly
Gael Kennedy
Sheldon Kennedy
Yuri Khersonsky
James Kincaid
Boris Kozlov
Neil Krasnich
Jim Kulchisky
Chung-Yiu Lam
Benjamin Lanz
William Larzelere
Hua Liu
Albert Livshitz
Reginaldo Maniego
Peter Marzec
James McBride
Neil McCord
Steven Meiners
Peter Meyer
David Mitchell
Charles Morse
Thomas Mulcahy
R. Murphy
Ryan Musgrove
Ali Naderian Jahromi
K. R. M. Nair
Dennis Neitzel
Arthur Neubauer
Charles Ngethe
Joe Nims
Lorraine Padden

Bansi Patel
Dhiru Patel
Christopher Petrola
John Phouminh
Anthony Picagli
Larry Putman
Lakshman Raut
Rosy Raysaha
Charles Rogers
Zoltan Roman
Daniel Sabin
Bartien Sayogo
Carl Schuetz
Christopher Searles
Devki Sharma
Jerry Smith
R. Kirkland Smith
Gary Smullin
Jon Spencer
Gary Stoedter
Kenneth Stump
David Tepen
Michael Thompson
John Toth
Nijam Uddin
James Van De Ligt
Jason Varnell
John Vergis
Mark Waldron
John Wang
Lanyi Wang
Daniel Ward
John Webb
Kenneth White
Aaron Wilson
Wei Zhang

When the IEEE-SA Standards Board approved this standard on 5 December 2018, it had the following membership:

Jean-Philippe Faure, *Chair*
Gary Hoffman, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Guido R. Hiertz
Christel Hunter
Joseph L. Koepfinger*
Thomas Koshy
Hung Ling
Dong Liu

Xiaohui Liu
Kevin Lu
Daleep Mohla
Andrew Myles
Paul Nikolich
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Mehmet Ulema
Phil Wennblom
Philip Winston
Howard Wolfman
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C37.016-2018, IEEE Standard for AC High Voltage Circuit Switchers Rated 15.5 kV through 245 kV.

This standard is being revised to remove references to IEC documents and to, where appropriate, use references to IEEE documents. Since the first release of this standard in 2006, there have not been significant technical issues with the standard, so the technical content is intended to be consistent with the 2006 version.

Contents

1. Overview	11
1.1 Scope	11
2. Normative references.....	11
3. Definitions	12
4. Normal and special service conditions	13
4.1 Normal service conditions	13
4.2 Special service conditions.....	13
5. Ratings.....	14
5.1 General	14
5.2 Rated maximum voltage (U_r).....	14
5.3 Rated insulation level	15
5.4 Rated power frequency (f_r)	15
5.5 Rated continuous current (I_r)	15
5.6 Rated short-time withstand current (I_k).....	16
5.7 Rated peak withstand current (I_p)	16
5.8 Rated duration of short-circuit (t_k).....	16
5.9 Rated control voltage of operating devices and of auxiliary and control circuits (U_a)	16
5.10 Rated control frequency of operating devices and auxiliary circuits	16
5.11 Rated pressures of compressed gas supply for insulation, operation, and/or interruption	16
5.12 Rated primary-bus fault breaking current (I_{pbf}).....	16
5.13 TRV related to the rated primary-bus fault breaking current.....	19
5.14 Rated transformer-limited fault breaking current (I_{tf}).....	24
5.15 Rated TRV related to the transformer-limited fault breaking current.....	24
5.16 Rated short-circuit making current (I_m)	26
5.17 Rated operating sequence	26
5.18 Rated capacitive switching currents	26
5.19 Rated time quantities	28
5.20 Mechanical operations endurance	30
5.21 Rated static terminal load	30
5.22 Rated ice-breaking ability	32
6. Design and construction	32
6.1 Requirements for liquids in circuit switchers	32
6.2 Requirements for gases in circuit switchers.....	32
6.3 Grounding of circuit switchers	32
6.4 Auxiliary and control equipment and circuits.....	33
6.5 Dependent power operation.....	33
6.6 Stored energy closing	33
6.7 Manually operated releases.....	34
6.8 Operation of releases	34
6.9 Nameplates	34
6.10 Locking devices.....	36
6.11 Position indication.....	36
6.12 Degrees of protection provided by enclosures.....	36
6.13 Creepage distances for outdoor insulators	36
6.14 Gas and vacuum tightness	36
6.15 Tightness for liquid systems	36

6.16 Flammability.....	36
6.17 Electromagnetic compatibility (EMC).....	36
6.18 X-ray emission.....	37
6.19 Pressurized components.....	37
6.20 Pressurized systems	37
6.21 Low- and high-pressure interlocking and monitoring devices.....	37
6.22 Disconnect operation	37
7. Design (type) tests	38
7.1 General	38
7.2 Dielectric tests	38
7.3 Radio interference voltage (R.I.V.) tests	42
7.4 Resistance measurement.....	42
7.5 Continuous current tests	42
7.6 Short-time withstand current and peak withstand current tests	42
7.7 Verification of the protection provided by enclosures.....	43
7.8 Tightness tests.....	43
7.9 Electromagnetic compatibility tests.....	43
7.10 X-radiation procedure for vacuum interrupters	43
7.11 Mechanical and environmental tests.....	43
7.12 Ice-loading test	49
7.13 Static terminal load test	50
7.14 Short-circuit current making and breaking tests	50
7.15 Capacitor switching	57
7.16 Design tests on pressurized components.....	57
8. Production tests	57
8.1 General	57
8.2 Dielectric test on the main circuit.....	58
8.3 Inspection and testing of auxiliary and control circuits	58
8.4 Measurement of resistance of main circuit	58
8.5 Tightness test	59
8.6 Design and visual checks.....	59
8.7 Mechanical operation tests	59
8.8 Timing tests	59
8.9 Gas system pressure tests.....	59
8.10 Vacuum integrity tests	59

IEEE Standard for AC High Voltage Circuit Switchers Rated 15.5 kV through 245 kV

1. Overview

1.1 Scope

This standard is applicable to ac circuit switchers designed for outdoor installation and for rated power frequencies of 50 Hz and 60 Hz and rated maximum voltages of 15.5 kV through 245 kV. It is applicable only to three-pole circuit switchers for use in three-phase systems. This standard is also applicable to the operating devices of circuit switchers and to their auxiliary equipment. It includes the basis of rating, preferred ratings and test procedures for circuit switchers.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEC 60507:2013, Artificial pollution tests on high-voltage ceramic and glass insulators to be used on a.c. systems.¹

IEC 60815-1:2008, Selection and dimensioning of high-voltage insulators intended for use in polluted conditions—Part 1: Definitions, information and general principles.

IEEE Std 4TM-2013, IEEE Standard for High-Voltage Testing Techniques.^{2, 3}

IEEE Std C37.30.1TM-2011, IEEE Standard Requirements for AC High-Voltage Air Switches Rated Above 1000 V.

¹ IEC publications are available from the Sales Department of the International Electrotechnical Commission, Case Postale 131, 3, rue de Varembe, CH-1211, Genève 20, Switzerland/Suisse (<http://www.iec.ch/>). IEC publications are also available in the United States from the Sales Department, American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036, USA.

² IEEE publications are available from the Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org/>).

³ The IEEE standards or products referred to in this clause are trademarks of the Institute of Electrical and Electronics Engineers, Inc.