



IEEE Guide for Breaker Failure Protection of Power Circuit Breakers

IEEE Power Engineering Society

Sponsored by the
Power System Relaying Committee

IEEE
3 Park Avenue
New York, NY 10016-5997, USA

6 March 2006

IEEE Std C37.119™-2005

TM

C37.119

currently in preview, click buy full versi

Currently in preview, click buy full version

IEEE Guide for Breaker Failure Protection of Power Circuit Breakers

Sponsor
**Power System Relaying Committee
of the IEEE Power Engineering Society**

Approved 29 December 2005
Reaffirmed 28 June 2011

American National Standards Institute

Approved 22 September 2005
Reaffirmed 8 December 2011

IEEE-SA Standards Board

Abstract: This guide compiles information on the application considerations for breaker failure protection. The reasons for local backup protection are described. Breaker failure schemes are discussed. Issues relating to the settings of current protectors and timers are discussed for various applications.

Keywords: breaker failure, local backup, protection, relay application, relaying

The Institute of Electrical and Electronics Engineers, Inc.

3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2006 by the Institute of Electrical and Electronics Engineers, Inc.

All rights reserved. Published 6 March 2006. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office and owned by the Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 0-7381-4822-9 SH95383

PDF: ISBN 0-7381-4823-7 SS95383

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Jones Lane
Piscataway, NJ 08854
USA

Note: Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; (978) 750-8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std C37.119-2005, IEEE Guide for Breaker Failure Protection of Power Circuit Breakers.

Currently, there are no guidelines for applying breaker failure protection. The last IEEE PSRC document was a summary update of practices written in March 1981. This guide was written to help engineers arrive at the proper breaker failure protection scheme for their system.

Notice to users

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents or patent applications for which a license may be required to implement an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Participants

At the time the standard was completed, the working group had the following membership:

Roger Hedding, Chair

Arvind Chaudhary, Vice Chair

S. Anderson
Alex Apostlov
John Appleyard
Roy Ball
George Bartok
Ron Beazer
Ken Behrendt
Robert Beresh
Martin Best
Gustav Brunello
Art Buanno
Zeeky Bukhala
Simon R. Chano
Terry Crawley
Randy Crellin
Randy Cunico
Albert N. Darlington
Paul Drum
Walter Elmore
David Emigh

Jon Ferraro
Kelly Gardner
Tony Giulante
George Gresko
Irwin Hassenwinkle
Stan Horowitz
Randy Horton
Mohamed Ibrahim
Bob Jackson
Gerald Johnson
Peter Kemp
Tim Kern
Shoukat Khan
Mike Kloiber
Gary Kobet
Tom Lanigan
Larry Lawhead
Bill Lowe
Vahid Madani
Walter McCannon

Mike McDonald
Dean Miller
Pratap Mysore
Mukesh Nagpal
George Nail
Russell Patterson
Frank Plumtre
Elmo Price
Dan Recker
Don Sevcik
Charles Sufana
Joe Uchiyama
Sahib Ullman
Don Ware
James Whatley
Roger Whittaker
Skip Williams
Ray Young
Rich Young

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Ali Al Awazi
Steve Alexanderson
Marcos Andrade
Richard F. Angle
Oscar Bolado
Munnu Bajpai
Paul Barnhart
Robert Beresh
Thomas Blair
Stuart Borlase
Stuart Bouchey
Jeff Burnworth
Simon R. Chan
Simon Cheng
Stephen P. Conrad
James M. Cornelison
Luis Corchado
R. Daurert
Matthew Davis
Robert Dempsey
Guru Dutt Dhingra
Kevin Donahoe
Paul Drum
Donald Dunn
Doug Edwards
Walter Elmore
Ahmed Elneweih
Gary Engmann
William Feero

Rabiz Foda
Ajit Gwal
Trilon Garg
Frank Gerleve
Joseph Gilbert
Anthony Giulante
Joseph Greco
Roger Hedding
Charles Henville
Jerry Hohn
Edward Horgan, Jr.
John Horwath
James D. Huddleston, III
Chris Huntley
James Ingleson
Jose Jarque
Saumen Kundu
Boris Kogan
David Krause
Edward Krizauskas
Jason Lin
Albert Livshitz
William Lowe
Gregory Luri
Keith Malmedal
Fortin Marcel
William Marsh
Jesus Martinez
Walter McCannon
Jeffrey Mcelray

Michael Meisinger
Gary Michel
Dean Miller
Brian Mugalian
George Nail
Anthony Napikoski
Joe Nims
James Parello
Charles Rogers
Mohindar S. Sachdev
Thomas Schossig
Donald R. Sevcik
H. Jin Sim
Mark Simon
James E. Smith
Joshua Smith
Allan St. Peter
Kevin Stephan
Rick Taylor
Shanmugan Thamilarasam
Michel Toupin
Eric Udren
Gerald Vaughn
Charles Wagner
James Wilson
Murty Yalla
Larry Yonce
Ray Young
Karl Zimmerman
Philip Winston

When the IEEE-SA Standards Board approved this standard on 22 September 2005, it had the following membership:

Steve M. Mills, *Chair*
Richard H. Hulet, *Vice Chair*
Don Wright, *Past Chair*
Judith Gorman, *Secretary*

Mark D. Bowman
Dennis B. Brophy
Joseph Bruder
Richard Cox
Bob Davis
Julian Forster*
Joanna N. Guenin
Mark S. Halpin
Raymond Hapeman

William B. Hopf
Lowell G. Johnson
Herman Koch
Joseph L. Koepfinger*
David J. Law
Daleep C. Mohla
Paul Nikolic

T. W. Olsen
Glenn Parsons
Ronald C. Petersen
Gary S. Robinson
Frank Stone
Malcolm V. Thaden
Richard L. Townsend
Joe D. Watson
Howard L. Wolfman

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Alan H. Cookson, *NIST Representative*

Michelle Turner
IEEE Standards Project Executive

Contents

| | | |
|------|---|----|
| 1. | Overview..... | 1 |
| 1.1 | Scope..... | 1 |
| 2. | Normative references..... | 2 |
| 3. | Definitions, acronyms, and abbreviations..... | 2 |
| 3.1 | Acronyms and abbreviations..... | 2 |
| 3.2 | Definitions..... | 3 |
| 4. | The need for breaker failure protection..... | 3 |
| 5. | Backup protection..... | 5 |
| 5.1 | Introduction..... | 5 |
| 5.2 | Backup protection considerations..... | 5 |
| 5.3 | Breaker failure protection..... | 6 |
| 5.4 | Summary..... | 7 |
| 6. | Breaker failure modes..... | 7 |
| 7. | Breaker failure protection schemes..... | 8 |
| 7.1 | Basic breaker failure scheme..... | 9 |
| 7.2 | Basic breaker failure with re-trip logic..... | 10 |
| 7.3 | 50BF reset time..... | 11 |
| 7.4 | Two-step timing arrangement..... | 12 |
| 7.5 | Breaker failure initiate (BFI) seal-in..... | 13 |
| 7.6 | Minimal current scheme..... | 13 |
| 7.7 | Fast 52aa, dual timer breaker failure scheme..... | 14 |
| 7.8 | Triple timer breaker failure scheme..... | 14 |
| 7.9 | Single-phase re-trip logic..... | 15 |
| 7.10 | Breaker failure time bypass scheme..... | 16 |
| 7.11 | Multiple schemes within a relay..... | 17 |
| 7.12 | Dual breaker alternative..... | 17 |
| 8. | Breaker failure design considerations..... | 17 |
| 8.1 | Breaker failure current detectors..... | 19 |
| 8.2 | Part of existing protection..... | 19 |
| 8.3 | Breaker failure initiation..... | 21 |
| 8.4 | Breaker failure actions..... | 21 |
| 9. | Factors influencing settings..... | 22 |
| 9.1 | Total clearing time requirements..... | 24 |
| 9.2 | Control timer setting for scheme described in 7.3..... | 25 |
| 9.3 | Setting considerations for scheme described in 7.4..... | 25 |
| 10. | Communications based breaker failure protection..... | 25 |

| | | |
|-----------------------|---|----|
| 10.1 | Communications in conventional breaker failure protection | 25 |
| 10.2 | High-speed peer-to-peer communications on substation LAN | 26 |
| 11. | Breaker failure relay testing | 28 |
| 11.1 | End-to-end testing | 29 |
| Annex A (informative) | Bibliography..... | 30 |
| Annex B (informative) | Breaker failure setting example..... | 31 |

Currently in preview, click buy full version

Currently in preview, click buy full version

IEEE Guide for Breaker Failure Protection of Power Circuit breakers

1. Overview

In general, backup relay protection has been used on power systems for many years. Typically, all parts of the protection system including the relays, voltage and current transformers, circuit breakers, and control power source are vulnerable to failure. All of these components must work properly to effectively clear a fault. Breaker failure schemes are specifically employed to provide backup protection in the event that a circuit breaker fails to operate properly during fault clearing.

This guide will review generally accepted breaker failure schemes used on utility transmission systems. Many of the characteristics of these schemes also apply to the use of breaker failure on utility distribution systems. Schemes will be carefully examined so that advantages as well as disadvantages can be compared. Application examples and testing practices are also included.

The guide is written for engineers who have a working knowledge of power-system protection but require a better understanding of breaker failure applications. It can also be used as an evaluation tool when comparing alternative breaker failure options.

1.1 Scope

This guide is intended to help the relay engineer understand the application considerations when applying breaker failure protection (BFP) to power circuit breakers. The discussion is limited to those instances where the breaker does not clear the fault after a protective relay has issued a command to open (trip) the circuit breaker. Failure to close, failure while closed, and failure while open are not discussed. The intent of this guide is not to give the reader methods of protecting a power circuit breaker from failing; rather, it is to give the reader a guide in how to detect that a breaker has failed to clear a fault, and how to electrically isolate the fault after the breaker has failed to clear the fault.