

IEEE Guide for Breaker Failure Protection of Power Circuit Breakers

IEEE Power and Energy Society

Sponsored by the
Power System Relaying Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std C37.119™-2016
(Revision of IEEE Std C37.119-2005)

IEEE Guide for Breaker Failure Protection of Power Circuit Breakers

Sponsor

Power System Relaying Committee
of the
IEEE Power and Energy Society

Approved 15 May 2016

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: Methods to protect a power system from faults that are not cleared because of failure of a power circuit breaker to operate or interrupt when called upon by a protective relay are described in this guide. The intent is to give the reader a guide in how to detect that a breaker has failed to clear a fault, and how to electrically isolate the fault after the breaker has failed to clear the fault. Additionally, schemes that provide primary protection of the power system from performance failures of the power circuit breaker other than fault clearing failures such as failure to operate, either tripping or closing, manual or automatic, are also described. Such schemes, when applied, are typically integrated as a part of the overall breaker failure protection scheme. Also covered are recent practices that take advantage of new technologies.

Keywords: BFP, breaker failure, breaker failure protection, circuit breaker, fault, IEEE C37.119™, power system

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 16 July 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-2021-1 STD20939
Print: ISBN 978-1-5044-2022-8 STDPD20939

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE guide was completed, the Breaker Failure Protection of Power Circuit Breakers Working Group had the following membership:

Roger Whittaker, *Chair*
Adi Mulawarman, *Vice Chair*

Jeff Barsch	Heather Malson	Phil Tatro
Bob Beresh	Aaron Martin	Dennis Tierney
Brian Boysen	Alexis Mezco	Michael Thompson
Alla Deronja	Dean Miller	Ian Tualla
Michael Fleck	Roy Moxley	Eric Udren
Rick Gamble	Pratap Mysore	Johan Van Den Berg
Charles Henville	Claire Patti	Jun Verzosa
Craig Hiemenz	Jeff Pope	Don Ware
Alex Lee	Dan Reckerd	Ray Young
Jacob Lien	Sam Sambasivan	Rich Young
Jeff Long	Lubomir Sevov	Joe Uchiyam
Don Lukach	Charles Sufana	John Wong
Bruce Mackie		Phil Zine

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

Ali Al Awazi	Stephen Grier	Bruce Muschlitz
Jay Anderson	Randall Groves	Dennis Neitzel
Thomas Barnes	Nathan Gulczynski	Michael Newman
Jeff Barsch	Ajit Gwal	Joe Nims
G. Bartok	Craig Hiemenz	James O'Brien
Michael Basler	Robert Hoerauf	Subhash Patel
Philip Beaumont	Jerry Hohn	Christopher Petrola
Bob Beresh	Richard Jackson	Charles Rogers
W.J. (Bill) Bergman	Song Hwan Lyu	Thomas Rozek
Martin Best	Leszko Szadzi	M. Sachdev
Wallace Binder	John Kay	Bartien Sayogo
William Bloethe	Jeffrey Kester	Thomas Schossig
Brian Boysen	Yuri Khersonsky	Lubomir Sevov
Clarence Bradley	Gary Kobet	Nikunj Shah
Eldridge Byron	Joseph L. Koepfinger	Suresh Shrivastava
Paul Cardinal	Boris Kogan	Jeremy Smith
Arvind Chaudhary	Jim Kulchisky	Jerry Smith
Luis Coronado	Saumen Kundu	Ralph Stell
Randall Crellin	Chung-Yiu Lam	Michael Swearingen
Randall Crellin	Raluca Lascu	Michael Thompson
Ramon De	Jeffrey Long	Demetrios Tziouvaras
Gary Dornier	Don Lukach	Joe Uchiyama
Michael Good	Song Hwan Lyu	Roger Verdolin
Jerry Earl	Bruce Mackie	John Vergis
John Flowers	Omar Mazzoni	Quintin Verzosa
Dominick Fontana	William McBride	Ilia Voloh
Marcel Fortin	Walter McCannon	John Wang
Dale Fredrickson	Dean Miller	Kenneth White
Rafael Garcia	John Miller	Roger Whittaker
Frank Gerleve	Jeffery Mizener	Philip Winston
David Gilmer	Adi Mulawarman	Tamatha Womack
Mietek Glinkowski	Jerry Murphy	Ray Young
Edwin Goodwin		Richard Young

When the IEEE-SA Standards Board approved this guide on 15 May 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
Ronald W. Hotchkiss
J. Travis Griffith

Gary Hoffman
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Gary Robinson
Annette D. Reilly

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C37.119-2016, IEEE Guide for Breaker Failure Protection of Power Circuit Breakers.

This guide is a revision to IEEE Std C37.119-2005. Corrections to timing diagrams describing particular schemes have been made to improve clarity and accuracy. Precautionary statements have been added to provide guidance based upon occurrence of recent power system events.

The definition and scope of breaker failure protection has been broadened to provide a more comprehensive description of breaker failure protection, not only for power circuit breakers applied to transmission lines, but also for generator unit breakers. In addition to breaker failure initiation for fault conditions, initiation from automatic or manual tripping and closing devices that detect potentially damaging non-fault conditions is now included.

In addition to the breaker failure logic schemes previously provided by the guide, examples of best practices of how to interconnect control power to redundant protective relay systems while providing breaker failure functionality is provided. These methods increase the independence of the primary protection from the local backup protection and thereby decrease the impact of single points of failure within the overall protection scheme. Practical considerations are now included that describe application of breaker failure protection to legacy equipment and modern microprocessor relays, and that describe the interaction of the breaker failure protection scheme with local and remote controls including automatic reclosing, lockout, and restoration functions.

Other additions to the guide include descriptions for column ground fault protection, breaker differential protection, and tandem breaker protection. These protection functions are typically applied as a part of the overall breaker failure protection scheme.

Contents

1. Overview	11
1.1 General	11
1.2 Scope	12
1.3 Purpose	12
2. Normative references.....	12
3. Definitions, acronyms, and abbreviations	12
3.1 Definitions	13
3.2 Acronyms and abbreviations	13
4. Need for breaker failure protection.....	14
5. Breaker failure modes.....	17
6. Breaker failure protection schemes	18
6.1 Basic breaker failure scheme	19
6.2 Basic breaker failure with re-trip logic	20
6.3 Breaker failure scheme for dual breaker arrangements	21
6.4 Breaker failure scheme based on 50BF pickup time.....	22
6.5 Breaker failure scheme with two-step timing arrangement	23
6.6 Breaker failure initiate seal-in.....	24
6.7 Breaker failure minimal current scheme.....	24
6.8 Dual timer breaker failure scheme with fast breaker auxiliary contact and current detector reset check.....	27
6.9 Triple timer breaker failure scheme.....	28
6.10 Single-phase tripping, breaker failure, and re-trip logic	29
6.11 Breaker failure timer bypass scheme.....	29
6.12 Current differential breaker failure protection	30
6.13 Ground fault breaker failure on both live tank circuit breaker and CT column failure.....	31
6.14 Series (tandem) breakers.....	32
6.15 Breaker failure protection for generator applications	34
7. Breaker failure design considerations.....	42
7.1 General considerations.....	42
7.2 Breaker failure current supervision (50BF).....	45
7.3 Breaker failure as part of the primary protection for an element.....	45
7.4 Breaker failure initiation.....	47
7.5 Breaker failure actions.....	48
7.6 Practical considerations, applying breaker failure protection to redundant control circuits	48
8. Factors influencing breaker failure protection settings.....	57
8.1 General factors.....	57
8.2 Current detector pickup	58
8.3 Breaker failure timer.....	59
8.4 Total clearing time requirements	60
8.5 Control timer setting for scheme described in subclause 6.4.....	60
9. Communications-based breaker failure protection	61
9.1 Teleprotection in conventional breaker failure protection.....	61
9.2 High-speed peer-to-peer communications on substation LAN or system WAN	61

10. Breaker failure relay and breaker failure protection scheme testing.....	63
10.1 General	63
10.2 BFP scheme testing guidelines and awareness	63
10.3 Overall system testing.....	65
Annex A (informative) Bibliography	67
Annex B (informative) Breaker failure setting example.....	69

IEEE Guide for Breaker Failure Protection of Power Circuit Breakers

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 General

Breaker failure protection (BFP) is a backup protection for the power system that is needed when a power circuit breaker fails to clear a fault when called upon to do so by a protective relay. The BFP scheme acts to isolate the fault from the protected power system by removing from service power circuit elements located electrically adjacent to the failed power circuit breaker.

In general, backup relay protection has been used on power systems for many years. Typically, all parts of the protection system including the relays, voltage and current transformers, circuit breakers, and control power source are vulnerable to failure. All of these components are needed to work properly to effectively clear a fault. To improve protection system reliability, components such as protective relays, power sources, and instrument transformers are often duplicated. Duplicate systems are designed to operate independently to ensure complete protection system functionality during failures. Because it is usually too costly to duplicate the breaker, breaker failure schemes are specifically employed to provide backup protection in the event that a circuit breaker fails to operate properly during fault clearing.

Primary protection of the power system from performance failures of the power circuit breaker other than fault clearing failures is sometimes added to breaker failure schemes. These include failure to operate, either tripping or closing, manual or automatic. Where applied, this protection typically exists as an addition to, and as a part of, the same overall scheme as the breaker failure backup protection.

The choice and successful application of any BFP scheme depends upon factors such as the local breaker arrangement and also the relative criticality of protected power circuit elements. There is a delicate balance

between the risk of damage to unprotected equipment versus the impact of removing adjacent power circuit elements when the scheme operates.

This guide reviews generally accepted breaker failure schemes used on utility transmission and generation systems. Many of the characteristics of these schemes also apply to the use of breaker failure on utility distribution systems. Schemes are carefully examined so that advantages as well as disadvantages can be compared. Application examples and testing practices are also included.

The guide is written for engineers who have a working knowledge of power system protection but require a better understanding of breaker failure applications. It can also be used as an evaluation tool when comparing alternative breaker failure options.

1.2 Scope

This guide describes methods to protect a power system from faults that are not cleared because of failure of a power circuit breaker to operate or interrupt when called upon by a protective relay. The intent is to give the reader a guide in how to detect that a breaker has failed to clear a fault, and how to electrically isolate the fault after the breaker has failed to clear the fault. Additionally, schemes that provide primary protection of the power system from performance failures of the power circuit breaker other than fault clearing failures such as failure to operate, either tripping or closing, manual or automatic, are also described. Such schemes, when applied, are typically integrated as a part of the overall BFP scheme. Also covered are recent practices that take advantage of new technologies.

1.3 Purpose

This guide is intended to help the relay engineer understand the application considerations when applying BFP to power circuit breakers.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEEE Std C37.102™, IEEE Guide for AC Generator Protection.^{1,2}

IEEE Std C37.113™, IEEE Guide for Protective Relay Applications to Transmission Lines.

3. Definitions, acronyms, and abbreviations

For the purposes of this document, the following terms and definitions apply. The *IEEE Standards Dictionary Online* should be consulted for terms not defined in this clause.^{3,4}

¹IEEE publications are available from the Institute of Electrical and Electronics Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org/>).

²The IEEE standards or products referred to in this clause are trademarks of the Institute of Electrical and Electronics Engineers, Inc.

³*IEEE Standards Dictionary Online* subscription is available at:
http://www.ieee.org/portal/innovate/products/standard/standards_dictionary.html.