

IEEE Guide for Switchgear— Unit Substation—Requirements

IEEE Power and Energy Society

Developed by the
Switchgear Committee

IEEE Std C37.121.1™-2020
(Revision of IEEE Std C37.121-2012)

Currently in preview, click buy full version

IEEE Guide for Switchgear— Unit Substation—Requirements

Developed by the

Switchgear Committee
of the
IEEE Power and Energy Society

Approved 24 September 2020

IEEE SA Standards Board

Currently in preview, click buy full version

Abstract: The basis for the coordination of equipment in unit substations by assisting in the selection of components is intended as the use of this guide. A variety of designs for unit substations are possible using various combinations of incoming sections, transformer sections, outgoing sections, and transition sections. It is intended that the incoming, outgoing, transformer, and transition sections included in a unit substation meet the basic requirements of applicable industry standards for those sections. This guide covers three-phase unit substations for step-down operation in the range of 112.5 kVA or greater at primary voltages of 601 V through 52 kV.

Keywords: control, gas-insulated switchgear, distribution, fuse, IEEE C37.121™, metal-clad switchgear, metal-enclosed switchgear, metering, mobile unit substation, molded-case circuit breaker, motor control center, power circuit breaker, primary unit substation, radial substation, rectifier-type substation, secondary selective substation, secondary unit substation, spot-network substation, substation, surge protection, switchgear, transformer, transition section, unit substation

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2021 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 9 March 2021. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code, NEC, and NFPA 70 are registered trademarks in the U.S. Patent & Trademark Office, owned by the National Fire Protection Association.

PDF: ISBN 978-1-5044-7092-6 STD24426
Print: ISBN 978-1-5044-7093-3 STDPD24426

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/about/corporate/governance/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PURCHASE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include being used, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Currently in preview, click buy full versi

Participants

At the time this IEEE guide was completed, the PC37.121 Working Group had the following membership:

Darryl Moser, Chair
Terry Woodyard, Secretary

Paul Barnhart	Dan Hrcir	Ted Olsen
Doug Edwards	Michael Lafond	Owen Parks
Michael Flack	Albert Livshitz	Richard Rohr
Ronald Hartzel	Charles Morse	Garrett Sims
Tom Hawkins	Terry Neighbours	Chand Tailor

The following members of the individual Standards Association balloting group voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

Mohamed Abouelella	Werner Hoelzl	Bartien Sayo
Charles Ball	Robert Hoerauf	Robert Seitz
Paul Barnhart	John John	Garrett Sims
Ted Burse	Yuri Khersonsky	Veselin Stendzic
Eldridge Byron	Boris Kogan	Jerry Smith
Paul Cardinal	Jim Kulchisky	Greg Smullin
Nancy Chilton	Chung-Yiu Lam	Kris Sommerstad
Michael Chirico	Hua Liu	Jon Spencer
Randy Clelland	Albert Livshitz	James Stage
Stephen Conrad	Jose Marrero	Wayne Stec
Gary Donner	Darryl Moser	Paul Sullivan
Edgar Dullni	Jerry Murphy	C. Tailor
Donald Dunn	K.R. M. Nair	Benton Vandiver
Douglas J. Edwards	Dennis Neitzel	Gerald Vaughn
Keith Flowers	Arthur Neubauer	John Vergis
Edwin Goodwin	Joe Nims	Keith Waters
Lou Grahor	P. Siva	John Webb
Paul Guidry	Tom Stetzel	Kenneth White
John Harley	Franimir Petosic	Terry Woodyard
Thomas Hawkins	Christopher Petrola	Dean Yager
Jared Hines	Charles Rogers	Xi Zhu

When the IEEE SA Standards Board approved this guide on 24 September 2020, it had the following membership:

Gary Hoffman, Chair
Jon Walter Rosdahl, Vice Chair
John D. Kulick, Past Chair
Konstantinos Karachalios, Secretary

Ted Burse	David J. Law	Mehmet Ulema
Doug Edwards	Howard Li	Lei Wang
J. Lewis Griffith	Dong Liu	Sha Wei
Grace Gu	Kevin Lu	Philip B. Winston
Guido R. Hiertz	Paul Nikolich	Daidi Zhong
Joseph L. Koepfinger*	Damir Novosel	Jingyi Zhou
	Dorothy Stanley	

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C37.121-2020, IEEE Guide for Switchgear—Unit Substation—Requirements.

IEEE Std C37.121-1989 was originally developed by a working group sponsored by the Power Switchgear Assemblies Technical Committee of the Switchgear Section (8SG) of the National Electrical Manufacturers Association (NEMA/SG/5). The document was transferred from NEMA to the IEEE Power and Energy Society Switchgear Committee, Switchgear Assemblies Subcommittee, in January of 2003. IEEE Std C37.121 was reaffirmed by the IEEE Standards Association Standards Board in 2006.

The Switchgear Assemblies Subcommittee Task Force, created to review this document, determined that this document did not meet the intent of a standard as it references applicable IEEE Standards for all requirements that are to be met by each component of a Unit Substation. Based on this review, the Task Force recommended that this document be changed from a standard to a guide. The recommendation was accepted by the Switchgear Assemblies Subcommittee.

In the revision of this document, the document has been revised to remove the specific exclusions of unit substations with load tap changing equipment and Gas Insulated Switchgear (GIS) from the scope of the document and to update the reference documents to the latest revisions. Other significant changes are as follows:

- Added 6.8 for Metal Enclosed Switchgear Incorporating Gas Insulation Systems with reference to IEEE Std C37.20.9.¹
- Subclause 9.4, Metal Barriers, has been updated to provide more clarity with regards to intentional openings and viewing ports and windows.
- Subclause 11.6.2.1, Surge Protection, has been updated to provide guidance to reference documents on overvoltages caused by switching transients.
- Figure 18 has been redrawn to correctly show the Secondary unit substation – Radial type with reverse arrangement.

¹Information on references can be found in Clause 2.

Contents

1. Overview.....	11
1.1 Scope.....	11
1.2 Purpose.....	11
1.3 Word usage.....	12
2. Normative references.....	12
3. Definitions.....	13
4. Service conditions.....	14
4.1 General.....	14
4.2 Usual service conditions.....	14
4.3 Unusual service conditions.....	15
5. Transformer section.....	15
5.1 General.....	15
5.2 Primary unit substation transformers.....	17
5.3 Secondary unit substation transformers.....	17
6. Incoming section.....	18
6.1 General.....	18
6.2 High-voltage (or primary) bushings on the transformer cover.....	18
6.3 Primary terminal chamber on the transformer.....	18
6.4 Metal-enclosed bus.....	18
6.5 Metal-clad or metal-enclosed switchgear.....	18
6.6 Metal-enclosed interrupter switchgear.....	20
6.7 Cutout, fuse, or fuse link.....	21
6.8 Metal-enclosed switchgear incorporating gas insulation systems.....	21
7. Outgoing section.....	21
7.1 General.....	21
7.2 Metal-clad switchgear.....	21
7.3 Metal-enclosed interrupter switchgear.....	22
7.4 Metal-enclosed bus.....	22
7.5 Metal-enclosed, low-voltage, power circuit breaker switchgear.....	22
7.6 Switchboards.....	22
7.7 Motor control centers.....	22
8. Ratings.....	22
8.1 General.....	22
8.2 Rated power frequency.....	22
8.3 Rated MVA.....	22
8.4 Rated high voltage (or primary voltage) and rated low voltage (or secondary voltage).....	23
8.5 Rated continuous current.....	23
8.6 Rated short-time withstand current.....	23
8.7 Rated momentary withstand current.....	23
8.8 Rated power frequency withstand voltages.....	23
8.9 Rated lightning impulse withstand voltage (BIL).....	24
9. Construction.....	24
9.1 General.....	24
9.2 Phase and polarity arrangements.....	24
9.3 Phase sequence.....	24

9.4 Metal barriers	24
9.5 Interlocks.....	24
9.6 Grounding	25
9.7 Nameplates.....	25
9.8 Drawings, diagrams, instructions	25
9.9 Coordination.....	25
10. Typical arrangements	26
10.1 General	26
10.2 Primary unit substations	26
10.3 Secondary unit substations	28
11. Guide for selection, application, installation, and maintenance of unit substations	31
11.1 Application considerations	31
11.2 Unusual service conditions	31
11.3 System conditions.....	32
11.4 Transformer selection	32
11.5 Load requirements	33
11.6 Miscellaneous design considerations.....	33
11.7 Installation, field-testing, operation, and maintenance	35
Annex A (informative) Bibliography.....	37

IEEE Guide for Switchgear— Unit Substation—Requirements

1. Overview

1.1 Scope

This guide covers three-phase unit substations for step-down operation in the range of 112.5 kVA or greater at primary voltages of 601 V through 52 kV.

This guide does not cover the following installations:

- a) Substations in which the transformer section is described and defined as “network,” “subway,” “vault,” or “underground” in IEEE Std C57.12.24™ [B13] and IEEE Std C57.12.40™ [B15]²
- b) Substations in which the transformer section is described and defined as “pad-mounted”
- c) Rectifier-type substations
- d) Mobile unit substations
- e) Installations in ships, watercraft, railway rolling stock, aircraft, or automotive vehicles
- f) Installations for mines
- g) Installations of railways for generation, transformation, transmission, or distribution of power used exclusively for operation of rolling stock, or for installations used exclusively for signaling and railway communication purposes
- h) Installations of communication equipment that is under the exclusive control of communication utilities, located outdoors or in building spaces used exclusively for such installations
- i) Installations under the exclusive control of electric utilities for the purpose of communication, or metering; or for the generation, control, transformation, transmission, and distribution of electric energy located in buildings used exclusively by utilities for such purposes or located outdoors on property owned or leased by the utility or on public highways, streets, roads, etc.; or outdoors by established rights on private property

1.2 Purpose

The guide is intended for use as the basis for the coordination of equipment in unit substations by assisting in the selection of components. A variety of designs for unit substations are possible using various combinations of incoming sections, transformer sections, outgoing sections, and transition sections.

²The numbers in brackets correspond to those of the bibliography in [Annex A](#).