

IEEE Standard for Low-Voltage AC Power Circuit Breakers Used in Enclosures

IEEE Power and Energy Society

Sponsored by the
Switchgear Committee

Currently in preview, click buy full version

IEEE Standard for Low-Voltage AC Power Circuit Breakers Used in Enclosures

Sponsor

Switchgear Committee
of the
IEEE Power and Energy Society

Approved 5 December 2015

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: The following enclosed low-voltage ac power circuit breakers are covered in this standard: a) stationary or drawout type of two-, three-, or four-pole construction, with one or more rated maximum voltages of 1058 V, 730 V, 635 V (600 V for units incorporating fuses), 508 V, or 254 V for application on systems having nominal voltages of 1000 V, 690 V, 600 V, 480 V, or 240 V; b) unfused or fused circuit breakers; c) manually or power operated; and d) with or without electromechanical or electronic trip devices. Service conditions, ratings, functional components, temperature limitations and classifications of insulating materials, insulation (dielectric) withstand voltage requirements, test procedures, application, and the preferred ratings are discussed in this standard.

Keywords: circuit breaker, fused circuit breaker, IEEE C37.13™, low-voltage ac power circuit breaker, open-fuse trip device, unfused circuit breaker

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2015 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 30 December 2015. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code and NEC are both registered trademarks of the National Fire Protection Association, Inc.

PDF: ISBN 978-1-5044-0592-8 STD20751
Print: ISBN 978-1-5044-0593-5 STDPD20751

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comment or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the C37.13 Working Group had the following membership:

Doug Edwards, *Chair*

Paul Barnhart
David Dunne
Keith Flowers
Lou Grahor
Tom Hawkins
Jeff Hidaka
Dan Hrcir

Anurag Jivanani
Harry Josten
Chad Kennedy
Michael Lafond
Albert Livshitz
Jeff Mizener
Charles Morse
Darryl Moser

T.W. Olsen
Owen Parks
Robert Puckett
Carl Schneider
Michael D. Sigmon
Paul Sullivan
Marcelo Valdes

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Ted Burse
Eldridge Byron
Paul Cardinal
Clint Carne
Stephen Cary
Glenn Davis
Gary Donner
Donald Dunn
David Dunne
Doug Edwards
Ronald Esco
Michael Flack
Keith Flowers
Frank Gerleve
David Gilmer
Mietek Glinkowski
Lou Grahor
Randall Groves
Ajit Gwal
Tom Hawkins
Jeffrey Helzer
Reid Herzog
Jeff Hidaka

Dan Hrcir
David Jackson
Richard Jackson
Harry Josten
Chad Kennedy
Boris Kogan
Saumen Kundu
Michael Lafond
Chung-Yiu Lam
Ed Larsen
William McBride
Jeffery Mizener
Charles Morse
Darryl Moser
Daniel Murphy
Jerry Murphy
Debra Weitzel
Arthur Neubauer
Michael Newman
T.W. Olsen
Lorraine Padden
Shawn Patterson
Christopher Petrola

Julian P. ...
Michael Roberts
Timothy Robirds
Charles Rogers
Richard Rohr
Thomas Rozek
Steven Sano
Bartien Sayogo
Joseph Schaefer
Nikunj Shah
John Shullaw
Michael D. Sigmon
Jerry Smith
Paul Sullivan
Michael Swearingen
David Tepen
Wayne Timm
Marcelo Valdes
John Vergis
John Webb
Yingli Wen
Kenneth White
Larry Yonce
Jian Yu

When the IEEE-SA Standards Board approved this standard on 5 December 2015, it had the following membership:

John D. Kulick, *Chair*
Jon Walter Rosdahl, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Jean-Philippe Faure
J. Travis Griffith
Gary Hoffman
Michael Janezic

Joseph L. Koepfinger*
David J. Law
Hung Ling
Andrew Myles
T. W. Olsen
Glenn Parsons
Ronald C. Petersen
Annette D. Reilly

Stephen J. Shellhammer
Adrian P. Stephens
Yatin Trivedi
Phillip Winston
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C37.13-2015, IEEE Standard for Low-Voltage AC Power Circuit Breakers Used in Enclosures.

This revision of IEEE Std C37.13 incorporates a number of changes since the 2008 edition, but most significantly, it now includes preferred ratings previously in IEEE Std C37.16.

ANSI C37.16 had historically been the responsibility of a NEMA working group. In 2003, this responsibility was transferred to the IEEE Standards Association. The Low Voltage Switchgear Devices subcommittee of the Switchgear Committee of the IEEE Power and Energy Society is now responsible for the ratings originally in IEEE Std C37.16.

The 2009 edition of IEEE Std C37.16 contained preferred ratings for low voltage ac (635 V and below) and DC (3200 V and below) power circuit breakers. The present revision of IEEE Std C37.13 incorporates the preferred ratings for low voltage ac power circuit breakers from IEEE Std C37.16, so that the requirements for the circuit breakers and their preferred ratings are now in this edition of IEEE Std C37.13.

This parallels changes occurring regarding low voltage dc power circuit breakers. The preferred ratings formerly in IEEE Std C37.16 are being incorporated in a revised edition of IEEE Std C37.14, presently in revision by the LVSD subcommittee of the Switchgear Committee.

With approval of IEEE Std C37.13 and IEEE Std C37.14, IEEE Std C37.16 is to be superseded.

Changes incorporated in this revision of IEEE Std C37.13 include the following:

- a) Incorporation of amendment 1 of IEEE Std C37.13 a)
 - 1) Revision to include rated maximum voltages of 1058 V (1000 V nominal voltage) and 730 V (690 V nominal voltage).
 - 2) Establishment of dielectric test voltages for the new maximum voltages, as shown in the following equation:

$$V_{\text{DEt}} = 2V_{\text{Nom}} + 1000$$

where

V_{DEt} = dielectric test voltage
 V_{Nom} = nominal voltage group

Nominal voltage groups are as follows:

- 600 V (nominal voltage) and below
 - 1000 V (nominal voltage) and below and above 600 V (nominal voltage)
- b) Ratings updated to address preferred ratings associated with rated maximum voltages of 730 Vac and 1058 Vac.
 - c) Ratings for field circuit breakers were removed due to the withdrawal of IEEE Std C37.18 [B5].
 - d) All dc circuit breaker information has been removed, as this information will now be contained in IEEE Std C37.14.
 - e) Added or revised definitions for the following terms:
 - 1) anti-pump
 - 2) clearing time

- 3) frame size
 - 4) low-voltage ac power circuit protectors
 - 5) silver-surfaced or equivalent
 - 6) trip-free
-
- f) Test requirements are replaced with references to ANSI C37.50 except for those requirements not yet included in ANSI C37.50-2012.
 - g) Requirements for manual release devices are added.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references	2
3. Definitions	3
4. Service conditions	4
5. Ratings	4
5.1 General	4
5.2 Rated maximum voltage	5
5.3 Rated power frequency	5
5.4 Rated frame size	5
5.5 Rated continuous current	5
5.6 Rated short-circuit current	6
5.7 Rated short-time current and short-time current duration	10
5.8 Rated control voltage	10
6. Functional components	12
6.1 General	12
6.2 Nameplate(s)	12
6.3 Manual releases	13
6.4 Contact position indicator	14
6.5 Stored energy indicator	14
6.6 Open-fuse trip device	14
6.7 Locking	14
6.8 Primary disconnect devices	14
6.9 Circuit breaker ground connection	15
6.10 Fused drawout assembly	15
7. Temperature limitations and classification of insulating materials	15
7.1 Temperature limits	15
7.2 Limits of temperature rise	15
7.3 Classification of insulating materials	15
8. Test procedures	17
8.1 Retest schedule	17
8.2 Test values	17
8.3 Overload and endurance	18
Annex A (informative) Application guide	19
A.1 General	19
A.2 Short-time current	25
A.3 Application of circuit breakers for selective tripping	25
A.4 Application of circuit breakers to full-voltage motor-starting and running duty of three-phase motors	28
A.5 Application of circuit breakers for capacitance switching	28
A.6 Service conditions affecting circuit breaker applications	28
A.7 Repetitive duty operations and normal maintenance	29

A.8 Application of circuit breakers in cascade	31
A.9 Application of circuit breakers without enclosures.....	31
A.10 Application of circuit breakers with dependent manual closing mechanisms	31
A.11 Application of fused circuit breakers on corner-grounded delta system.....	31
Annex B (informative) Bibliography.....	32

IEEE Standard for Low-Voltage AC Power Circuit Breakers Used in Enclosures

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard covers the following types and preferred ratings for enclosed low-voltage ac power circuit breakers:

- a) Stationary or drawout type of two-, three-, or four-pole construction with one or more rated maximum voltages of 1058 V, 730 V, 635 V (600 V for units incorporating fuses), 508 V, or 254 V for application on systems having nominal voltages of 1000 V, 690 V, 600 V, 480 V, or 240 V respectively
- b) Unfused or fused type
- c) Manually operated or power operated, with or without a trip system
- d) Fused drawout assemblies consisting of current-limiting fuses in a drawout assembly intended to be connected in series with a low-voltage ac power circuit breaker to form a nonintegrally fused circuit breaker

In this standard, the term circuit breaker shall mean enclosed low-voltage ac power circuit breaker, either fused or unfused. The term unfused circuit breaker shall mean a circuit breaker without either integrally or nonintegrally mounted fuses, and the term fused circuit breaker shall mean a circuit breaker incorporating current-limiting fuses, whether integrally mounted or nonintegrally mounted.