

IEEE Standard for 4.76 kV to 38 kV Rated Ground and Test Devices Used in Enclosures

IEEE Power and Energy Society

Sponsored by the
Switchgear Committee

Currently in preview, click buy full version

IEEE Std C37.20.6™-2015

(Revision of
IEEE Std C37.20.6-2007)

IEEE Standard for 4.76 kV to 38 kV Rated Ground and Test Devices Used in Enclosures

Sponsor

Switchgear Committee
of the
IEEE Power and Energy Society

Approved 16 February 2015

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: Drawout-type ground and test devices for use in medium-voltage metal-clad switchgear rated 4.76 kV through 38 kV are covered. The description, design, and testing of these accessory devices that are inserted in place of drawout circuit breakers for the purpose of grounding and testing are also covered.

Keywords: electrical operation, ground and test (G&T) devices, IEEE C37.20.6™, locking/interlocking, manual operation, one or two terminal sets, terminal selector switch, test port

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2015 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 10 April 2015. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-9634-3 STD20173
Print: ISBN 978-0-7381-9635-0 STDPD20173

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, make, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comment or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the SASC-IEEE Standard for 4.76 kV to 38 kV Rated Ground and Test Devices Used in Enclosures Working Group had the following membership:

T. W. Olsen, *Chair*
Ted Burse, *Vice Chair*

Paul Barnhart
Douglas J. Edwards
Keith Flowers

Paul Grein
Albert Livshitz
Michael Sigmon

Paul Sullivan
John Webb
Matthew Williford

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Paul Barnhart
W. J. (Bill) Bergman
William Bloethe
Ted Burse
Eldridge Byron
Paul Cardinal
Stephen Cary
Robert Cohn
Ray Davis
Gary Donner
Edgar Dullni
Donald Dunn
Douglas J. Edwards
Donald Elliott
Ronald Esco
Keith Flowers
Paul Forquer
Frank Gerleve
Paul Gingrich
S. Gohil
Edwin Goodwin
James Graham
Paul Grein

Randall Groves
Ajit Gwal
Paul Hamer
Jeff Hanson
Reid Herzog
Dan Hrcir
Andrew Jones
Harry Josten
Yuri Khersonsky
Boris Kogan
Jim Kulchisky
Saumen Kundu
Chung-Yiu Lam
Albert Livshitz
R. Long
Charles Morse
John Murphy
Michael Newman
Joe Nims
George Nourse
T. W. Olsen
Lorraine Padden
Amit Patel
Anthony Picagli

Julian P...
Anthony Ricciuti
Michael Roberts
Bartien Sayogo
Hamid Sharifnia
Devki Sharma
Michael Sigmon
James Smith
Jerry Smith
Paul Sullivan
James Swank
Donald Swing
C. Tailor
David Tepen
Dennis Thonsgard
Wayne Timm
Marcelo Valdes
John Vergis
John Webb
Kenneth White
Terry Woodyard
Larry Yonce
Matthew Zeedyk

When the IEEE-SA Standards Board approved this standard on 16 February 2015, it had the following membership:

John Kulick, *Chair*
Jon Walter Rosdahl, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Peter Balma
Farooq Bari
Ted Burse
Clint Chaplin
Stephen Dukes
Jean-Philippe Faure
Gary Hoffman
Michael Janezic

Jeffrey Katz
Joseph L. Koepfinger*
David J. Law
Hung Ling
Oleg Logvinov
T. W. Olsen
Glenn Parsons

Ron Peterson
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Don Wright
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Penny Stanton
IEEE-SA Content Production and Management

Erin Spieweck
IEEE-SA Technical Program Operations

Introduction

This introduction is not part of IEEE Std C37.20.6™-2015, IEEE Standard for 4.76 kV to 38 kV Rated Ground and Test Devices Used in Enclosures.

Although ground and test (G&T) devices have been used as accessory devices in metal-clad switchgear for decades, they were not covered by standards until the original (1997) edition of this standard. This is because they are specialized accessory devices, designed and tested in accordance with applicable sections of circuit breaker standards, and based on user-unique operational requirements.

This standard complements IEEE Std C37.20.2™, IEEE Standard for Metal-Clad Switchgear, and addresses the more common G&T device types. The 2007 edition of IEEE Std C37.20.6 clarified that G&T devices are not required to have the interrupting and continuous current ratings of the circuit breakers they may temporarily replace for the purpose of grounding and testing medium-voltage circuits. The 2007 edition also recognized that some devices may be offered that have interrupting capability, and specified applicable tests to verify such ratings. The current revision makes no significant changes with respect to these issues. There are minor and editorial changes throughout this revision, but little substantive change.

G&T devices are supplied in various forms and the following list generally summarizes the more common forms:

- a) Simple manual devices. These devices are equipped with either one or two terminal sets for grounding through cables or bus, manually connected to the device ground connection system. Hot stick voltage testing is possible.
- b) Complex manual devices. These devices are equipped with one or two terminal sets, and a manually operated switch. In the case of a device with one terminal set, the switch allows connection of the terminal set to the device ground connection system or disconnection of the terminal set from the device ground connection system. In the case of a device with two terminal sets, the switch allows selection of which terminal set to connect to the device ground connection system. In either case, the switch is manually operated and is not required to have any continuous or fault-making current ratings.
- c) Simple electrical devices. These devices are equipped with one terminal set connected, through a power-operated ground-making switch, to the device ground connection system. Voltage test ports may be provided. A second terminal set may be included for connection to test ports.
- d) Complex electrical devices. These devices are equipped with two terminal sets and a manually operated switch for selecting which terminal set is to be connected, through the power-operated ground-making switch, to the device ground connection system. Voltage test ports may be provided.

All G&T devices are equipped with necessary isolation barriers and locking or interlocking mechanisms to provide some degree of protection during handling and operation.

This standard does not cover G&T devices that are specially equipped with current and voltage transformers, glow-tubes, and like components.

This revision, as in the 2007 edition, uses the rating system introduced in IEEE Std C37.04™-1999, with voltage range factor (K) set equal to 1.0, effectively eliminating the voltage range factor from the ratings basis. It is recognized that some G&T devices may be required for use with equipment manufactured and

¹Information on references can be found in Clause 2.

rated to the older rating system. For such applications, the user should refer to the 1997 edition of this standard.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references	2
3. Definitions	3
4. Service conditions	4
5. Ratings	4
5.1 General	4
5.2 Rated maximum voltage and dielectric withstand ratings	4
5.3 Rated power frequency	4
5.4 Rated short-time withstand current	5
5.5 Rated momentary withstand current	5
5.6 Rated control voltage	5
5.7 Closing and latching current capability	5
6. Functional components	6
6.1 Power-operated ground-making switch position indicator	6
6.2 Terminal selector switch and position indicator	6
6.3 Stored energy indicator	7
6.4 Interlocking	7
6.5 Nameplate(s)	8
7. Test requirements	9
7.1 General	9
7.2 Design tests	9
7.3 Schedule of design tests	9
7.4 Production tests	17
8. Construction	18
8.1 General	18
8.2 Instructions	18
8.3 Cable specifications	18
8.4 Remote electrical control	19
8.5 Safety labels	19
9. Application	19
9.1 General	19
9.2 Locking and interlocking equipment	20
9.3 Utilization	20
9.4 Primary disconnecting devices compartment compatibility	21
9.5 Storage and maintenance before use	21
Annex A (informative) Bibliography	22

IEEE Standard for 4.76 kV to 38 kV Rated Ground and Test Devices Used in Enclosures

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard covers drawout-type, indoor, medium-voltage ground and test (G&T) devices for use in drawout metal-clad switchgear rated 4.76 kV through 38 kV as described in IEEE Std C37.20.2TM.¹ Four G&T device types are generally supplied for temporary circuit maintenance procedures for insertion in place of the circuit breaker as follows:

- a) Simple manual devices
- b) Complex manual devices
- c) Simple electrical devices
- d) Complex electrical devices

There may be more complicated G&T devices that may include current and/or voltage transformers, glow tubes, or other accessory components. These more complex devices are not covered by this standard. Due to their complexity, additional testing and interlocking are required, and manufacturers should be consulted for the availability and ratings of these types of devices.

¹ Information on references can be found in Clause 2.