

IEEE Standard Requirements for AC High-Voltage Air Switches Rated Above 1000 V

IEEE Power & Energy Society

Sponsored by the
Switchgear Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std C37.30.1™-2011

23 March 2012

Currently in preview, click buy full version

IEEE Standard Requirements for AC High-Voltage Air Switches Rated Above 1000 V

Sponsor

Switchgear Committee
of the
IEEE Power & Energy Society

Approved 7 December 2011

IEEE-SA Standards Board

Abstract: Required ratings, construction requirements, design test requirements, applications, and suggested practices for all high-voltage enclosed indoor and outdoor and nonenclosed indoor and outdoor switches rated above 1000 V are specified. This includes ratings and requirements for such switches as disconnecting, selector, horn-gap, and grounding for manual and power operation, except for interrupter switches, distribution-enclosed single-pole air switches, and distribution cutouts fitted with disconnecting blades.

Keywords: high-voltage switches, IEEE C37.30.1, indoor switches, outdoor switches

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2012 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 23 March 2012. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Inc.

National Electrical Safety Code and NESC are both registered trademarks and service marks of The Institute of Electrical and Electronics Engineers, Inc.

PDF: ISBN 978-0-7381-7157-9 STD97189
Print: ISBN 978-0-7381-7182-1 STDPD97189

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any response to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant [IEEE working group](#).

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std C37.30.1-2011, IEEE Standard Requirements for AC High-Voltage Air Switches Rated Above 1000 V.

This standard is intended to be a consolidation of the following standards: IEEE Std C37.30TM-1997, ANSI C37.32-2002, IEEE Std C37.34TM-1994, IEEE Std C37.35TM-1995, IEEE Std C37.36bTM-1990, and IEEE Std C37.37TM-1996. This standard incorporates relevant material from earlier standards and replaces IEEE Std C37.30, ANSI C37.32, IEEE Std C37.34, IEEE Std C37.35, IEEE Std C37.36b, and IEEE Std C37.37. In addition, the Consolidation of C37.3x Series Working Group has strived to make minimal technical changes to the text from these standards. This consolidation effort is the first phase of a two-part process to facilitate harmonization of the IEEE C37.30 series of standards with existing International Electrotechnical Commission (IEC) documents covering switch devices. The second phase of the process will be to incorporate technical changes where needed and to harmonize with IEC standards.

This comprehensive document is the consummation of efforts of the Consolidation of C37.3x Series Working Group of the High Voltage Switches Subcommittee of the IEEE Switchgear Committee.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both uses by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE Documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the [IEEE-SA website](#) or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit the [IEEE-SA website](#).

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA website <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or nondiscriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the Consolidation of C37.3x Series Working Group had the following membership:

Chair **D. Reigart**, *Chair*

Chris Ambrose
R. Paul Barnett
Randall Dotson
David Galicia
Lloyd Gibson

Ken Harless
Gary Haynes
Danny Hoss
James Houston
Bill Hurst
Dan Konkle

Frank Muench
James C. W. Ransom
Devki Sharma
Alan Yerges
Janusz Zawadzki

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William J. Ackerman
Steven Alexanderson
Chris Ambrose
J. Angelis
Stan Arnot
Adam Bagby
R. Paul Barnett
W. J. Bill Bergman
Steven Bezner
Wallace Binder
Michael Bio
William Bloethe
Harvey Bowles
Steven Brockschink
Chris Brooks
Robert Brown
Sheila Brown
Steven Brown
Ted Burse
James Case
Tommy Cooper
Frank Decesaro
F. Denbrock
Alexander Dixon
J. Frederick Doering
Randall Dotson
Louis Doucet
Donald Dunn
Gary Engmann
C. Erven
Thomas Field
Marcel Fortin
David Galicia
Kenneth Gettman
James Graham
Keith Gray

Randall Groves
Gary Heuston
Werner Hoelzl
David Horvath
James Houston
R. Jackson
Gael Kennedy
Joseph L. Koepfinger
Jim Kulchisky
Saumen Kundu
Donald Laird
Chung-Yiu Lam
Stephen Lambert
Albert Livshitz
Debra Longtin
Federico Lopez
Keith Malmedal
John Martin
Frank Mayle
Nigel Mcquin
Steven Meiners
Jeffrey Merryman
Peter Meyer
Gary Michel
Georges Montillet
Charles Morse
Jerry Murphy
Yasin Musa
Jeffrey Nelson
Arthur Neubauer
Michael S. Newman
Joe Nims
Ted Olsen
Miklos Orosz
Douglas Parker

David Peelo
Carlos A. Peixoto
Allan St. Peter
Christopher Petrola
Paulette Payne Powell
Iulian Profir
Carl D. Reigart
Ryland Revelle
Michael Roberts
Charles Rogers
Joseph R. Rostron
Timothy Royster
Anne-Ma Sahazizian
Bartien Sayogo
Devki Sharma
James Smith
Jerry Smith
John Spaulding
Brian Stephens
Drew Stone
Paul Sullivan
James Swank
S. Telander
Malcolm Thaden
John Vergis
Loren Wagenaar
John Webb
Trey White
James Wilson
Larry Yonce
Roland Youngberg
Janusz Zawadzki
Matthew Zeedyk
Theodore Zeiss
Ahmed Zobaa
Sandeep Zope

When the IEEE-SA Standards Board approved this standard on 7 December 2011, it had the following membership:

Richard H. Hulett, Chair
John Kulick, Vice Chair
Robert M. Grow, Past President
Judith Gorman, Secretary

Masayuki Ariyoshi
William Bartley
David B. ...
Ch. ...
Gael Diab
Jean-Philippe Faure
Alexander Gelman
Paul Houzé

Jim Hughes
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling
Oleg Logvinov
Ted Olsen

Gary Robinson
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Curtis Siller
Phil Winston
Howard Wolfman
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Erin Spiewak
IEEE Standards Program Manager, Technical Program Development

Currently in preview, click buy full version

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
2. Normative references	2
3. Definitions	2
4. Service conditions	4
4.1 Usual service conditions	4
4.2 Unusual service conditions	4
5. Description of ratings and capabilities	5
5.1 Rated power frequency	6
5.2 Rated voltage	6
5.3 Rated withstand voltages	6
5.4 Rated continuous current	8
5.5 Rated short-time withstand current	11
5.6 Rated fault-making current	12
5.7 Visible corona-free voltage	12
5.8 Radio-influence voltage (RIV) limit	12
5.9 Partial discharge limits	12
5.10 Rated ice-breaking ability	12
5.11 Rated mechanical operations	12
5.12 Rated mechanical terminal load	12
5.13 Rated control voltage	13
5.14 Rated closing time (for power-operated switches)	13
5.15 Switching endurance—fault-initiating switches	13
5.16 Rated load-making current	13
6. Preferred ratings	13
6.1 Outdoor switches—preferred ratings	14
6.2 Indoor air switches—preferred ratings	16
6.3 Grounding air switches—preferred ratings	17
6.4 Fault-initiating switches—preferred ratings	18
6.5 Switch accessories—preferred ratings	18
6.6 Preferred ratings tables and figure	19
7. Construction requirements	24
7.1 Station class outdoor air disconnect switches	24
7.2 Distribution class outdoor air disconnect switches	26
7.3 Indoor air switches	31
7.4 Grounding air switches	32
7.5 Fault-initiating switches	33
7.6 Nameplate markings	33
7.7 Switch accessories	34
7.8 Instructions	35
8. Test code	35
8.1 Withstand voltage tests	35
8.2 Temperature rise tests	43

8.3 Short-time withstand current tests	47
8.4 Fault-making current test.....	48
8.5 Ice-loading test	49
8.6 Mechanical operations tests.....	52
8.7 Corona tests	53
8.8 Radio-influence tests	56
8.9 Partial discharge test.....	57
Annex A (informative) Background information: applications, guides, and suggested practices	58
A.1 Selection of insulation levels	58
A.2 General application conditions	58
A.3 Use of higher temperature materials.....	60
A.4 Switching impulse voltage tests of switch open gap.....	60
A.5 Reference data	61
A.6 Historical data.....	62
Annex B (informative) Current interruption with horn-gap switches.....	63
B.1 Basic suggestions	63
B.2 Arc reach.....	67
B.3 Adequacy of switch clearance.....	67
B.4 Calculation of suggested current interruption	68
B.5 Sample calculations	69
Annex C (informative) Application conditions for continuous load current capability	73
C.1 Allowable continuous current	73
C.2 Switch part class designation	73
C.3 ACCC designation	73
C.4 Allowable continuous current capability.....	73
C.5 ACCC designation for IEEE C37.30-1962 switches.....	73
C.6 Exceptions to temperature limitations.....	74
C.7 Precautions.....	74
C.8 Application conditions for emergency load current capability	76
Annex D (informative) Installation, operation, and maintenance.....	82
D.1 Receipt and preparation	82
D.2 Installation	82
D.3 Operation	84
D.4 Maintenance.....	86
Annex E (informative) Short-time (symmetrical) withstand current and electromagnetic force equations ..87	
E.1 Calculation of short-time (symmetrical) withstand current limits.....	87
E.2 Calculation of electromagnetic forces	88
Annex F (informative) Suggested sizes of conductors for temperature rise testing	90
Annex G (informative) Bibliography	91

IEEE Standard Requirements for AC High-Voltage Air Switches Rated Above 1000 V

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard covers preferred ratings; construction and testing requirements; and application, loading, installation, operation, and maintenance guidelines for all high-voltage enclosed and nonenclosed, indoor and outdoor air switches rated in excess of 1000 V. This includes such switch types as disconnect, horn-gap, fault-initiation, and ground for manual or power operation. The following switch types are not covered by this standard: interrupter switches, distribution cutouts fitted with disconnecting blades, and switches used in metal-enclosed and pad-mounted switchgear. This standard also does not apply to load-break separable insulated connectors, circuit breakers, circuit switchers, or reclosers.

1.2 Purpose

The purpose of this standard is to provide a basic standard for air switches.