

# IEEE Standard Design Tests for High-Voltage (> 1000 V) Fuses and Accessories

IEEE Power and Energy Society

Sponsored by the  
Switchgear Committee

---

IEEE  
3 Park Avenue  
New York, NY 10016-5997  
© SA

**IEEE Std C37.41™-2016**  
(Revision of  
IEEE Std C37.41-2008)

# **IEEE Standard Design Tests for High-Voltage (>1000 V) Fuses and Accessories**

Sponsor

**Switchgear Committee**  
of the  
**IEEE Power and Energy Society**

Approved 22 September 2016

**IEEE-SA Standards Board**

Currently in preview, click buy full version

**Abstract:** Required procedures for performing design tests for high-voltage fuses, as well as for fuse disconnecting switches, are specified. These design tests, as appropriate to a particular device, include the following test types: dielectric, interrupting, radio-influence, temperature-rise, time-current, manual-operation, liquid-tightness, thermal-cycle, bolt-torque, withstand tests for motor circuit fuses, expulsion fuses using polymeric insulators, load-break, and short-time current.

**Keywords:** fuse accessories, fuse design tests, fuse disconnecting switches, fuse-enclosure package (FEP), high-voltage fuses, IEEE 37.41™

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 9 December 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-2393-9 STD 21159  
Print: ISBN 978-1-5044-2394-6 STDPD 21159

*IEEE prohibits discrimination, harassment, and bullying.*

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

## Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

## Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

## Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

## Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

## Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an official response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854 USA

## Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

## Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

## Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

## Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association

## Participants

At the time this IEEE standard was completed, the Revision of Fuse Standards Working Group had the following membership:

**John G. Leach, *Chair***  
**Glenn R. Borchardt, *Secretary***

Chris Ambrose  
Chris Borck  
Samuel Chang  
Sterlin Cochran  
Jonathan Deverick  
Rodolfo Elizondo  
Doug Fitchett  
David Frisch  
Dan Gardner

Gary Haynes  
Blake Henard  
Frank C. Lambert  
Chris Lettow  
Bradley Lewis  
Eric Li  
Jim R. Marek  
Sean Moody  
R. Neville Parry  
Timothy Royster

Jon Spencer  
Mark W. Stavnes  
Tom Stefanski  
Dustin Sullivan  
William Walter  
Randy Ward  
James Wenzel  
Charles Worthington  
Alan Yerges

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Chris Ambrose  
Charles Ball  
Paul Barnhart  
Craig Befus  
Robert Behl  
Jean-Marc Biasse  
Gustavo Brunello  
William Byrd  
Thomas Callsen  
Paul Cardinal  
Suresh Channarasappa  
Frank Decesaro  
Gary Donner  
Edgar Dullni  
Rodolfo Elizondo  
Marcel Fortin  
Edwin Goodwin  
Randall Groves

Gary Haynes  
Jeffrey Helzer  
Richard Jackson  
John Kay  
Yuri Khersonsky  
Boris Kogan  
Jim Kulchisky  
Saumen Kundu  
Chung-Yiu Lam  
Frank C. Lambert  
John G. Leach  
Bradley Lewis  
Albert Livitz  
William McBride  
Sean Moody  
Daniel Mulkey  
Michael Newman  
T. W. Olsen  
Lorraine Padden

Bansi Patel  
Julian Profir  
Michael Roberts  
Timothy Robirds  
Timothy Royster  
Thomas Rozek  
Bartien Sayogo  
Jeremy Smith  
Jerry Smith  
Mark Stavnes  
Tom Stefanski  
David Tepen  
James Van De Ligt  
John Vergis  
William Walter  
Terry Woodyard  
Charles Worthington  
Alan Yerges

When the IEEE-SA Standards Board approved this standard on 22 September 2016, it had the following membership:

**Jean-Philippe Faure, *Chair***  
**Ted Burse, *Vice Chair***  
**John D. Kulick, *Past Chair***  
**Konstantinos Karachalios, *Secretary***

Chuck Adams  
Masahiko Ariyoshi  
Stephen Dukes  
Yanbin Fan  
J. Travis Griffith  
Gary Hoffman

Ronald W. Hotchkiss  
Michael Janezic  
Joseph L. Koepfinger\*  
Hung Ling  
Kevin Lu  
Annette D. Reilly  
Gary Robinson

Mehmet Ulema  
Yingli Wen  
Howard Wolfman  
Don Wright  
Yu Yuan  
Daidi Zhong

\*Member Emeritus

## Introduction

This introduction is not part of IEEE Std C37.41™-2016, IEEE Standard Design Tests for High-Voltage (> 1000 V) Fuses and Accessories.

IEEE Std C37.41-2016 is a revision of IEEE Std C37.41-2008, done in order to bring it up to date and into agreement with current requirements for high-voltage fuses and switches. The structure of the document has changed significantly. An attempt has been made to better separate testing requirements between expulsion fuses and current-limiting fuses. Fuse types that have restricted application, in terms of performance requirements or geographical applicability, have been separated from those that have essentially universal applicability, and placed in a normative Annex. Test requirements for distribution class high-voltage (> 1000 V) enclosed single-pole air switches have been moved to IEEE Std C37.45™-2016. Several changes to the expulsion and current-limiting fuse-testing requirements have been made to align more closely with the latest International Electrotechnical Commission (IEC) test requirements. The Revision of Fuse Standards Working Group of the IEEE Subcommittee on High-Voltage Fuses prepared the standard. Liaison was maintained with the IEC during the development of the revisions in order to incorporate the latest activities at the time of publication.

This standard is one of a series of complementary standards covering various types of high-voltage fuses and switches and covers basic testing requirements, while IEEE Std C37.41™-2016 contains the specification requirements for those devices. IEEE Std C37.45-2016 contains all of the testing requirements and specifications for high-voltage distribution class enclosed single-pole air switches. IEEE Std C37.41-2016 and IEEE Std C37.42-2016 together, and IEEE Std C37.45-2016 alone, provide all of the testing requirements for a device. In addition, IEEE Std C37.48™-2005 provides application, operation, and maintenance guidance for all the devices, and it is supplemented by IEEE Std C37.48.1™-2011 which is an application, operation, and coordination guide for current-limiting fuses.

At the time this standard was approved, this series comprised the following standards:

IEEE Std C37.41-2016, IEEE Standard Design Tests for High-Voltage (>1000 V) Fuses and Accessories.

IEEE Std C37.42-2016, IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories.

IEEE Std C37.45-2016, IEEE Standard Design Tests and Specifications for High-Voltage (>1000 V) Distribution Class Enclosed Single-Pole Air Switches.

IEEE Std C37.48-2005, IEEE Guide for Application, Operation, and Maintenance of High-Voltage Fuses, Distribution Enclosed Single-Pole Air Switches, Fuse Disconnecting Switches, and Accessories.

IEEE Std C37.48.1-2011, IEEE Guide for the Application, Operation, and Coordination of High-Voltage (>1000 V) Current-Limiting Fuses.

## Contents

|  |    |
|--|----|
| 1. Overview .....  | 11 |
| 1.1 Scope .....  | 11 |
| 1.2 Purpose .....  | 11 |
| 1.3 Background.....  | 12 |
| 1.4 Description of fuse-enclosure packages (FEPs).....                   | 13 |
| 2. Normative references.....   | 14 |
| 3. Definitions .....   | 14 |
| 4. Normal (usual) and special (unusual) service conditions .....         | 26 |
| 4.1 General .....  | 26 |
| 4.2 Normal service conditions .....                                      | 26 |
| 4.3 Special service conditions.....                                      | 27 |
| 4.4 Altitude .....   | 27 |
| 5. Classifications, ratings, and characteristics .....                   | 28 |
| 5.1 Classifications.....   | 28 |
| 5.2 Ratings.....   | 28 |
| 5.3 Characteristics .....  | 30 |
| 6. Required design (type) tests .....                                    | 33 |
| 6.1 General .....  | 33 |
| 6.2 Requirements for re-testing modified devices .....                   | 34 |
| 6.3 Parallel fuses.....  | 35 |
| 6.4 FEP tests.....   | 35 |
| 6.5 Fuses fitted with an exhaust-control device.....                     | 35 |
| 7. Common test requirements for all design tests.....                    | 35 |
| 7.1 General .....  | 35 |
| 7.2 Test values .....  | 35 |
| 7.3 Testing responsibility .....   | 36 |
| 7.4 Test report.....   | 36 |
| 7.5 Test site conditions .....   | 36 |
| 7.6 Frequency and wave shape of test voltage.....                        | 37 |
| 7.7 Devices to be tested.....  | 37 |
| 7.8 Acceptance criteria.....   | 37 |
| 7.9 Test-conductor dimensions.....                                       | 38 |
| 7.10 Mounting and grounding of the device for tests .....                | 39 |
| 8. Dielectric tests.....   | 41 |
| 8.1 Requirements common to all dielectric tests .....                    | 41 |
| 8.2 Power-frequency dry-withstand voltage tests.....                     | 42 |
| 8.3 Power-frequency wet-withstand voltage tests on outdoor devices ..... | 43 |
| 8.4 Power-frequency dew-withstand voltage tests on indoor devices .....  | 43 |
| 8.5 Lightning impulse withstand voltage tests.....                       | 44 |
| 8.6 Fuses and fuse disconnecting switches used in FEPs .....             | 44 |
| 8.7 External fuses for shunt capacitors .....                            | 46 |

|   |     |
|---|-----|
| 9. Interrupting tests.....  | 46  |
| 9.1 Requirements common to all interrupting tests .....   | 46  |
| 9.2 Interrupting tests for expulsion fuses.....   | 49  |
| 9.3 Interrupting tests for current-limiting fuses .....   | 59  |
| 9.4 Interrupting tests for FEPs.....  | 70  |
| 9.5 Description of interrupting tests for external fuses for shunt capacitors.....                          | 75  |
| 10. Radio-influence tests .....   | 84  |
| 10.1 Procedures common to all radio-influence tests .....   | 84  |
| 10.2 Description of radio-influence tests on a single device .....  | 86  |
| 10.3 Description of radio-influence tests on multiple devices.....  | 86  |
| 10.4 Description of radio-influence tests for assembled apparatus.....                                      | 86  |
| 11. Temperature-rise tests .....  | 86  |
| 11.1 Procedures common to all temperature-rise tests .....  | 86  |
| 11.2 Description of temperature-rise tests .....  | 87  |
| 11.3 Description of temperature-rise tests for air-insulated FEPs using expulsion indoor Class B fuses..... | 87  |
| 12. Time-current tests.....   | 88  |
| 12.1 Procedures common to all time-current tests.....   | 88  |
| 12.2 Description of melting time-current tests .....  | 90  |
| 12.3 Description of clearing time-current tests.....  | 90  |
| 13. Manual-operation, thermal-cycle, and bolt-torque tests .....  | 90  |
| 13.1 General .....  | 90  |
| 13.2 Description of manual-operation tests .....  | 91  |
| 13.3 Description of thermal-cycle tests .....   | 91  |
| 13.4 Description of torque tests.....   | 92  |
| 14. Liquid-tightness tests for current-limiting fuses and FEPs.....   | 92  |
| 14.1 General .....  | 92  |
| 14.2 Description of liquid-tightness tests .....  | 93  |
| 15. Static-relief pressure tests for expulsion fuses that use expendable caps .....                         | 97  |
| 16. Lightning surge impulse withstand test for fuse links .....   | 98  |
| 16.1 General .....  | 98  |
| 16.2 Test sample.....   | 98  |
| 16.3 Arrangement of the equipment .....   | 98  |
| 16.4 Test procedure.....  | 98  |
| 16.5 Acceptance criteria.....   | 98  |
| 17. Withstand tests for fuses intended for motor circuit applications.....                                  | 99  |
| 17.1 General .....  | 99  |
| 17.2 Withstand requirements .....   | 99  |
| 17.3 Withstand tests.....   | 99  |
| 18. Tests for expulsion fuses having cutout fuse supports utilizing polymeric insulators.....               | 102 |
| 18.1 Mechanical tests .....   | 102 |
| 18.2 Environmental tests .....  | 104 |
| 18.3 Water penetration and void tests.....  | 107 |
| 18.4 Interrupting tests at temperature extremes .....   | 108 |

|   |     |
|---|-----|
| Annex A (normative) Test requirements for additional devices.....   | 110 |
| A.1 Definitions .....   | 110 |
| A.2 Expulsion fuses.....  | 112 |
| A.3 Current-limiting fuses—motor-starter fuses (historical).....  | 121 |
| A.4 Short-time withstand current tests for disconnecting switches .....   | 123 |
| A.5 Load-break tests.....   | 126 |
| <br>  |     |
| Annex B (informative) Recommended methods for determining the value of a sinusoidal current wave and a power-frequency recovery voltage ..... | 127 |
| B.1 Current waves .....   | 127 |
| B.2 Power-frequency recovery voltage .....  | 128 |
| <br>  |     |
| Annex C (informative) Recommended method of determining the equivalent steady-state rms current for plotting time-current curves.....         | 130 |
| <br>  |     |
| Annex D (informative) Simplified fault-current calculation—interrupting duty and rated short-time withstand current .....                     | 131 |
| <br>  |     |
| Annex E (informative) Transient recovery voltage (TRV) parameters .....   | 133 |
| E.1 Test circuits .....   | 133 |
| E.2 Measurement of peak factor.....   | 134 |
| <br>  |     |
| Annex F (normative) Criteria for determining $I_t$ testing validity for current-limiting fuses.....   | 137 |
| F.1 Introduction .....  | 137 |
| F.2 Interrupting processes.....   | 137 |
| <br>  |     |
| Annex G (informative) Bibliography .....  | 139 |

# IEEE Standard Design Tests for High-Voltage (> 1000 V) Fuses and Accessories

## 1. Overview

### 1.1 Scope

This standard specifies design test requirements for high-voltage (above 1000 V) fuses and accessories for use on ac electrical distribution systems. Devices with rated maximum voltages to 170 kV are covered. The devices to which this standard applies are as follows:

- a) Expulsion fuses (including fuse cutouts)
- b) Current-limiting fuses
- c) Items a) and b) used in fuse-enclosure packages
- d) Fuse supports of the type intended for use with fuses and fuse disconnecting switches
- e) Disconnecting devices (fuse disconnecting switches, disconnecting switches, and disconnecting cutouts) created by the use of a removable fuse unit or switch blade in a fuse support
- f) Expulsion, current-limiting, and combination types of external capacitor fuses used with a capacitor unit, a group of units, or capacitor banks
- g) Backup current-limiting fuses (“motor-starter fuses”) used in conjunction with high-voltage motor starters
- h) Fuse links when used exclusively with expulsion fuses and fuse disconnecting switches
- i) Items a) through f) having integral load-break means

This standard may also be used as a basis for testing other devices that are similar to the devices listed in the scope. In addition, the parts relating to expulsion fuses may, where applicable, be used for non-expulsion fuses in which the interruption process waits for a natural current zero to clear the circuit. The manufacturer and the user should agree on any specifications or tests performed for such devices.

### 1.2 Purpose

This standard specifies the minimum testing requirements for fuses and related devices. Such standardization is needed to ensure uniform minimum product testing for devices within the document scope. Test areas covered are based on historical experience.