

IEEE Standard Specifications for High-Voltage (> 1000 V) Fuses and Accessories

IEEE Power and Energy Society

Sponsored by the
Switchgear Committee

IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories

Sponsor

Switchgear Committee
of the
IEEE Power and Energy Society

Approved 22 September 2016

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: Specifications for high voltage (above 1000 V) Class A and Class B expulsion and current-limiting fuses are detailed in this standard. They include: expulsion type Class A [distribution class] fuses, fuse cutouts, fuse disconnecting switches, their associated fuse links or refill units, disconnecting cutouts, and accessories for these devices with rated voltages from 1 kV through 38 kV; expulsion type Class B [power class] fuses, fuse disconnecting switches, their associated fuse links or refill units, disconnecting cutouts, and accessories for these devices with rated voltages from 1 kV through 170 kV; class A and class B current-limiting fuses and accessories for these devices with rated voltages 1 through 38 kV; distribution and power class expulsion, current-limiting, and combination-type external capacitor fuses and accessories, with rated voltages from 1 kV through 38 kV, for protecting shunt capacitors complying with IEEE Std 18 and NEMA CP 1; any of the above devices used in fuse enclosure packages; all of these devices are intended for use on alternating current distribution systems.

Keywords: Class A fuses, Class B fuses, current-limiting fuses, distribution and power class current-limiting fuses, distribution class fuses, distribution fuse cutouts, expulsion fuses, fuse applications, fuse disconnecting switches, fuse enclosure packages, fuses for the protection of shunt capacitors, fuse hooks, fuse links, high-voltage fuses, IEEE C37.42™, power class fuses, supports and mountings, tongs

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 26 May 2017. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-2359-5 STD21134
Print: ISBN 978-1-5044-2360-1 STDPD21134

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was completed, the Revision of Fuse Specifications Standards Working Group had the following membership:

Mark W. Stavnes, Chair

Alan Yerges, Vice Chair

Chris Ambrose
Glenn R. Borchardt
Sam Chang
Sterlin Cochran
Jonathan H. Deverick
Rodolfo Elizondo
David L. Frisch

Gary W. Haynes
Frank C. Lambert
John G. Leach
Chris Lettow
Bradley B. Lewis
James R. Marek
Sean W. Moody

R. Neville Parry
Timothy E. Royster
Jon Spencer
Tom Stefanski
William Walter
James Wenzel
Charles Worthington

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Chris Ambrose
Paul Barnhart
Craig Befus
Robert Behl
Jean-Marc Biasse
Glenn R. Borchardt
Christopher Borck
Clarence Bradley
Gustavo Brunello
William Byrd
Paul Cardinal
Gary Donner
Edgar Dullni
Rodolfo Elizondo
Marcel Fortin
David L. Frisch
Mietek Glinkowski
Edwin Goodwin
Randall Groves

John Harley
Gary W. Haynes
Richard Jackson
John Kay
Yuri Khersonsky
Boris Kogan
Jim Kulchisky
Saumen Kundu
Frank C. Lambert
John G. Leach
Bradley B. Lewis
William McBride
Sean W. Moody
Daniel Mackey
Michael Newman
T. V. Olsen
Lorraine Padden
Julian Profir

Michael Roberts
Timothy Robirds
Charles Rogers
Timothy E. Royster
Thomas Rozek
Bartien Sayogo
Nikunj Shah
Jerry Smith
Jon Spencer
Tom Stefanski
James Van De Ligt
John Vergis
William Walter
John Wang
James Wenzel
Kenneth White
Terry Woodyard
Charles Worthington
Alan Yerges

When the IEEE-SA Standards Board approved this standard on September 22, it had the following membership:

Jean-Philippe Faure, Chair

Ted Burse, Vice-chair

John D. Kulick, Past Chair

Konstantinos Karachalios, Secretary

C. Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C37.42–2016, IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories.

IEEE Std C37.42™-2016 is a new IEEE standard covering specifications for expulsion and current-limiting type fuses. This standard is a consolidation of all previously published IEEE standards covering these devices. These standards include IEEE Std C37.42, IEEE Std C37.43™, IEEE Std C37.46™, and IEEE Std C37.47™. The consolidation was prepared by a working group of the IEEE Subcommittee on High-Voltage Fuses to improve the alignment with the associated testing document, IEEE Std C37.41™, to eliminate redundancy, and to bring the standard more in line with the related International Electrotechnical Commission (IEC) standards IEC-60282-1 and IEC-60282-2. Previous standards had ratings listed for historical purposes to attempt to account for the ratings of all devices manufactured either to prior standards or before standards existed. With this standard, these are eliminated as preferred values, and are included only for historical reference in an informative annex. In addition, previous standards included devices that have restricted application in terms of performance requirements or geographic applicability. With this standard, those devices have been separated from those that have essentially universal applicability, and are included in a normative annex. This is to preserve inclusion in the standard, but clearly indicate that they do not have a relation to IEC standard devices. Liaison was maintained with the IEC during the development of the revisions in order to incorporate the latest thinking up to the time of publication.

This standard is one of a series of complementary standards covering the various types of high-voltage fuses and switches, and contains the specifications, while IEEE Std C37.41 covers testing requirements. IEEE Std C37.45™ contains all of the specifications and testing requirements for high-voltage distribution class enclosed single-pole air switches. IEEE Std C37.41 and IEEE Std C37.42 together, and IEEE Std C37.45, provide all of the testing requirements for a device. In addition, IEEE Std C37.48™ provides application, operation, and maintenance guidance for all the devices, and is supplemented by IEEE Std C37.48.1™ [B8] which is an application, operation, and coordination guide for current-limiting fuses.

At the time this standard was approved, this series was comprised of the following standards:

IEEE Std C37.41, IEEE Standard Design Tests for High-Voltage (>1000 V) Fuses and Accessories.

IEEE Std C37.42, IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories.

IEEE Std C37.45, IEEE Standard Design Tests and Specifications for High-Voltage Distribution Class Enclosed Single-Pole Air Switches with Rated Voltages from 1 kV through 8.3 kV.

IEEE Std C37.48, IEEE Guide for Application, Operation, and Maintenance of High Voltage Fuses, Distribution Enclosed Single-Pole Air Switches, Fuse Disconnecting Switches, and Accessories.

IEEE Std C37.48.1, IEEE Guide for the Application, Operation, and Coordination of High-Voltage (>1000 V) Current-Limiting Fuses.

Contents

1. Overview.....	13
1.1 Scope.....	13
1.2 Purpose.....	13
1.3 Background.....	14
2. Normative references.....	14
3. Definitions.....	15
4. Normal and special service conditions.....	15
5. Classifications and ratings.....	15
5.1 Classifications.....	15
5.2 Rating validation.....	15
5.3 Preferred ratings.....	17
6. Design test requirements.....	21
6.1 Dielectric tests.....	21
6.2 Interrupting [breaking] tests.....	23
6.3 Load-break tests.....	25
6.4 Radio-influence tests.....	25
6.5 Temperature rise tests.....	26
6.6 Time-current tests.....	27
6.7 Manual operation, thermal cycle, and bolt torque tests.....	27
6.8 Liquid tightness tests for liquid immersed current-limiting type fuses and FEPs.....	27
6.9 Static relief pressure tests for fuses with expendable caps.....	27
6.10 Lightning surge impulse withstand fuse links.....	27
7. Time-current characteristic requirements.....	27
7.1 General.....	27
7.2 “K” and “T” type fuses.....	28
7.3 Fuses not assigned a specific letter designation.....	30
8. Conformance tests.....	30
9. Construction requirements.....	30
9.1 Cutout and capacitor fuses and associated fuse links.....	30
9.2 Class B [power class] fuses.....	33
10. Nameplate marking requirements.....	34
10.1 Fuse supports and fuse disconnecting switches.....	34
10.2 Fuse units or refill units.....	34
10.3 Fuse holders.....	35
10.4 Fuse links.....	35
10.5 Disconnecting blades.....	35
10.6 Capacitor fuses.....	35
10.7 Additional information.....	36
11. Application, operation and maintenance guidelines.....	36
11.1 General.....	36
11.2 Capacitor fuses.....	36
11.3 Class B [power class] fuses.....	36
11.4 Paralleling of fuses.....	38
11.5 Load-break ability.....	38

Annex A (informative) Historical device rating information.....	39
Annex B (normative) Historical IEEE (non-IEC) devices.....	42
Annex C (normative) Mounting brackets.....	51
Annex D (normative) Switch sticks (switch hooks).....	56
Annex E (informative) Bibliography.....	57

Currently in preview, click buy full version

List of Figures

Figure 1—Typical cutout fuse link construction.....	30
Figure 2—Preferred base mounting dimensions	33
Figure C.1—Type-A mounting bracket	52
Figure C.2—Type-B mounting bracket	53
Figure D.1—Switch sticks for use with distribution class devices	56

List of Tables

Table 1—Preferred rated maximum voltage (V).....	17
Table 2—Peak recovery voltages for capacitor fuses	18
Table 3—Preferred rated current for fuses, fuses units, fuse links, and refill units	18
Table 4—Preferred rated current for fuse supports.....	18
Table 5—Preferred rated lightning impulse withstand voltages	20
Table 6—Minimum dielectric withstand test voltages for Class A outdoor devices	21
Table 7—Minimum dielectric withstand test voltages for Class A indoor devices	21
Table 8—Minimum dielectric withstand test voltages for Class B outdoor devices	22
Table 9—Minimum dielectric withstand test voltages for Class B indoor devices	22
Table 10—Maximum permissible overvoltages for current-limiting type fuses	24
Table 11—Radio-influence voltage testing parameters for Class A fuses.....	25
Table 12—Radio-influence voltage testing parameters for Class B fuses.....	26
Table 13—Melting currents for type-K (fast ^a) fuses ^b	28
Table 14—Melting currents for type-T (slow ^a) fuses ^b	29
Table 15—Requirements for button head diameter	31
Table 16—Flexible conductor (fuse link leader) requirements.....	31
Table 17—Dimensional range of conductor sizes to be accommodated by terminals	32
Table 18—Inside diameter of fuseholder.....	32
Table 19—Requirements for expendable fuseholder caps ^a	32
Table 20—Preferred base mounting dimensions for power class expulsion and current-limiting type fuse supports and fuse disconnecting switches	34
Table 21—Minimum pole-to-pole [phase-to-phase] centerline spacing for outdoor mounted Class B fuses (except expulsion type) ^a	36
Table 22—Minimum pole-to-pole [phase-to-phase] centerline spacing for outdoor mounted Class B fuses ^a	37
Table 23—Minimum clearance between live parts for indoor mounted Class B fuses	37
Table B.1—Preferred ratings for maximum voltage, lightning impulse withstand voltage, current, and maximum interrupting current	42
Table B.2—Preferred minimum dielectric withstand test voltages	43
Table B.3—Radio-influence voltage testing parameters for open-link cutouts	43
Table B.4—Dimensional range of conductor sizes to be accommodated by terminals.....	43
Table B.5—Length of fuse link between contact buttons	44

Table B.6—Flexible conductor thickness requirements	44
Table B.7—Preferred rated maximum voltage and rated maximum interrupting current.....	44
Table B.8—Preferred minimum dielectric withstand test voltages	45
Table B.9—Dimensional range of conductor sizes to be accommodated by terminals.....	45
Table B.10—Identifying color-coding and nomenclature	46
Table B.11—Minimum allowable continuous currents for R-rated fuses.....	46
Table B.12—Interrupting rating nomenclature	48
Table B.13—Preferred rated short-time withstand currents for disconnecting devices	49
Table B.14—Historical preferred rated lightning impulse withstand voltages and minimum dielectric withstand test voltages.....	50

IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories

1. Overview

1.1 Scope

This standard establishes specifications for high-voltage (above 1000 V) fuses and accessories for use on ac electrical distribution systems. Devices with rated maximum voltages to 170 kV are covered. The devices to which this standard applies are as follows:

- a) Expulsion fuses (including fuse cutouts)
- b) Current-limiting fuses
- c) Items a) and b) used in fuse enclosure packages
- d) Fuse supports of the type intended for use with fuses and fuse disconnecting switches
- e) Disconnecting devices (fuse disconnecting switches, disconnecting switches, and disconnecting cut-outs) created by the use of a removable fuse unit or switch blade in a fuse support
- f) Expulsion, current-limiting, and combination types of external capacitor fuses used with a capacitor unit, a group of units, or capacitor banks
- g) Backup current-limiting fuses (“motor-starter fuses”) used in conjunction with high-voltage motor starters
- h) Fuse links when used exclusively with expulsion fuses and fuse disconnecting switches
- i) Items a) through f) having integral load-break means
- j) Accessories including mounting brackets and switch sticks (switch hooks)

This standard may also be used for other devices that are similar to the devices listed in the scope.

1.2 Purpose

Standard specifications for the devices covered by this document are necessary to assure consistent development and application of these devices by manufacturers and users of these devices.